

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

***20 Year Pavement Design***

<i>Dist.</i>	<i>Producer Name</i>	<i>Location</i>	<i>P/S No.</i>	<i>Ledge Description</i>	<i>Approved Gradations</i>				<i>CRC</i>	<i>Year Last Sampled</i>
					<i>CA05</i>	<i>CA07</i>	<i>CA11</i>	<i>CA14</i>		
91	BAKLEY CONST. CORP.	HUNTLEY, IL	51110-28	Above & Below Water	N	N	Y	Y	Y	2008
91	BAKLEY CONST. CORP.	HUNTLEY, IL	51110-28	Above & Below Water - 3" Scalp, Cone - Partial Crush	N	N	Y	Y	Y	2009
91	BEVERLY MATL'S, INC	ELGIN, IL	50890-22	Above & Below Water - Jaw - Partial Crush	N	N	Y	Y	Y	2010
91	BEVERLY MATL'S, INC	ELGIN, IL	50890-22	Above & Below Water - Jaw, Cone, Cone - Crushed Gravel	N	N	Y	Y	Y	2010
91	BEVERLY MATL'S, INC	ELGIN, IL	50890-22	Above Water - Jaw, Cone - Crushed Gravel	N	N	Y	Y	Y	2009
91	BEVERLY MATL'S, INC	ELGIN, IL	50890-22	Above Water - Jaw, Cone - Partial Crush	N	N	Y	Y	Y	2009
91	BEVERLY MATL'S, INC	HUNTLEY, IL	51110-41	Above & Below Water - Jaw, Cone - Crushed Gravel	N	N	Y	Y	Y	2007
91	BEVERLY MATL'S, INC	HUNTLEY, IL	51110-41	Pit B - 0m - 7.0m Below Water - Jaw, Cone - Partial Crush	N	N	Y	Y	Y	2008
91	BLUFF CITY MATERIALS	BARTLETT, IL	50310-09	Above Water	N	N	Y	Y	Y	2005
91	BLUFF CITY MATERIALS	BARTLETT, IL	50310-09	Above & Below Water - Uncrushed Gravel	N	N	Y	Y	Y	2009
91	BLUFF CITY MATERIALS	BARTLETT, IL	50310-09	Above & Below Water - Jaw, HSI - Partial Crush	N	N	Y	Y	Y	2007
91	CARMEUSE LIME & STON	GULLIVER, MI	52602-01	Ledge 1 - Gyro, +2 1/16" Recirc. HSI (Prod 1)	N	N	Y	Y	Y	2010
91	CEDAR LAKE S.& G.	HARTFORD, WI	52400-39	Above Water - Jaw, Cone, Roll - Not 100% Crushed	N	N	Y	Y	Y	2010
91	CORAL LAKE S & G	MARENGO, IL	51110-46	Above & Below Water	N	Y	Y	Y	Y	2008
91	ELMHURST CHICAGO ST.	KANEVILLE, IL	50890-29	Above Water - Jaw, Cone - Partial Crush	N	N	Y	Y	Y	2005
91	ELMHURST CHICAGO ST.	PLAINFIELD, IL	51972-11	0.0m - 10.7m - Jaw, Imp, Cone	N	Y	Y	Y	Y	2005
91	ELMHURST CHICAGO ST.	PLAINFIELD, IL	51972-11	0.0m - 10.7m - Jaw, Imp, Cone, Imp	N	Y	Y	Y	Y	2007
91	ELMHURST CHICAGO ST.	PLAINFIELD, IL	51972-11	10.7m - 24.4m - Jaw, Imp, Cone, Imp	N	Y	Y	Y	Y	2008
91	ELMHURST CHICAGO ST.	ROMEOVILLE, IL	51972-10	0m - 18.3m - Level 1 - Jaw, RR, 6, Imp, Imp	N	Y	Y	Y	Y	2006
91	ELMHURST CHICAGO ST.	ROMEOVILLE, IL	51972-10	18.3m - 24.4m - Level 2 - Jaw, RR, 6, Imp, Imp	N	Y	Y	Y	Y	2006

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

***20 Year Pavement Design***

<i>Dist.</i>	<i>Producer Name</i>	<i>Location</i>	<i>P/S No.</i>	<i>Ledge Description</i>	<i>Approved Gradations</i>				<i>CRC</i>	<i>Year Last Sampled</i>
					<i>CA05</i>	<i>CA07</i>	<i>CA11</i>	<i>CA14</i>		
91	ELMHURST CHICAGO ST.	ROMEOVILLE, IL	51972-10	0m - 18.3m - Level 1 - Jaw, Cone, VSI	N	Y	Y	Y	Y	2007
91	ELMHURST CHICAGO ST.	ROMEOVILLE, IL	51972-10	0m - 24.4m - Level 1 & 2 - Jaw, RR, 6, Cone, VSI	N	Y	N	N	Y	2009
91	LAFARGE CONCO	N. AURORA, IL	50892-01	62.2m - 70.4m - Jaw, 6, HSI, HSI	N	N	Y	Y	Y	2007
91	LAFARGE CONCO	N. AURORA, IL	50892-01	78.0m - 85.0m - Jaw, RR2, 6, HSI, VSI	N	N	Y	Y	Y	2009
91	LAFARGE FOX RIVER	S. ELGIN, IL	50892-02	0m - 15.2m - Jaw, 3 Cones	N	N	Y	Y	Y	2005
91	LAFARGE FOX RIVER	S. ELGIN, IL	50892-02	0m - 7.6m - Header - Jaw, 3x1,6, 3 Cones (Prod 2)	N	N	Y	Y	Y	2010
91	LAFARGE JOLIET	ROCKDALE, IL	51972-15	88.4m-96.0m, Mine - Jaw, Cage, Roll	N	Y	Y	Y	Y	2007
91	LAFARGE JOLIET	ROCKDALE, IL	51972-15	96.0m-103.6m, Mine - Jaw, Cage, Roll	N	Y	Y	Y	Y	2007
91	LAFARGE JOLIET	ROCKDALE, IL	51972-15	106.7m - 115.9m, Mine - Jaw, Cage, Roll	N	Y	Y	Y	Y	2007
91	LAFARGE JOLIET	ROCKDALE, IL	51972-15	106.7m - 115.9m, Mine - Jaw, 2 Cones	N	Y	Y	Y	Y	2009
91	LAFARGE JOLIET	ROCKDALE, IL	51972-15	106.7m - 115.9m - Jaw, HSI, Cone, Cone	N	Y	Y	Y	Y	2009
91	LAFARGE ONTARIO	ONTARIO, ON	52352-01	0m - 15.2m - Dolomite - Gyro Cone, Cone, Roll	N	N	Y	Y	Y	2009
91	MATERIAL SERVICE	ALGONQUIN, IL	51110-12	Above & Below Water - Jaw, Cone - Partial Crush	N	N	Y	Y	Y	2009
91	MATERIAL SERVICE	LAGRANGE, IL	50312-02	28.9m-39.6m- Level #4 - Main Plant	N	Y	Y	Y	Y	2008
91	MATERIAL SERVICE	LAGRANGE, IL	50312-02	28.9m-39.6m- Level #4-Chip Plant	N	Y	Y	Y	Y	2008
91	MATERIAL SERVICE	LAGRANGE, IL	50312-02	36.5m-46.3m (120-152')- Level #5- EMD- Chip Plant	N	Y	Y	Y	Y	2009
91	MATERIAL SERVICE	LAGRANGE, IL	50312-02	36.5m-46.3m (120-152')- Level #5- EMD- Main Plant	N	Y	Y	Y	Y	2005
91	MATERIAL SERVICE	LAGRANGE, IL	50312-02	46.3m-56.4m (152-185')- Level #6- EMD- Chip Plant	N	Y	Y	Y	Y	2009
91	MATERIAL SERVICE	LAGRANGE, IL	50312-02	46.3m-56.4m (152-185')- Level #6- EMD- Main Plant	N	Y	Y	Y	Y	2009
91	MATERIAL SERVICE	LAGRANGE, IL	50312-02	56.4m-65.8m (185-216')- Level #7- EMD- Main Plant	N	Y	Y	Y	Y	2007

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

***20 Year Pavement Design***

<i>Dist.</i>	<i>Producer Name</i>	<i>Location</i>	<i>P/S No.</i>	<i>Ledge Description</i>	<i>Approved Gradations</i>				<i>CRC</i>	<i>Year Last Sampled</i>
					<i>CA05</i>	<i>CA07</i>	<i>CA11</i>	<i>CA14</i>		
91	MATERIAL SERVICE	LAGRANGE, IL	50312-02	56.4m-65.8m (185-216')- Level #7- EMD- Chip Plant	N	Y	Y	Y	Y	2007
91	MATERIAL SERVICE	LAGRANGE, IL	50312-02	26.5m - 42.7m - Level 4 & Top of Level 5 - Chip Plant	N	Y	Y	Y	Y	2005
91	MATERIAL SERVICE	LAGRANGE, IL	50312-02	26.5m - 42.7m - Level 4 & Top of Level 5 - Main Plant	N	Y	Y	Y	Y	2005
91	MATERIAL SERVICE	ROMEDEVILLE, IL	51972-02	0m - 41.1m-West Pit - Gyro, Cone, Cone	N	Y	Y	Y	Y	2007
91	MATERIAL SERVICE	ROMEDEVILLE, IL	51972-02	0m - 44.2m - Pierce Pit - Gyro, Cone, Cone	N	Y	Y	Y	Y	2010
91	MATERIAL SERVICE	THORNTON, IL	50312-04	0m - 105.8m - Lev. 1-3 - Gyro, Cone	N	Y	Y	Y	Y	2007
91	MATERIAL SERVICE	THORNTON, IL	50312-04	0m - 44.2m - Brown Derby - Gyro, Cone	N	Y	Y	Y	Y	2010
91	MATERIAL SERVICE	THORNTON, IL	50312-04	44.2m - 80.8m - Main - Gyro, Cone	N	Y	Y	Y	Y	2010
91	MATERIAL SERVICE	THORNTON, IL	50312-04	0m - 33.5m - Main - Gyro, Cone (Prod 1)	N	Y	Y	Y	Y	2009
91	MATERIAL SERVICE	THORNTON, IL	50312-04	70.7m - 105.8m - Ledge 3N - Gyro, Cone (Prod 1)	N	Y	Y	Y	Y	2009
91	MEYER MATERIAL CO.	ALGONQUIN, IL	51110-07	Above & Below Water - Jaw, Cone - Partial Crush	N	N	Y	Y	Y	2009
91	MEYER MATERIAL CO.	ALGONQUIN, IL	51110-07	Above & Below Water - Jaw, Cone - Crushed Gravel	N	N	Y	Y	Y	2008
91	MEYER MATERIAL CO.	ALGONQUIN, IL	51110-42	Above & Below Water - Jaw, Cone - Partial Crush	N	N	Y	Y	Y	2008
91	MEYER MATERIAL CO.	HARVARD, IL	51110-45	Above & Below Water - Jaw, Cone, -1" to Wash Plant	N	N	Y	Y	Y	2008
91	MEYER MATERIAL CO.	MARENGO, IL	51110-03	Above & Below Water - Jaw - Partial Crushed	N	N	Y	Y	Y	2008
91	MEYER MATERIAL CO.	MARENGO, IL	51110-03	Above & Below Water - Jaw, Cone - Partial Crush	N	N	Y	Y	Y	2010
91	MEYER MATERIAL CO.	MCHENRY, IL	51110-11	Above Water - Jaw, Roll - Crushed Gravel	N	N	Y	Y	Y	2009
91	MEYER MATERIAL CO.	MCHENRY, IL	51110-11	Above Water - Jaw, Cone - Partial Crush	N	N	Y	Y	Y	2009
91	MEYER MATERIAL CO.	TWIN LAKES, WI	52400-44	Above Water - Screened & Crushed - Jaw, Roll (Prod 1)	N	N	Y	Y	Y	2010
91	MIDWEST AGGREGATES	ANTIOCH, IL	50970-20	Above & Below Water - HSI, Not 100% Crushed	N	N	Y	Y	Y	2008

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

***20 Year Pavement Design***

<i>Dist.</i>	<i>Producer Name</i>	<i>Location</i>	<i>P/S No.</i>	<i>Ledge Description</i>	<i>Approved Gradations</i>				<i>CRC</i>	<i>Year Last Sampled</i>
					<i>CA05</i>	<i>CA07</i>	<i>CA11</i>	<i>CA14</i>		
91	MINING INTERNATIONAL	JOLIET, IL	51972-20	Level 1 - Jaw, RR, 6, Cone	N	Y	Y	Y	Y	2008
91	MINING INTERNATIONAL	JOLIET, IL	51972-20	Level 2 - Jaw, RR, 6, Cone	N	Y	Y	Y	Y	2008
91	MINING INTERNATIONAL	JOLIET, IL	51972-20	Level 1 - Jaw, No Scalp, Cone	N	Y	Y	Y	Y	2010
91	MINING INTERNATIONAL	JOLIET, IL	51972-20	Level 2 - Jaw, No Scalp, Cone	N	Y	Y	Y	Y	2010
91	NORTHERN MATERIALS	HUNTLEY, IL	51110-32	Below Water - HSI - Partial Crush	N	Y	Y	Y	Y	2010
91	PAYNE & DOLAN, INC.	ROCHESTER, WI	52400-42	Below Water - Minus 5" to Plus 1.5" to Cone - Partial Crush	N	N	Y	Y	Y	2005
91	PRAIRIE MATERIAL	KANEVILLE, IL	50890-37	Below Water - Jaw, HSI - Not 100% Crushed	N	N	Y	Y	Y	2005
91	RELIABLE MATERIALS	LYONS, IL	50312-18	0m - 15.5m - Bench 1 - Jaw, HSI	N	Y	Y	Y	Y	2006
91	ROCK ROAD NELSON LLC	EAST TROY, WI	52400-50	Above Water - Jaw, Cone, Roll - Not 100% Crushed	N	N	Y	Y	Y	2007
91	ROCK ROAD NELSON LLC	WHITEWATER, WI	52400-48	27.4m-54.9m - Above Water - Jaw, Cone, Roll - Partial Crush	N	N	Y	Y	Y	2008
91	ROCKY MOUNTAIN ENT.	ATHENS, WI	52402-14	Level 1 - Jaw, Cone, Imp	N	Y	Y	Y	Y	2006
91	SPRUCE LAKE S & G	RICHMOND, IL	51110-64	Above Water - Jaw, +1" , Cone - Partial Crush	N	N	Y	Y	Y	2009
91	THELEN SAND & GRAVEL	ANTIOCH, IL	50970-01	6.1m Above Water - Jaw, Jaw, Cone - Partial Crush	N	N	Y	N	Y	2007
91	THELEN SAND & GRAVEL	ANTIOCH, IL	50970-01	10.7m Below Water - Jaw, Jaw, Cone - Partial Crush	N	N	Y	Y	Y	2008
91	THELEN SAND & GRAVEL	ANTIOCH, IL	50970-02	Above & Below Water - Jaw, Jaw, Cone - Partial Crush	N	N	Y	Y	Y	2008
91	THELEN SAND & GRAVEL	HEBRON, WI	52400-27	Above & Below Water	N	N	Y	Y	Y	2008
91	VULCAN MATERIALS	BARTLETT, IL	50312-90	Level 1 - Jaw, Cone, Cone@51972-09	N	Y	Y	Y	Y	2005
91	VULCAN MATERIALS	BARTLETT, IL	50312-90	Level 1 - Jaw, Cone, Cone	N	Y	Y	Y	Y	2009
91	VULCAN MATERIALS	BARTLETT, IL	50312-90	Level 2 - Feeder Breaker, 6, 3" x 1", 2 Cones	N	Y	Y	Y	Y	2007
91	VULCAN MATERIALS	BARTLETT, IL	50312-90	Level 2 - Feeder Breaker, 3" x 1", 2 Cones	N	Y	Y	Y	Y	2006

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

***20 Year Pavement Design***

<i>Dist.</i>	<i>Producer Name</i>	<i>Location</i>	<i>P/S No.</i>	<i>Ledge Description</i>	<i>Approved Gradations</i>				<i>CRC</i>	<i>Year Last Sampled</i>
					<i>CA05</i>	<i>CA07</i>	<i>CA11</i>	<i>CA14</i>		
91	VULCAN MATERIALS	BARTLETT, IL	50312-90	Level 1 - Feeder Breaker, 6, 3"x1", 2 Cones (Prod 5)	N	Y	Y	Y	Y	2009
91	VULCAN MATERIALS	BARTLETT, IL	50312-90	Level 1 - Feeder Breaker, 66% Scalp 6, 3"x1", 2 Cones	N	Y	Y	Y	Y	2007
91	VULCAN MATERIALS	BARTLETT, IL	50312-90	Level 2A - Jaw, 3"x1", 66% CA6, 2 Cones	N	Y	Y	Y	Y	2008
91	VULCAN MATERIALS	BARTLETT, IL	50312-90	Level 2A - Jaw, 3"x1", 6, 2 Cones	N	Y	Y	Y	Y	2008
91	VULCAN MATERIALS	BOLINGBROOK, IL	51972-09	Level 1 - Jaw, 75% 6, 2 Cones (Prod 2)	N	Y	Y	Y	Y	2009
91	VULCAN MATERIALS	BOLINGBROOK, IL	51972-09	Level 2 - Jaw, 3"x1", 75% 6, 2 Cones (Prod 2)	N	Y	Y	Y	Y	2009
91	VULCAN MATERIALS	FRANKLIN, WI	52402-95	Racine - Jaw, 6, Cone, VSI	N	Y	Y	Y	Y	2008
91	VULCAN MATERIALS	JOLIET, IL	51972-19	0.0m - 27.4m - Jaw, 6, Cone, VSI	N	Y	Y	Y	Y	2009
91	VULCAN MATERIALS	JOLIET, IL	51972-19	27.4m - 42.7m - Jaw, 6, Cone, VSI	N	Y	Y	Y	Y	2007
91	VULCAN MATERIALS	JOLIET, IL	51972-19	Slot Area - 9.1m - 27.4m - Jaw, 6, Cone, VSI	N	Y	Y	Y	Y	2008
91	VULCAN MATERIALS	JOLIET, IL	51972-19	27.4m - 42.7m - Jaw, 3x1, 6, Cone, VSI	N	Y	Y	Y	Y	2007
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	120.4m - 106.7m- Level 5- Hodgkins- Main Plant	N	Y	Y	Y	Y	2010
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	120.4m - 106.7m- Level 5- Hodgkins- Chip Plant	N	Y	Y	Y	Y	2010
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	178.3m - 152.4m - Levels 1 & 2 - Hodgkins - Main Plant	N	Y	Y	Y	Y	2006
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	178.3m - 152.4m - Levels 1 & 2 - Hodgkins - Chip Plant	N	Y	Y	Y	Y	2006
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	152.4m - 120.4m - Levels 3 & 4 - Hodgkins - Main Plant	N	Y	Y	Y	Y	2007
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	152.4m - 120.4m - Levels 3 & 4 - Hodgkins - Chip Plant	N	Y	Y	Y	Y	2007
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	158.5m - 105.5m - Highwall - Main Plant	Y	Y	Y	Y	Y	2005
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	MWRD Level 1 - Main Plant	N	Y	Y	Y	Y	2010
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	MWRD Level 1 - Chip Plant	N	Y	Y	Y	Y	2010

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

***20 Year Pavement Design***

<b>Dist.</b>	<b>Producer Name</b>	<b>Location</b>	<b>P/S No.</b>	<b>Ledge Description</b>	<b><u>Approved Gradations</u></b>				<b>CRC</b>	<b>Year Last Sampled</b>
					<b>CA05</b>	<b>CA07</b>	<b>CA11</b>	<b>CA14</b>		
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	164.6m - 120.4m - Levels 2-4 - Hodgkins - Main Plant	N	Y	Y	Y	Y	2006
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	164.6m - 120.4m - Levels 2-4 - Hodgkins - Chip Plant	N	Y	Y	Y	Y	2006
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	164.6m - 135.6m - Levels 2 & 3 - Hodgkins - Main Plant	N	Y	Y	Y	Y	2010
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	164.6m - 135.6m - Levels 2 & 3 - Chip Plant	N	Y	Y	Y	Y	2007
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	MWRD Level 2 - Chip Plant	N	Y	Y	Y	Y	2010
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	MWRD Level 2 - Main Plant	N	Y	Y	Y	Y	2010
91	VULCAN MATERIALS	PLAINFIELD, IL	51972-16	0m - 18.9m - Jaw, 1"x3", 7, HSI, 6, VSI	N	Y	Y	Y	Y	2007
91	VULCAN MATERIALS	PLAINFIELD, IL	51972-16	18.9m - 38.7m - Jaw, 1"x3", 7, HSI, 6, VSI	N	Y	Y	Y	Y	2005
91	VULCAN MATERIALS	PLAINFIELD, IL	51972-16	0m - 18.9m - Jaw, HSI, Base Bypass, VSI	N	Y	Y	Y	Y	2007
91	VULCAN MATERIALS	RACINE, WI	52402-01	68.3m-79.2m - Upper Racine - Gyro, 6, Cone, VSI	N	Y	Y	Y	Y	2008
91	VULCAN MATERIALS	RACINE, WI	52402-01	Lower Racine - Gyro, 6, Cone, VSI	N	Y	Y	Y	Y	2008
91	VULCAN MATERIALS	ROMEOVILLE, IL	51972-04	Level 2 - Feeder Breaker, 6, 2 Cones (Prod 1)	N	Y	Y	Y	Y	2009
91	VULCAN MATERIALS	ROMEOVILLE, IL	51972-04	Level 1 - Feeder Breaker, 6 Screened	N	Y	Y	Y	Y	2005
91	VULCAN MATERIALS	ROMEOVILLE, IL	51972-04	Level 2 - Feeder Breaker, 6 Screened	N	Y	Y	Y	Y	2005
91	VULCAN MATERIALS	ROMEOVILLE, IL	51972-04	Level 1 - Feeder Breaker, 6, 2 Cones	N	Y	Y	Y	Y	2007
91	VULCAN MATERIALS	ROMEOVILLE, IL	51972-04	Level 1 - Feeder Breaker, 50% 6, 2 Cones	N	Y	Y	Y	Y	2007
91	VULCAN MATERIALS	ROMEOVILLE, IL	51972-04	Level 3 - Feeder Breaker, 50% 6, 2 Cones (Prod 2)	N	Y	Y	Y	Y	2009
91	VULCAN MATERIALS	ROMEOVILLE, IL	51972-04	Level 3 - Feeder Breaker, 6, 2 Cones (Prod 1)	N	Y	Y	Y	Y	2009
91	VULCAN MATERIALS	ROMEOVILLE, IL	51972-04	Level 2 - Feeder Breaker, 50% 6, 2 Cones (Prod 2)	N	Y	Y	Y	Y	2009
91	VULCAN MATERIALS	ROMEOVILLE, IL	51972-04	Level 4 - Feeder Breaker, 6, 2 Cones	N	Y	Y	Y	Y	2008

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

***20 Year Pavement Design***

<i>Dist.</i>	<i>Producer Name</i>	<i>Location</i>	<i>P/S No.</i>	<i>Ledge Description</i>	<i>Approved Gradations</i>				<i>CRC</i>	<i>Year Last Sampled</i>
					<i>CA05</i>	<i>CA07</i>	<i>CA11</i>	<i>CA14</i>		
91	VULCAN MATERIALS	ROMEOVILLE, IL	51972-04	Level 4 - Feeder Breaker, 50% 6, 2 Cones	N	Y	Y	Y	Y	2008
91	VULCAN MATERIALS	ROMEOVILLE, IL	51972-04	Level 4 - Feeder Breaker,Cone,Cone (PROD 4)	N	N	Y	Y	Y	2009
91	VULCAN MATERIALS	SUSSEX, WI	52402-64	20.4m-30.5m - Jaw, 6, HSI, VSI (Prod 3)	N	Y	Y	Y	Y	2009
91	VULCAN MATERIALS	SUSSEX, WI	52402-64	0m - 20.4m - Jaw, 6, HSI, VSI (Prod 3)	N	Y	Y	Y	Y	2009
91	WELCH BROS., INC.	HAMPSHIRE, IL	50890-53	Below Water - VSI - Partial Crush	N	N	Y	Y	Y	2008
92	ALLIANCE MATERIALS	COLETA, IL	51952-86	12.2m - 21.3m - HSI, 10, HSI, Recirc. Roll	N	N	Y	Y	Y	2006
92	ALLIANCE MATERIALS	COLETA, IL	51952-86	0m - 21.3m - HSI, 10, HSI, Recirc. Roll	N	N	Y	Y	Y	2010
92	ALLIANCE MATERIALS	COLETA, IL	51952-86	0m - 21.3m - HSI, 10 Blended, HSI, Recirc. Roll	N	N	Y	Y	Y	2008
92	ALLIANCE MATERIALS	WOOSUNG, IL	51412-71	Plus 5.5m - 13.7m - HSI, 10, HSI, Recirc. VSI	N	N	Y	Y	Y	2006
92	BEVERLY MATERIALS	BELVIDERE, IL	50072-16	0m - 9.1m - Jaw, 6, Cone, Double Roll	N	N	Y	Y	Y	2009
92	BEVERLY MATERIALS	BELVIDERE, IL	50072-16	9.1m - 15.2m - Jaw, 6, Cone, D. Roll	N	N	Y	Y	Y	2009
92	CONMAT, INC.	ELIZABETH, IL	50852-61	6.7m - 23.5m - HSI, 10, Recirc. HSI	N	N	Y	Y	Y	2007
92	CONMAT, INC.	ELIZABETH, IL	50852-61	2.5m - 23.5m - Jaw, 10, Mill	N	N	Y	Y	Y	2005
92	CONMAT, INC.	ELIZABETH, IL	50852-61	2.5m - 23.5m - HSI, 10, HSI, HSI	N	N	Y	Y	Y	2006
92	CONMAT, INC.	ELIZABETH, IL	50852-61	2.5m - 23.5m - HSI, 5, 10, HSI, HSI	N	N	Y	Y	Y	2006
92	CONMAT, INC.	ELIZABETH, IL	50852-61	2.5m - 23.5m - HSI, 10, HSI, Cone	N	N	Y	Y	Y	2010
92	CONMAT, INC.	SCALES MOUND, IL	50852-18	0m - 12.2m - HSI, 10, 5, HSI, Cone	N	N	Y	N	Y	2009
92	CONMAT, INC.	STOCKTON, IL	50852-67	0m - 15.2m - HSI, 10, HSI, HSI	N	N	Y	Y	Y	2009
92	DOC'S EXCAVATING	LENA, IL	51772-04	0m - 15.2m (0-50') - Jaw, 10, plus 37.5mm (+1 1/2") to Mill	N	N	Y	Y	Y	2005
92	DOC'S EXCAVATING	LENA, IL	51772-04	+3.0m - 0m - Jaw, +1 1/2" Scalp, Recirc.Mill	N	N	Y	Y	Y	2005

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

***20 Year Pavement Design***

<i>Dist.</i>	<i>Producer Name</i>	<i>Location</i>	<i>P/S No.</i>	<i>Ledge Description</i>	<i>Approved Gradations</i>				<i>CRC</i>	<i>Year Last Sampled</i>
					<i>CA05</i>	<i>CA07</i>	<i>CA11</i>	<i>CA14</i>		
92	DOC'S EXCAVATING	LENA, IL	51772-04	0m - 15.0m - HSI, 10, HSI	N	N	Y	Y	Y	2006
92	DOC'S EXCAVATING	LENA, IL	51772-04	+3.0m - 15.2m - HSI, 10, HSI	N	N	Y	Y	Y	2010
92	FISCHER EXCAVATING	FREEPORT, IL	51772-51	0m - 9.1m Face - HSI, 6, HSI	N	N	Y	Y	Y	2010
92	FISCHER EXCAVATING	LEE CENTER, IL	51032-30	0m - 18.3m - HSI, 10, Recirc. HSI	N	N	Y	Y	Y	2007
92	FISCHER EXCAVATING	MONROE CENTER, IL	51412-00	0m - 12.2m - Imp, 10, Recirc. Imp	N	N	Y	Y	Y	2007
92	FISCHER EXCAVATING	MT. CARROLL, IL	50152-16	+7.7m-15.2m - HSI, 10, HSI	N	N	Y	Y	Y	2006
92	FISCHER EXCAVATING	STERLING, IL	51952-03	0m - 11.6m - HSI, 10, HSI	N	N	Y	Y	Y	2006
92	FISCHER EXCAVATING,	LENA, IL	51772-68	0m - 15.2m - HSI, 10, HSI	N	N	Y	N	Y	2009
92	ILLINOIS MINING CORP	DURAND, IL	52012-34	0m - 19.2m - HSI, 6, HSI	N	N	Y	Y	Y	2007
92	LEE, CHARLES & SON	IRENE, IL	50070-12	22.9m - Above Water - Plus 7/8" to Jaw, 6, Mill, VSI	N	N	Y	Y	N	2005
92	LEE, CHARLES & SON	IRENE, IL	50072-02	0m - 26.2m - Jaw, 6, HSI	N	N	Y	Y	Y	2009
92	LEE, CHARLES & SON	IRENE, IL	50072-02	12.2m - 26.8m - Jaw, 6, HSI	N	N	Y	Y	Y	2005
92	LINWOOD MINING	LINWOOD, IA	52202-08	6.1m - Lower Level - Otis - Imp, Cone	N	N	Y	Y	Y	2007
92	LINWOOD MINING	LINWOOD, IA	52202-08	6.1m - Davenport, Beds 18 & 19 - Imp, Cone, Log	N	N	Y	Y	Y	2007
92	LOBERG EXCAVATING	FREEPORT, IL	51772-08	0m - 9.1m -Jaw,10,Recirc.,HSI	N	N	Y	Y	Y	2005
92	LOBERG EXCAVATING	FREEPORT, IL	51772-08	0m - 9.1m - Jaw, 6, HSI	N	N	Y	Y	Y	2007
92	LOUIE'S AGGREGATE CO	GILFORD, IL	50852-90	0m - 13.7m - HSI, 10, HSI	N	N	Y	Y	Y	2008
92	LOUIE'S AGGREGATE CO	NORA, IL	50852-17	0m - 10.7m - HSI, 6/10, Recirc. HSI	N	N	Y	Y	Y	2009
92	MACKLIN INCORPORATED	ROCHELLE, IL	51412-68	30.5m - 39.0m - Imp, 6, 2 Cones, Recirc. Cone	N	N	Y	Y	Y	2008
92	MACKLIN INCORPORATED	ROCHELLE, IL	51412-68	0.0m - 39.0m - HSI, 10/6, Cone, Cone, Cone	N	N	Y	Y	Y	2010

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

***20 Year Pavement Design***

<i>Dist.</i>	<i>Producer Name</i>	<i>Location</i>	<i>P/S No.</i>	<i>Ledge Description</i>	<i>Approved Gradations</i>				<i>CRC</i>	<i>Year Last Sampled</i>
					<i>CA05</i>	<i>CA07</i>	<i>CA11</i>	<i>CA14</i>		
92	MARTIN MATERIALS	OREGON, IL	51412-34	+4.6m - 18.3m - HSI, 10, Jaw, HSI	N	N	Y	Y	Y	2010
92	NORTHERN IL SERVICE	PECATONICA, IL	52012-01	7.6m - 15.2m - Ledge 2 - HSI, 6, HSI	N	N	Y	Y	Y	2007
92	NORTHERN IL SERVICE	ROSCOE, IL	52012-73	3.7m-9.1m Ledge - HSI, 6, HSI	N	N	N	Y	Y	2006
92	NORTHERN IL SERVICE	ROSCOE, IL	52012-73	21.3m - 32.3m - HSI, 6, HSI	N	N	Y	Y	Y	2005
92	NORTHERN IL SERVICE	ROSCOE, IL	52012-73	9.1m - 17.4m - HSI, 6, HSI	N	N	Y	Y	Y	2009
92	NORTHERN IL SERVICE	S. BELOIT, IL	52012-80	1.5m - 15.2m - HSI, 6, HSI	N	N	Y	Y	Y	2007
92	NORTHWEST ILL CONST	ROCK FALLS, IL	51032-73	4.6m - 19.8m - HSI, 10, HSI, Recirc. Roll	N	N	Y	Y	Y	2009
92	QUALITY AGGREGATES	IRENE, IL	50072-04	0m - 29.0m - Jaw, 6, Cone, VSI	N	N	Y	Y	Y	2005
92	QUALITY AGGREGATES	IRENE, IL	50072-04	0m - 15.2m - Jaw, 6, Cone, VSI	N	Y	Y	Y	Y	2006
92	QUALITY AGGREGATES	IRENE, IL	50072-04	0m - 19.2m - Jaw, 6, Cone, VSI	N	Y	Y	Y	Y	2008
92	QUALITY AGGREGATES	IRENE, IL	50072-04	19.2m - 29.0m - Jaw, 6, Cone, VSI	N	Y	Y	Y	Y	2008
92	QUALITY AGGREGATES	IRENE, IL	50072-04	19.2m - 29.0m - Jaw, 6, Cone	N	Y	Y	Y	Y	2008
92	QUALITY AGGREGATES	IRENE, IL	50072-04	0m - 19.2m - Jaw, 6, Cone	N	Y	Y	N	Y	2008
92	QUALITY AGGREGATES	IRENE, IL	50072-04	0m - 29.0m - Jaw, 6, Cone	N	Y	Y	Y	Y	2009
92	RIVERSTONE GROUP,INC	CLEVELAND, IL	50732-12	9th Ledge, 77.7m-91.4m - HSI, Log, 2 Cones	Y	Y	Y	Y	Y	2007
92	RIVERSTONE GROUP,INC	CLEVELAND, IL	50732-12	8th Ledge, 65.5m - 77.7m - HSI, Log, 2 Cones	Y	Y	Y	Y	Y	2006
92	RIVERSTONE GROUP,INC	CLEVELAND, IL	50732-12	6th Ledge - 50.3m - 65.5m - HSI, Log, 2 Cones	N	N	Y	Y	Y	2007
92	RIVERSTONE GROUP,INC	LECLAIRE, IA	52202-10	60m - 72m - Beds 22 - 28 - HSI, HSI, Log	N	Y	Y	Y	Y	2009
92	RIVERSTONE GROUP,INC	LECLAIRE, IA	52202-10	71.0m - 83.2m - Ledge 6 - Bed 28 - Jaw, HSI, Log	N	N	Y	Y	Y	2009
92	RIVERSTONE GROUP,INC	MILAN, IL	51612-31	4th Ledge, 19.2m-29.3m - Jaw, Log, Cone	Y	Y	Y	Y	Y	2009

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

***20 Year Pavement Design***

<i>Dist.</i>	<i>Producer Name</i>	<i>Location</i>	<i>P/S No.</i>	<i>Ledge Description</i>	<i>Approved Gradations</i>				<i>CRC</i>	<i>Year Last Sampled</i>
					<i>CA05</i>	<i>CA07</i>	<i>CA11</i>	<i>CA14</i>		
92	RIVERSTONE GROUP,INC	MILAN, IL	51612-31	9th Ledge, 64.9m - 77.1m - Jaw, HSI, Cone	Y	Y	Y	Y	Y	2007
92	RIVERSTONE GROUP,INC	MILAN, IL	51612-31	9th Ledge, 64.9m - 77.1m - Jaw, Log, Cone	N	N	Y	Y	Y	2006
92	RIVERSTONE GROUP,INC	MILAN, IL	51612-31	10th Ledge, 77.1m - 92.3m - Jaw, Log, Cone	Y	Y	Y	Y	Y	2007
92	RIVERSTONE GROUP,INC	MILAN, IL	51612-31	4th Ledge, 19.2m - 29.3m - Jaw, HSI, Cone, Log	Y	Y	Y	Y	Y	2008
92	RIVERSTONE GROUP,INC	OSBORN, IL	51612-23	3rd Ledge - 9.1m - 21.3m - Jaw, HSI	Y	Y	Y	Y	Y	2007
92	RIVERSTONE GROUP,INC	OSBORN, IL	51612-23	4th Ledge (21.3m - 36.6m) - Jaw, Log, HSI	Y	Y	Y	Y	Y	2008
92	RIVERSTONE GROUP,INC	OSBORN, IL	51612-23	5th Ledge (36.6m - 48.8m) - Jaw, Log, HSI	N	N	Y	Y	Y	2008
92	ROGERS R-M & MATLS.	BYRON, IL	51412-32	15.2m - 26.0m - HSI, 10/6, Recirc.HSI	N	N	Y	Y	Y	2009
92	ROGERS R-M & MATLS.	CHERRY VALLEY, IL	52012-31	12.6m - 26.5m - 6, HSI, 11, HSI - Stockpile Approved	N	N	Y	Y	Y	2005
92	ROGERS R-M & MATLS.	CHERRY VALLEY, IL	52012-31	12.6m - 26.5m - HSI, FA21, HSI/HSI	N	N	Y	Y	Y	2010
92	ROSCOE ROCK & SAND	ROCKTON, IL	52012-23	0m - 12.8m-HSI,10,HSI	N	N	Y	Y	Y	2006
92	SAVANNA QUARRY, INC.	WACKER, IL	50152-92	24.4m - 31.1m - HSI, 10, HSI	N	N	Y	Y	Y	2005
92	SAVANNA QUARRY, INC.	WACKER, IL	50152-92	0.0m - 31.1m - HSI, 10, HSI	N	N	Y	Y	Y	2007
92	WAGNER AGGREGATES	MONROE CENTER, IL	51412-92	0m - 10.7m - HSI, 6, HSI	N	Y	Y	Y	Y	2008
92	WAGNER AGGREGATES	MONROE CENTER, IL	51412-92	10.7m - 16.2m - HSI, 6, HSI	N	Y	Y	Y	Y	2009
92	WAGNER AGGREGATES	MONROE CENTER, IL	51412-92	16.2m - 22.3m - HSI, 6, HSI	N	Y	N	N	Y	2008
92	WENDLING QUARRIES	MT. CARROLL, IL	50152-74	18.0m-31.7m - HSI, Hammermill	N	N	Y	Y	Y	2010
92	WENDLING QUARRIES	MT. CARROLL, IL	50152-74	18.0m-31.7m - HSI, 3 Roll, Mill	N	N	Y	Y	Y	2009
92	WENDLING QUARRIES	MT. CARROLL, IL	50152-74	18.0m - 31.7m - HSI, 10, 3 Roll, Mill	N	N	Y	N	Y	2008
92	WILLIAM CHARLES CONS	BELVIDERE, IL	50072-01	12.2m - 26.2m - HSI, 6, Recirc. HSI	N	N	Y	Y	Y	2006

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

***20 Year Pavement Design***

<i>Dist.</i>	<i>Producer Name</i>	<i>Location</i>	<i>P/S No.</i>	<i>Ledge Description</i>	<i>Approved Gradations</i>				<i>CRC</i>	<i>Year Last Sampled</i>
					<i>CA05</i>	<i>CA07</i>	<i>CA11</i>	<i>CA14</i>		
92	WILLIAM CHARLES CONS	BELVIDERE, IL	50072-01	1.8m - 26.5m (4-87') Face - HSI, 6, VSI	N	Y	Y	Y	Y	2007
92	WILLIAM CHARLES CONS	BELVIDERE, IL	50072-15	15.2m-22.3m (50-73') - HSI, 6, HSI/Mill	N	N	Y	Y	Y	2005
92	WILLIAM CHARLES CONS	BELVIDERE, IL	50072-15	0m - 25.6m - HSI, 6, HSI	N	N	Y	Y	Y	2009
92	WILLIAM CHARLES CONS	BELVIDERE, IL	50072-15	32.3m - 38.4m - 1" x 4", 6, HSI, 6, HSI	N	N	Y	Y	Y	2007
92	WILLIAM CHARLES CONS	ROCKFORD, IL	52010-07	Below Water	N	N	Y	Y	N	2007
92	WILLIAM CHARLES CONS	ROCKFORD, IL	52012-45	19.2m-28.0m - Jaw, FA6, VSI	N	N	Y	Y	Y	2005
92	WILLIAM CHARLES CONS	ROCKFORD, IL	52012-45	0m - 28.0m - Jaw, FA6, VSI	N	N	Y	Y	Y	2005
92	WILLIAM CHARLES CONS	ROCKFORD, IL	52012-77	6.1m-26.8m (20-88') - Jaw, CA06, VSI	N	Y	Y	Y	Y	2006
93	CENTRAL LIMESTONE CO	LISBON, IL	50932-01	24.4m - 39.6m - Jaw, RR1, 6, Cone, Roll	Y	Y	Y	Y	Y	2010
93	COUNTY MATERIAL CORP	MARATHON, WI	52402-81	Weisenberger Quarry - Jaw, 6, Cone, Roll	N	N	Y	Y	Y	2009
93	LAFARGE NA AUX SABLE	MORRIS, IL	50632-01	0.0m - 22.9m - HSI, 6, HSI, +1" to VSI	N	N	N	Y	Y	2007
93	MACKLIN INCORPORATED	FAIRDALE, IL	50372-67	0.0m - 14.0m - HSI, 10, VSI	N	N	Y	Y	Y	2006
93	MACKLIN INCORPORATED	FAIRDALE, IL	50372-67	12.2m - 27.5m - HSI, 6, VSI	N	N	Y	Y	Y	2007
93	PRAIRIE MATERIAL	MANTENO, IL	50912-06	1.8m - 19.8m Ledge A - Jaw, 10, 2 Cones	Y	Y	Y	Y	Y	2005
93	PRAIRIE MATERIAL	MANTENO, IL	50912-06	0m - 21.0m - Ledge A - Jaw, RR1, 10, 2 Cones	Y	Y	Y	Y	Y	2010
93	PRAIRIE MATERIAL	MANTENO, IL	50912-06	0m - 21.0m - Ledge A - Jaw, 10, 2 Cones	N	N	Y	Y	Y	2006
93	PRAIRIE MATERIAL	OCOYA, IL	51052-09	6.5m - Imp, H. Mill, Imp	N	N	Y	Y	Y	2007
93	RIVERSTONE GROUP,INC	TROY GROVE, IL	50992-01	0m - 18.3m (0-60') - HSI, HSI, Log	N	N	Y	Y	Y	2009
93	RIVERSTONE GROUP,INC	TROY GROVE, IL	50992-01	0m - 18.3m - Jaw, HSI, Log	N	N	Y	Y	Y	2007
93	VALLEY VIEW INDUST.	FAIRBURY, IL	51052-15	3.7m Ledge - 2 HSI	N	Y	Y	Y	Y	2006

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

***20 Year Pavement Design***

<i>Dist.</i>	<i>Producer Name</i>	<i>Location</i>	<i>P/S No.</i>	<i>Ledge Description</i>	<i>Approved Gradations</i>				<i>CRC</i>	<i>Year Last Sampled</i>
					<i>CA05</i>	<i>CA07</i>	<i>CA11</i>	<i>CA14</i>		
93	VALLEY VIEW INDUST.	MCDOWELL, IL	51052-19	4m Face - HSI, 1" - Primary Only	N	N	Y	N	Y	2005
93	VALLEY VIEW INDUST.	MCDOWELL, IL	51052-19	4m Face - HSI, HSI, Wash	N	N	Y	N	Y	2009
93	VALLEY VIEW INDUST.	MCDOWELL, IL	51052-19	4m Face - Combined Production	N	N	Y	N	Y	2010
93	VULCAN MATERIALS	DEKALB, IL	50372-02	78.9m - 97.8m - Ledge 6 - Jaw, 6, VSI, HSI	N	N	Y	Y	Y	2007
93	VULCAN MATERIALS	DEKALB, IL	50372-02	55.2m - 78.9m - Ledge 5 - Jaw, 6, HSI, VSI	N	N	Y	Y	Y	2007
93	VULCAN MATERIALS	DEKALB, IL	50372-02	55.2m - 78.9m - Ledge 5 - Jaw, 6, HSI, 3"x1", VSI	Y	Y	Y	Y	Y	2006
93	VULCAN MATERIALS	DEKALB, IL	50372-02	78.9m - 90.0m - Ledge 6A - Jaw, 6, HSI, VSI	N	Y	Y	Y	Y	2008
93	VULCAN MATERIALS	DEKALB, IL	50372-02	55.2m - 90.0m - Ledges 5 & 6A - Jaw, 6, HSI, VSI	N	Y	Y	Y	Y	2008
93	VULCAN MATERIALS	FRANCESVILLE, IN	52102-23	195.4m - 180.1m - Ledge 8 - Jaw, Cone, Cone, VSI	Y	Y	Y	Y	Y	2005
93	VULCAN MATERIALS	FRANCESVILLE, IN	52102-23	133.8m - 117.0m - Ledge 9 - Jaw, 10, Cone, VSI	Y	Y	Y	Y	Y	2006
93	VULCAN MATERIALS	KANKAKEE, IL	50912-02	25.0m - 37.5m - Ledge DE - Gyro, Cone, 10, 2 Cones	N	N	Y	Y	Y	2006
93	VULCAN MATERIALS	KANKAKEE, IL	50912-02	25.0m - 37.5m - Ledge DE - Gyro, No Scalp, 3 Cones	Y	Y	Y	Y	Y	2005
93	VULCAN MATERIALS	KANKAKEE, IL	50912-02	0.0m - 39.0m - Ledge 1 - Gyro, No Scalp, 3 Cones	N	Y	Y	Y	Y	2009
93	VULCAN MATERIALS	KANKAKEE, IL	50912-02	0.0m - 39.0m - Ledge 1 - Gyro, Cone, RR1, 10, 2 Cones	N	Y	Y	Y	Y	2010
93	VULCAN MATERIALS	LISBON, IL	50932-02	0m - 21.3m (0-70') - Jaw, RR1, CA06, Cone, VSI	N	Y	Y	Y	Y	2008
93	VULCAN MATERIALS	LISBON, IL	50932-02	0m - 36.6m-Jaw,6,RR1,Cone Imp	N	N	Y	Y	Y	2006
93	VULCAN MATERIALS	LISBON, IL	50932-02	0m - 45.7m - Jaw, 6, RR1, Cone, VSI	N	N	Y	Y	Y	2008
93	VULCAN MATERIALS	LOWELL, IN	52102-34	Level 1 & 2 - Jaw, 10/6, 2 Cones	N	Y	Y	Y	Y	2009
93	VULCAN MATERIALS	MANTENO, IL	50912-04	0.9m - 22.9m Ledge ABC - Jaw, Cone, 10/6, VSI	Y	Y	Y	Y	Y	2005
93	VULCAN MATERIALS	MANTENO, IL	50912-04	38.7m - 60.0m - Ledge E - Jaw, Cone, VSI	Y	Y	Y	Y	Y	2008

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

***20 Year Pavement Design***

<i>Dist.</i>	<i>Producer Name</i>	<i>Location</i>	<i>P/S No.</i>	<i>Ledge Description</i>	<i>Approved Gradations</i>				<i>CRC</i>	<i>Year Last Sampled</i>
					<i>CA05</i>	<i>CA07</i>	<i>CA11</i>	<i>CA14</i>		
93	VULCAN MATERIALS	MANTENO, IL	50912-04	38.7m - 60.0m - Ledge E - Jaw, Cone, RR1, 10, VSI	Y	Y	Y	Y	Y	2006
93	VULCAN MATERIALS	MANTENO, IL	50912-04	38.7m - 60.0m - Ledge E - Jaw, Cone, 10, VSI	Y	Y	Y	Y	Y	2006
93	VULCAN MATERIALS	MANTENO, IL	50912-04	0.0m - 39.0m - Ledge 1 - Base Separation	N	Y	Y	Y	Y	2008
93	VULCAN MATERIALS	MANTENO, IL	50912-04	43.5m - 60.0m - Ledge E2 - Jaw, Cone, 10, VSI	Y	Y	Y	Y	Y	2010
93	VULCAN MATERIALS	MANTENO, IL	50912-04	22.9m - 60.0m - Ledge DE - Jaw, Cone, VSI	Y	Y	Y	Y	Y	2009
93	VULCAN MATERIALS	MONON, IN	52102-24	0.0m - 39.6m - Ledge 1 & 2 - Jaw, Cone	Y	Y	Y	Y	Y	2005
93	VULCAN MATERIALS	SYCAMORE, IL	50372-01	40.2m-64.6m - Gyro, 3", 6, 3 cones	N	Y	Y	Y	Y	2009
93	VULCAN MATERIALS	SYCAMORE, IL	50372-01	0.0m - 40.2m - Gyro, 6, +3", 3 Cones	Y	Y	Y	Y	Y	2009
93	VULCAN MATERIALS	SYCAMORE, IL	50372-01	40.2m-46.3m - Ledge 2 - Gyro, 6, RR1, 3 Cones	N	N	Y	Y	Y	2009
93	VULCAN MATERIALS	SYCAMORE, IL	50372-01	0m - 40.2m - Gyro, 3", 6 to Wash Plant	N	Y	Y	Y	Y	2008
93	VULCAN MATERIALS	SYCAMORE, IL	50372-01	41.4m- 84.7m - Gyro, Cone, Cone, Cone	Y	Y	Y	Y	Y	2005
93	VULCAN MATERIALS	SYCAMORE, IL	50372-01	41.4m - 84.7m - Gyro, 3", 6, 3 Cones	N	Y	Y	Y	Y	2006
93	VULCAN MATERIALS	SYCAMORE, IL	50372-01	0.0m - 41.4m - Gyro, RR1, 6, 3 Cones	Y	Y	Y	Y	Y	2009
93	WESTERN AGGREGATES	TROY GROVE, IL	50992-05	0m - 25.9m - HSI, 6, HSI, Log	Y	Y	Y	Y	Y	2005
93	WESTERN AGGREGATES	TROY GROVE, IL	50992-05	0m - 25.9m - Jaw, 6, HSI, Log	N	Y	Y	Y	Y	2005
93	WESTERN AGGREGATES	TROY GROVE, IL	50990-52	0.0m - 10.7m - Above Water - Log	N	N	Y	Y	N	2006
94	GALENA ROAD GRAVEL	CHILLICOTHE, IL	51430-19	Above Water - IMP - Crushed	N	N	Y	Y	N	2006
94	PEORIA CONC. CONST.	SPRING BAY, IL	52030-29	10.7m - 19.8m - Below Water - VSI - Crushed	N	N	N	Y	N	2005
94	PEORIA CONC. CONST.	SPRING BAY, IL	52030-29	10.7m - 19.8m Below Water	N	N	N	Y	N	2010
94	POWLEY S. & G.	SPRING BAY, IL	52030-17	25.9m-27.4m (85-90') Depth - Below Water - Plus 9.5mm (+3/8") Crushed by Spokane	N	N	N	Y	N	2010

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

***20 Year Pavement Design***

<i>Dist.</i>	<i>Producer Name</i>	<i>Location</i>	<i>P/S No.</i>	<i>Ledge Description</i>	<i>Approved Gradations</i>				<i>CRC</i>	<i>Year Last Sampled</i>
					<i>CA05</i>	<i>CA07</i>	<i>CA11</i>	<i>CA14</i>		
95	CARRI SCHARF MATL CO	HEYWORTH, IL	51130-06	Below Water - HSI - Partial Crush	N	N	Y	N	N	2010
95	MARTIN MARIETTA AGG	CLOVERDALE, IN	52102-33	20.7m Ledge - Jaw, 6, HSI, 2 Cones	N	Y	Y	Y	Y	2009
95	MATERIAL SERVICE	FAIRMOUNT, IL	51832-01	3.7m-Shaft/Pick,10,2 Cones	N	N	Y	Y	Y	2009
95	STARK EXCAVATING	SHIRLEY, IL	51130-84	Below Water - VSI, Partial Crush	N	N	N	Y	N	2010
95	TUSCOLA STONE CO.	TUSCOLA, IL	50412-01	6th Level - Jaw, 6, VSI	N	N	Y	Y	Y	2009
96	CENTRAL STONE	HUNTINGTON, MO	52302-04	6.1m-21.3m Ledge 2 - Kimmswick - HSI, 2 Cones, Logwasher	N	Y	Y	Y	Y	2010
96	CENTRAL STONE	HUNTINGTON, MO	52302-04	6.1m - 21.3m - Ledge 2 - Kimmswick - Jaw, HSI, 2 Cones, Log	N	Y	Y	Y	Y	2010
96	HANSON MATERIAL SVC	LINCOLN, IL	51072-05	Lower Ledge - Jaw, 6, IMP	N	N	Y	Y	Y	2009
96	HANSON MATERIAL SVC	NOKOMIS, IL	51352-01	Upper Ledge - HSI, 6, Mill, Cone	N	N	Y	Y	Y	2009
96	HANSON MATERIAL SVC	NOKOMIS, IL	51352-01	Lower Ledge - HSI, No Scalp, Mill, Cone	N	N	Y	Y	Y	2009
96	LACEY & BAUER	PEARL, IL	51492-03	0m - 9.2m-Ledge 3-Jaw,Cone	N	N	Y	N	Y	2007
96	NOKOMIS QUARRY	NOKOMIS, IL	51352-03	Lower Ledge - HSI, CA06, Mill	N	N	N	Y	Y	2009
96	NOKOMIS QUARRY	NOKOMIS, IL	51352-03	Upper Ledge - HSI, 6, Mill	N	N	Y	Y	Y	2009
96	PANA LIMESTONE	PANA, IL	50212-04	Upper Ledge - IMP, 6, IMP	N	N	Y	Y	Y	2007
96	PANA LIMESTONE	PANA, IL	50212-04	Upper Ledge - Imp, RR1, 6, Imp	N	N	Y	Y	Y	2009
97	CASEY STONE CO.	CASEY, IL	50232-06	7.6m - HSI, RR1, 6, HSI, VSI, 2 Logs	N	N	Y	Y	Y	2008
97	CASEY STONE CO.	CASEY, IL	50232-06	7.6m - HSI, +1.25", CA06 to 2 Logs	N	N	Y	Y	Y	2010
97	CHARLESTON STONE CO.	CHARLESTON, IL	50292-02	3.2m-Top Ledge - E. Pit - Jaw, HSI, VSI, Log	N	N	Y	Y	Y	2009
97	CHARLESTON STONE CO.	CHARLESTON, IL	50292-02	3.2m - Top Ledge - W. Pit - Jaw, HSI, VSI, Log	N	N	Y	Y	Y	2009
97	LAWRENCE GRAVEL	DARWIN, IL	50230-04	Below Water - Plus 1 1/2" to HSI	N	N	Y	Y	N	2005

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

***20 Year Pavement Design***

<i>Dist.</i>	<i>Producer Name</i>	<i>Location</i>	<i>P/S No.</i>	<i>Ledge Description</i>	<i>Approved Gradations</i>				<i>CRC</i>	<i>Year Last Sampled</i>
					<i>CA05</i>	<i>CA07</i>	<i>CA11</i>	<i>CA14</i>		
97	MID ILLINOIS QUARRY	CASEY, IL	50232-02	7.6m Ledge - 2 HSI, 2 Logs	N	Y	Y	Y	Y	2009
97	MITCHELL CRUSHED STN	MITCHELL, IN	52102-04	Ledge 1 (3.0m) - Jaw, 6/10, 3 Cones	N	N	Y	Y	Y	2007
97	MITCHELL CRUSHED STN	MITCHELL, IN	52102-04	Ledge 2 (2.7m [9']) - Jaw, RR3, 3 Cones	N	N	Y	Y	Y	2005
97	MITCHELL CRUSHED STN	MITCHELL, IN	52102-04	Ledge 6B & 7 (9.1m) - Jaw, RR3, 10, Cone, RR2, 2 Cones	N	N	Y	Y	Y	2005
97	MITCHELL CRUSHED STN	MITCHELL, IN	52102-04	Ledge 1 (2.7m [9']) - Jaw, RR3, 10, 3 Cones	N	N	Y	Y	Y	2005
97	MITCHELL CRUSHED STN	MITCHELL, IN	52102-04	Ledge 6B & 7 (9.1m) - Jaw, 6/10, Cone, RR1, Cone	N	N	Y	Y	Y	2008
97	QUALITY LIME CO.	MARSHALL, IL	50232-05	3.4m Bottom Ledge - East Pit - HSI, 6, Mill Log	N	N	Y	Y	Y	2009
98	BLUFF CITY MINERAL	ALTON, IL	51192-02	22.9m - Level 1 & 2 - Imp, 1", Imp	N	N	Y	Y	Y	2005
98	BLUFF CITY MINERAL	ALTON, IL	51192-02	22.9m - Level 1 & 2 - Imp, 1", Cone	N	Y	Y	Y	Y	2005
98	BLUFF CITY MINERAL	ALTON, IL	51192-02	22.9m - Levels 1 & 2 - IMP, -1 1/2", Cone, -1", VSI	N	N	Y	Y	Y	2006
98	BLUFF CITY MINERAL	ALTON, IL	51192-02	22.9m - Levels 1 & 2 - HSI, +2" to Cone, -2" to VSI (SS Prod)	N	N	Y	Y	Y	2010
98	BLUFF CITY MINERAL	ALTON, IL	51192-02	22.9m - Levels 1 & 2 - HSI, 20% 2", +2" To Cone, -2" To VSI (Normal Prod)	N	N	Y	N	Y	2009
98	CENTRAL STONE	FLORISSANT, MO	52302-53	Benches 1 & 2 (10.3m) - Jaw, HSI, -1" to Log, +1" to HSI (Prod 1)	N	N	Y	N	Y	2009
98	CENTRAL STONE	FLORISSANT, MO	52302-53	Benches 3-9 (28.7m [94']) - HSI, 27% to Log, HSI	N	N	Y	Y	Y	2009
98	COLUMBIA QUARRY COMP	COLUMBIA, IL	51632-01	Ledge A (4.3m) - HSI, 6, HSI, Cone, VSI	N	Y	Y	Y	Y	2007
98	COLUMBIA QUARRY COMP	COLUMBIA, IL	51632-01	6.4m - Ledge 8 - HSI, 6, HSI, Cone, VSI	N	N	Y	Y	Y	2005
98	COLUMBIA QUARRY COMP	DUPO, IL	51632-09	3.7m - 7.9m - Above 1A & 2 - Jaw, 6, 2 HSI	N	N	Y	Y	Y	2005
98	FALLING SPRINGS QRY	FALLING SPRINGS, IL	51632-03	33.5m, Ledge 1B - HSI, RR, No Scalp, HSI, VSI	N	N	Y	Y	Y	2007
98	IRON MT. TRAP ROCK	IRON MOUNTAIN, MO	52302-33	22.9m - Ledge 1 - Jaw, 2 Cones, No Scalp	N	Y	Y	Y	Y	2010

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

***20 Year Pavement Design***

<i>Dist.</i>	<i>Producer Name</i>	<i>Location</i>	<i>P/S No.</i>	<i>Ledge Description</i>	<i>Approved Gradations</i>				<i>CRC</i>	<i>Year Last Sampled</i>
					<i>CA05</i>	<i>CA07</i>	<i>CA11</i>	<i>CA14</i>		
98	MARTIN MARIETTA	PERRYVILLE, MO	52302-41	8.2m - Ledge 3 - HSI, VSI, Roll	N	Y	Y	Y	Y	2007
98	MARTIN MARIETTA	PRAIRIE DU ROCHER, IL	51572-05	8.5m Ledge 1 - Old 51572-04 - HSI, VSI	N	Y	Y	Y	Y	2010
98	TOWER ROCK STONE CO.	ST. GENEVIEVE, MO	52302-39	12.2m - Zone 12 - Jaw, Cone, HSI	N	Y	Y	Y	Y	2006
98	WEBER, FRED, INC.	MARYLAND HEIGHTS, MO	52302-15	11.9m - Ledges 2 - 5 - Jaw, Imp, Mill, Imp	N	N	Y	Y	Y	2006
98	WEBER, FRED, INC.	MARYLAND HEIGHTS, MO	52302-15	19.7m - Ledges 2-9 - Jaw, Imp, Mill	N	N	Y	Y	Y	2008
99	ANNA QUARRIES, INC.	ANNA, IL	51812-02	77.4m-96.6m - BAV - Midwest - Gyro, 10, HSI, 2 Cones (Prod 7)	N	N	Y	Y	Y	2010
99	ANNA QUARRIES, INC.	ANNA, IL	51812-02	57.9m - 66.4m - Anna Pit - Gyro, 10, HSI, 11, Cone, Cone	N	N	Y	Y	Y	2005
99	ANNA QUARRIES, INC.	ANNA, IL	51812-02	95.7m - 110.9m - Midwest Pit - Tertiary Only	N	N	Y	Y	Y	2010
99	ANNA QUARRIES, INC.	ANNA, IL	51812-02	95.7m - 110.9m - Midwest Pit - Secondary Only	N	N	Y	Y	Y	2010
99	CORYDON CR.STONE	CORYDON, IN	52102-25	206m - 235m - Jaw, 6, Cone	N	N	Y	Y	Y	2009
99	FLORIDA ROCK IND.	ROSICLARE, IL	50692-14	13.4m - 30.8m - Ledge B - Jaw, 10, H. Mill, Cone	N	N	Y	Y	Y	2005
99	FLORIDA ROCK IND.	ROSICLARE, IL	50692-14	30.8m - 40.0m - Ledge C - Jaw, 10, Mill, Cone	N	N	N	Y	Y	2006
99	HASTIE MINING	CAVE-IN-ROCK, IL	50692-04	13.7m - 33.7m - Below Rosiclare - Jaw, 6, Gyro, 2 Cones	N	N	Y	Y	Y	2008
99	HASTIE MINING	CAVE-IN-ROCK, IL	50692-04	0m - 7.6m - Ste. Genevieve - Jaw, 6, Gyro, 2 Cones	N	N	Y	Y	Y	2010
99	HASTIE MINING	CAVE-IN-ROCK, IL	50692-04	0m - 33.7m - Below Rosiclare - Jaw, 6, Gyro, 2 Cones	N	N	Y	Y	Y	2008
99	LAFARGE CAVE IN ROCK	CAVE-IN-ROCK, IL	50692-12	Ledge F-1, 31.4m - 41.8m & Ledges G, H, & I, 58.5m - 125.3m - Jaw, Mill, Roll	N	N	Y	Y	Y	2005
99	MARTIN MARIETTA ROS	SHETLERVILLE, IL	50692-09	13.4m-35.1m (44-115') Below Rosiclare S.S. - 2 Cones	Y	N	Y	Y	Y	2009
99	MARTIN MARIETTA ROS	SHETLERVILLE, IL	50692-09	35.1m-55.8m - Ledge C - 2 HSI, No Scalping	Y	N	Y	Y	Y	2008
99	MULZER CR. STONE CO.	CAPE SANDY, IN	52102-18	Ledge 804 - 812 - 20.2m - Jaw, 6, 2 Cones, 50% Cone	N	N	Y	Y	Y	2008
99	SHAWNEE STONE	CYPRESS, IL	50872-02	0 - 7.9m (0-26') BAV - Jaw, HSI, 10, Mill, Cone	N	N	Y	Y	Y	2005

**FREEZE-THAW RATING LIST**

**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
 Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

***20 Year Pavement Design***

<b><i>Dist.</i></b>	<b><i>Producer Name</i></b>	<b><i>Location</i></b>	<b><i>P/S No.</i></b>	<b><i>Ledge Description</i></b>	<b><i>Approved Gradations</i></b>				<b><i>CRC</i></b>	<b><i>Year Last Sampled</i></b>
					<b><i>CA05</i></b>	<b><i>CA07</i></b>	<b><i>CA11</i></b>	<b><i>CA14</i></b>		
99	SOUTHERN ILL.STONE	BUNCOMBE, IL	50872-03	6.7m - 14.0m - Lower Middle - HSI, 5, 10, HSI, VSI	N	N	Y	Y	Y	2006
99	VULCAN MATERIALS	GILBERTSVILLE, KY	52502-03	Bench 4 (33.8m - 53.9m) - Jaw, 125# RR, Cone, Cone	N	N	Y	Y	Y	2005

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

**30 Year Extended Life Pavement Design**  
**Where Specified**

Dist	Producer Name	Location	P/S No.	Ledge Description	Year Last Sampled	<u>30 Year</u>			
						5	7	11	14
91	BAKLEY CONST. CORP.	HUNTLEY, IL	51110-28	Above & Below Water	2008	N	N	Y	Y
91	BEVERLY MATL'S, INC	ELGIN, IL	50890-22	Above & Below Water - Jaw - Partial Crush	2010	N	N	Y	Y
91	BEVERLY MATL'S, INC	ELGIN, IL	50890-22	Above & Below Water - Jaw, Cone, Cone - Crushed Gravel	2010	N	N	Y	Y
91	BEVERLY MATL'S, INC	ELGIN, IL	50890-22	Above Water - Jaw, Cone - Crushed Gravel	2009	N	N	Y	Y
91	BEVERLY MATL'S, INC	ELGIN, IL	50890-22	Above Water - Jaw, Cone - Partial Crush	2009	N	N	N	Y
91	BEVERLY MATL'S, INC	HUNTLEY, IL	51110-41	Above & Below Water - Jaw, Cone - Crushed Gravel	2007	N	N	N	Y
91	BEVERLY MATL'S, INC	HUNTLEY, IL	51110-41	Pit B - 0m - 7.0m Below Water - Jaw, Cone - Partial Crush	2008	N	N	Y	Y
91	BLUFF CITY MATERIALS	BARTLETT, IL	50310-09	Above & Below Water - Jaw, HSI - Partial Crush	2007	N	N	Y	Y
91	CARMEUSE LIME & STON	GULLIVER, MI	52602-01	Ledge 1 - Gyro, +2 1/16" Recirc. HSI (Prod 1)	2010	N	N	Y	Y
91	CEDAR LAKE S.& G.	HARTFORD, WI	52400-39	Above Water - Jaw, Cone, Roll - Not 100% Crushed	2010	N	N	Y	Y
91	CORAL LAKE S & G	MARENGO, IL	51110-46	Above & Below Water	2008	N	N	N	Y
91	ELMHURST CHICAGO ST.	PLAINFIELD, IL	51972-11	0.0m - 10.7m - Jaw, Imp, Cone, Imp	2007	N	Y	Y	Y
91	ELMHURST CHICAGO ST.	PLAINFIELD, IL	51972-11	10.7m - 24.4m - Jaw, Imp, Cone, Imp	2008	N	Y	Y	Y
91	ELMHURST CHICAGO ST.	ROMEOVILLE, IL	51972-10	0m - 18.3m - Level 1 - Jaw, RR, 6, Imp, Imp	2006	N	Y	Y	Y
91	ELMHURST CHICAGO ST.	ROMEOVILLE, IL	51972-10	18.3m - 24.4m - Level 2 - Jaw, RR, 6, Imp, Imp	2006	N	Y	Y	Y
91	ELMHURST CHICAGO ST.	ROMEOVILLE, IL	51972-10	0m - 18.3m - Level 1 - Jaw, Cone, VSI	2007	N	Y	Y	Y
91	LAFARGE CONCO	N. AURORA, IL	50892-01	62.2m - 70.4m - Jaw, 6, HSI, HSI	2007	N	N	Y	Y
91	LAFARGE FOX RIVER	S. ELGIN, IL	50892-02	0m - 7.6m - Header - Jaw, 3x1,6, 3 Cones (Prod 2)	2010	N	N	Y	Y
91	LAFARGE JOLIET	ROCKDALE, IL	51972-15	88.4m-96.0m, Mine - Jaw, Cage, Roll	2007	N	Y	Y	Y
91	LAFARGE JOLIET	ROCKDALE, IL	51972-15	96.0m-103.6m, Mine - Jaw, Cage, Roll	2007	N	Y	Y	Y
91	LAFARGE JOLIET	ROCKDALE, IL	51972-15	106.7m - 115.9m, Mine - Jaw, Cage, Roll	2007	N	Y	Y	Y

\* Not permitted for continuously reinforced concrete pavement (CRCP)

\*\* Restricted to 1/2" (12.5mm) for continuously reinforced concrete pavement (CRCP)

\*\*\* 1/2" (12.5mm) not permitted

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

**30 Year Extended Life Pavement Design**  
**Where Specified**

Dist	Producer Name	Location	P/S No.	Ledge Description	Year Last Sampled	<u>30 Year</u>			
						5	7	11	14
91	LAFARGE JOLIET	ROCKDALE, IL	51972-15	106.7m - 115.9m, Mine - Jaw, 2 Cones	2009	N	Y	Y	Y
91	LAFARGE JOLIET	ROCKDALE, IL	51972-15	106.7m - 115.9m - Jaw, HSI, Cone, Cone	2009	N	Y	Y	Y
91	LAFARGE ONTARIO	ONTARIO, ON	52352-01	0m - 15.2m - Dolomite - Gyro Cone, Cone, Roll	2009	N	N	Y	Y
91	MATERIAL SERVICE	LAGRANGE, IL	50312-02	28.9m-39.6m- Level #4 - Main Plant	2008	N	N	Y	Y
91	MATERIAL SERVICE	LAGRANGE, IL	50312-02	28.9m-39.6m- Level #4-Chip Plant	2008	N	Y	Y	Y
91	MATERIAL SERVICE	LAGRANGE, IL	50312-02	36.5m-46.3m (120-152')- Level #5- EMD- Chip Plant	2009	N	Y	Y	Y
91	MATERIAL SERVICE	LAGRANGE, IL	50312-02	46.3m-56.4m (152-185')- Level #6- EMD- Chip Plant	2009	N	Y	Y	Y
91	MATERIAL SERVICE	LAGRANGE, IL	50312-02	46.3m-56.4m (152-185')- Level #6- EMD- Main Plant	2009	N	Y	Y	Y
91	MATERIAL SERVICE	LAGRANGE, IL	50312-02	56.4m-65.8m (185-216')- Level #7- EMD- Main Plant	2007	N	Y	Y	Y
91	MATERIAL SERVICE	LAGRANGE, IL	50312-02	56.4m-65.8m (185-216')- Level #7- EMD- Chip Plant	2007	N	Y	Y	Y
91	MATERIAL SERVICE	ROMEOVILLE, IL	51972-02	0m - 41.1m-West Pit - Gyro, Cone, Cone	2007	N	Y	Y	Y
91	MATERIAL SERVICE	ROMEOVILLE, IL	51972-02	0m - 44.2m - Pierce Pit - Gyro, Cone, Cone	2010	N	Y	Y	Y
91	MATERIAL SERVICE	THORNTON, IL	50312-04	0m - 105.8m - Lev. 1-3 - Gyro, Cone	2007	N	Y	Y	Y
91	MATERIAL SERVICE	THORNTON, IL	50312-04	0m - 44.2m - Brown Derby - Gyro, Cone	2010	N	Y	Y	Y
91	MATERIAL SERVICE	THORNTON, IL	50312-04	44.2m - 80.8m - Main - Gyro, Cone	2010	N	Y	Y	Y
91	MATERIAL SERVICE	THORNTON, IL	50312-04	0m - 33.5m - Main - Gyro, Cone (Prod 1)	2009	N	Y	Y	Y
91	MATERIAL SERVICE	THORNTON, IL	50312-04	70.7m - 105.8m - Ledge 3N - Gyro, Cone (Prod 1)	2009	N	Y	Y	Y
91	MEYER MATERIAL CO.	ALGONQUIN, IL	51110-07	Above & Below Water - Jaw, Cone - Partial Crush	2009	N	N	N	Y
91	MEYER MATERIAL CO.	ALGONQUIN, IL	51110-07	Above & Below Water - Jaw, Cone - Crushed Gravel	2008	N	N	Y	Y
91	MEYER MATERIAL CO.	ALGONQUIN, IL	51110-42	Above & Below Water - Jaw, Cone - Partial Crush	2008	N	N	Y	Y
91	MEYER MATERIAL CO.	MARENGO, IL	51110-03	Above & Below Water - Jaw - Partial Crushed	2008	N	N	N	Y

\* Not permitted for continuously reinforced concrete pavement (CRCP)

\*\* Restricted to 1/2" (12.5mm) for continuously reinforced concrete pavement (CRCP)

\*\*\* 1/2" (12.5mm) not permitted

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

**30 Year Extended Life Pavement Design**  
**Where Specified**

Dist	Producer Name	Location	P/S No.	Ledge Description	Year Last Sampled	<u>30 Year</u>			
						5	7	11	14
91	MEYER MATERIAL CO.	MARENGO, IL	51110-03	Above & Below Water - Jaw, Cone - Partial Crush	2010	N	N	Y	Y
91	MEYER MATERIAL CO.	MCHENRY, IL	51110-11	Above Water - Jaw, Roll - Crushed Gravel	2009	N	N	Y	Y
91	MEYER MATERIAL CO.	MCHENRY, IL	51110-11	Above Water - Jaw, Cone - Partial Crush	2009	N	N	N	Y
91	MEYER MATERIAL CO.	TWIN LAKES, WI	52400-44	Above Water - Screened & Crushed - Jaw, Roll (Prod 1)	2010	N	N	N	Y
91	MINING INTERNATIONAL	JOLIET, IL	51972-20	Level 1 - Jaw, RR, 6, Cone	2008	N	Y	Y	Y
91	MINING INTERNATIONAL	JOLIET, IL	51972-20	Level 2 - Jaw, RR, 6, Cone	2008	N	Y	Y	Y
91	MINING INTERNATIONAL	JOLIET, IL	51972-20	Level 1 - Jaw, No Scalp, Cone	2010	N	Y	Y	Y
91	MINING INTERNATIONAL	JOLIET, IL	51972-20	Level 2 - Jaw, No Scalp, Cone	2010	N	Y	Y	Y
91	NORTHERN MATERIALS	HUNTLEY, IL	51110-32	Below Water - HSI - Partial Crush	2010	N	Y	N	N
91	RELIABLE MATERIALS	LYONS, IL	50312-18	0m - 15.5m - Bench 1 - Jaw, HSI	2006	N	Y	Y	Y
91	ROCK ROAD NELSON LLC	EAST TROY, WI	52400-50	Above Water - Jaw, Cone, Roll - Not 100% Crushed	2007	N	N	Y	Y
91	ROCKY MOUNTAIN ENT.	ATHENS, WI	52402-14	Level 1 - Jaw, Cone, Imp	2006	N	Y	Y	Y
91	THELEN SAND & GRAVEL	ANTIOCH, IL	50970-02	Above & Below Water - Jaw, Jaw, Cone - Partial Crush	2008	N	N	N	Y
91	THELEN SAND & GRAVEL	HEBRON, WI	52400-27	Above & Below Water	2008	N	N	N	Y
91	VULCAN MATERIALS	BARTLETT, IL	50312-90	Level 1 - Jaw, Cone, Cone	2009	N	Y	Y	Y
91	VULCAN MATERIALS	BARTLETT, IL	50312-90	Level 2 - Feeder Breaker, 6, 3" x 1", 2 Cones	2007	N	Y	Y	Y
91	VULCAN MATERIALS	BARTLETT, IL	50312-90	Level 2 - Feeder Breaker, 3" x 1", 2 Cones	2006	N	Y	Y	Y
91	VULCAN MATERIALS	BARTLETT, IL	50312-90	Level 1 - Feeder Breaker, 6, 3"x1", 2 Cones (Prod 5)	2009	N	Y	Y	Y
91	VULCAN MATERIALS	BARTLETT, IL	50312-90	Level 1 - Feeder Breaker, 66% Scalp 6, 3"x1", 2 Cones	2007	N	Y	Y	Y
91	VULCAN MATERIALS	BARTLETT, IL	50312-90	Level 2A - Jaw, 3"x1", 66% CA6, 2 Cones	2008	N	Y	Y	Y
91	VULCAN MATERIALS	BARTLETT, IL	50312-90	Level 2A - Jaw, 3"x1", 6, 2 Cones	2008	N	Y	Y	Y

\* Not permitted for continuously reinforced concrete pavement (CRCP)

\*\* Restricted to 1/2" (12.5mm) for continuously reinforced concrete pavement (CRCP)

\*\*\* 1/2" (12.5mm) not permitted

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

**30 Year Extended Life Pavement Design**  
**Where Specified**

<i>Dist</i>	<i>Producer Name</i>	<i>Location</i>	<i>P/S No.</i>	<i>Ledge Description</i>	<i>Year Last Sampled</i>	<i>30 Year</i>			
						<i>5</i>	<i>7</i>	<i>11</i>	<i>14</i>
91	VULCAN MATERIALS	BOLINGBROOK, IL	51972-09	Level 1 - Jaw, 75% 6, 2 Cones (Prod 2)	2009	N	Y	Y	Y
91	VULCAN MATERIALS	FRANKLIN, WI	52402-95	Racine - Jaw, 6, Cone, VSI	2008	N	Y	Y	Y
91	VULCAN MATERIALS	JOLIET, IL	51972-19	0.0m - 27.4m - Jaw, 6, Cone, VSI	2009	N	Y	Y	Y
91	VULCAN MATERIALS	JOLIET, IL	51972-19	27.4m - 42.7m - Jaw, 6, Cone, VSI	2007	N	Y	Y	Y
91	VULCAN MATERIALS	JOLIET, IL	51972-19	Slot Area - 9.1m - 27.4m - Jaw, 6, Cone, VSI	2008	N	Y	Y	Y
91	VULCAN MATERIALS	JOLIET, IL	51972-19	27.4m - 42.7m - Jaw, 3x1, 6, Cone, VSI	2007	N	Y	Y	Y
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	120.4m - 106.7m- Level 5- Hodgkins- Main Plant	2010	N	Y	Y	Y
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	120.4m - 106.7m- Level 5- Hodgkins- Chip Plant	2010	N	Y	Y	Y
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	178.3m - 152.4m - Levels 1 & 2 - Hodgkins - Main Plant	2006	N	Y	Y	Y
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	178.3m - 152.4m - Levels 1 & 2 - Hodgkins - Chip Plant	2006	N	Y	Y	Y
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	152.4m - 120.4m - Levels 3 & 4 - Hodgkins - Main Plant	2007	N	Y	Y	Y
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	152.4m - 120.4m - Levels 3 & 4 - Hodgkins - Chip Plant	2007	N	Y	Y	Y
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	MWRD Level 1 - Main Plant	2010	N	Y	Y	Y
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	MWRD Level 1 - Chip Plant	2010	N	N	Y	Y
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	164.6m - 120.4m - Levels 2-4 - Hodgkins - Main Plant	2006	N	Y	Y	Y
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	164.6m - 120.4m - Levels 2-4 - Hodgkins - Chip Plant	2006	N	Y	Y	Y
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	164.6m - 135.6m - Levels 2 & 3 - Hodgkins - Main Plant	2010	N	Y	Y	Y
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	164.6m - 135.6m - Levels 2 & 3 - Chip Plant	2007	N	Y	Y	Y
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	MWRD Level 2 - Chip Plant	2010	N	Y	Y	Y
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	MWRD Level 2 - Main Plant	2010	N	Y	Y	Y
91	VULCAN MATERIALS	PLAINFIELD, IL	51972-16	0m - 18.9m - Jaw, 1"x3", 7, HSI, 6, VSI	2007	N	Y	Y	Y

**\* Not permitted for continuously reinforced concrete pavement (CRCP)**

**\*\* Restricted to 1/2" (12.5mm) for continuously reinforced concrete pavement (CRCP)**

**\*\*\* 1/2" (12.5mm) not permitted**

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

**30 Year Extended Life Pavement Design**  
**Where Specified**

Dist	Producer Name	Location	P/S No.	Ledge Description	Year Last Sampled	<u>30 Year</u>			
						5	7	11	14
91	VULCAN MATERIALS	PLAINFIELD, IL	51972-16	0m - 18.9m - Jaw, HSI, Base Bypass, VSI	2007	N	Y	Y	Y
91	VULCAN MATERIALS	RACINE, WI	52402-01	68.3m-79.2m - Upper Racine - Gyro, 6, Cone, VSI	2008	N	Y	Y	Y
91	VULCAN MATERIALS	RACINE, WI	52402-01	Lower Racine - Gyro, 6, Cone, VSI	2008	N	Y	Y	Y
91	VULCAN MATERIALS	ROMEDEVILLE, IL	51972-04	Level 2 - Feeder Breaker, 6, 2 Cones (Prod 1)	2009	N	Y	Y	Y
91	VULCAN MATERIALS	ROMEDEVILLE, IL	51972-04	Level 1 - Feeder Breaker, 6, 2 Cones	2007	N	Y	Y	Y
91	VULCAN MATERIALS	ROMEDEVILLE, IL	51972-04	Level 1 - Feeder Breaker, 50% 6, 2 Cones	2007	N	Y	Y	Y
91	VULCAN MATERIALS	ROMEDEVILLE, IL	51972-04	Level 3 - Feeder Breaker, 50% 6, 2 Cones (Prod 2)	2009	N	Y	Y	Y
91	VULCAN MATERIALS	ROMEDEVILLE, IL	51972-04	Level 3 - Feeder Breaker, 6, 2 Cones (Prod 1)	2009	N	Y	Y	Y
91	VULCAN MATERIALS	ROMEDEVILLE, IL	51972-04	Level 2 - Feeder Breaker, 50% 6, 2 Cones (Prod 2)	2009	N	Y	Y	Y
91	VULCAN MATERIALS	ROMEDEVILLE, IL	51972-04	Level 4 - Feeder Breaker, 6, 2 Cones	2008	N	Y	Y	Y
91	VULCAN MATERIALS	ROMEDEVILLE, IL	51972-04	Level 4 - Feeder Breaker, 50% 6, 2 Cones	2008	N	Y	Y	Y
91	VULCAN MATERIALS	ROMEDEVILLE, IL	51972-04	Level 4 - Feeder Breaker, Cone, Cone (PROD 4)	2009	N	N	Y	Y
91	VULCAN MATERIALS	SUSSEX, WI	52402-64	20.4m-30.5m - Jaw, 6, HSI, VSI (Prod 3)	2009	N	N	N	Y
91	VULCAN MATERIALS	SUSSEX, WI	52402-64	0m - 20.4m - Jaw, 6, HSI, VSI (Prod 3)	2009	N	Y	Y	Y
91	WELCH BROS., INC.	HAMPSHIRE, IL	50890-53	Below Water - VSI - Partial Crush	2008	N	N	Y	Y
92	ALLIANCE MATERIALS	COLETA, IL	51952-86	12.2m - 21.3m - HSI, 10, HSI, Recirc. Roll	2006	N	N	Y	Y
92	ALLIANCE MATERIALS	COLETA, IL	51952-86	0m - 21.3m - HSI, 10, HSI, Recirc. Roll	2010	N	N	Y	Y
92	ALLIANCE MATERIALS	COLETA, IL	51952-86	0m - 21.3m - HSI, 10 Blended, HSI, Recirc. Roll	2008	N	N	Y	Y
92	ALLIANCE MATERIALS	WOOSUNG, IL	51412-71	Plus 5.5m - 13.7m - HSI, 10, HSI, Recirc. VSI	2006	N	N	Y	Y
92	BEVERLY MATERIALS	BELVIDERE, IL	50072-16	0m - 9.1m - Jaw, 6, Cone, Double Roll	2009	N	N	Y	Y
92	BEVERLY MATERIALS	BELVIDERE, IL	50072-16	9.1m - 15.2m - Jaw, 6, Cone, D. Roll	2009	N	N	Y	Y

\* Not permitted for continuously reinforced concrete pavement (CRCP)

\*\* Restricted to 1/2" (12.5mm) for continuously reinforced concrete pavement (CRCP)

\*\*\* 1/2" (12.5mm) not permitted

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

**30 Year Extended Life Pavement Design**  
**Where Specified**

<i>Dist</i>	<i>Producer Name</i>	<i>Location</i>	<i>P/S No.</i>	<i>Ledge Description</i>	<i>Year Last Sampled</i>	<i>30 Year</i>			
						<i>5</i>	<i>7</i>	<i>11</i>	<i>14</i>
92	CONMAT, INC.	ELIZABETH, IL	50852-61	6.7m - 23.5m - HSI, 10, Recirc. HSI	2007	N	N	Y	Y
92	CONMAT, INC.	ELIZABETH, IL	50852-61	2.5m - 23.5m - HSI, 10, HSI, HSI	2006	N	N	Y	Y
92	CONMAT, INC.	ELIZABETH, IL	50852-61	2.5m - 23.5m - HSI, 5, 10, HSI, HSI	2006	N	N	Y	Y
92	CONMAT, INC.	ELIZABETH, IL	50852-61	2.5m - 23.5m - HSI, 10, HSI, Cone	2010	N	N	Y	Y
92	CONMAT, INC.	SCALES MOUND, IL	50852-18	0m - 12.2m - HSI, 10, 5, HSI, Cone	2009	N	N	Y	N
92	CONMAT, INC.	STOCKTON, IL	50852-67	0m - 15.2m - HSI, 10, HSI, HSI	2009	N	N	Y	Y
92	DOC'S EXCAVATING	LENA, IL	51772-04	0m - 15.0m - HSI, 10, HSI	2006	N	N	Y	Y
92	DOC'S EXCAVATING	LENA, IL	51772-04	+3.0m - 15.2m - HSI, 10, HSI	2010	N	N	Y	Y
92	FISCHER EXCAVATING	FREEPORT, IL	51772-51	0m - 9.1m Face - HSI, 6, HSI	2010	N	N	Y	Y
92	FISCHER EXCAVATING	LEE CENTER, IL	51032-30	0m - 18.3m - HSI, 10, Recirc. HSI	2007	N	N	Y	Y
92	FISCHER EXCAVATING	MONROE CENTER, IL	51412-00	0m - 12.2m - Imp, 10, Recirc. Imp	2007	N	N	Y	Y
92	FISCHER EXCAVATING	MT. CARROLL, IL	50152-16	+7.7m-15.2m - HSI, 10, HSI	2006	N	N	Y	Y
92	FISCHER EXCAVATING	STERLING, IL	51952-03	0m - 11.6m - HSI, 10, HSI	2006	N	N	Y	Y
92	FISCHER EXCAVATING,	LENA, IL	51772-68	0m - 15.2m - HSI, 10, HSI	2009	N	N	Y	N
92	ILLINOIS MINING CORP	DURAND, IL	52012-34	0m - 19.2m - HSI, 6, HSI	2007	N	N	Y	Y
92	LEE, CHARLES & SON	IRENE, IL	50072-02	0m - 26.2m - Jaw, 6, HSI	2009	N	N	Y	Y
92	LINWOOD MINING	LINWOOD, IA	52202-08	6.1m - Lower Level - Otis - Imp, Cone	2007	N	N	Y	Y
92	LINWOOD MINING	LINWOOD, IA	52202-08	6.1m - Davenport, Beds 18 & 19 - Imp, Cone, Log	2007	N	N	Y	Y
92	LOBERG EXCAVATING	FREEPORT, IL	51772-08	0m - 9.1m - Jaw, 6, HSI	2007	N	N	Y	Y
92	LOUIE'S AGGREGATE CO	GILFORD, IL	50852-90	0m - 13.7m - HSI, 10, HSI	2008	N	N	Y	Y
92	LOUIE'S AGGREGATE CO	NORA, IL	50852-17	0m - 10.7m - HSI, 6/10, Recirc. HSI	2009	N	N	Y	Y

\* **Not permitted for continuously reinforced concrete pavement (CRCP)**

\*\* **Restricted to 1/2" (12.5mm) for continuously reinforced concrete pavement (CRCP)**

\*\*\* **1/2" (12.5mm) not permitted**

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

**30 Year Extended Life Pavement Design**  
**Where Specified**

Dist	Producer Name	Location	P/S No.	Ledge Description	Year Last Sampled	<u>30 Year</u>			
						5	7	11	14
92	MACKLIN INCORPORATED	ROCHELLE, IL	51412-68	30.5m - 39.0m - Imp, 6, 2 Cones, Recirc. Cone	2008	N	N	Y	Y
92	MACKLIN INCORPORATED	ROCHELLE, IL	51412-68	0.0m - 39.0m - HSI, 10/6, Cone, Cone, Cone	2010	N	N	Y	Y
92	MARTIN MATERIALS	OREGON, IL	51412-34	+4.6m - 18.3m - HSI, 10, Jaw, HSI	2010	N	N	Y	Y
92	NORTHERN IL SERVICE	PECATONICA, IL	52012-01	7.6m - 15.2m - Ledge 2 - HSI, 6, HSI	2007	N	N	Y	Y
92	NORTHERN IL SERVICE	ROSCOE, IL	52012-73	3.7m-9.1m Ledge - HSI, 6, HSI	2006	N	N	N	Y
92	NORTHERN IL SERVICE	ROSCOE, IL	52012-73	9.1m - 17.4m - HSI, 6, HSI	2009	N	N	Y	Y
92	NORTHERN IL SERVICE	S. BELOIT, IL	52012-80	1.5m - 15.2m - HSI, 6, HSI	2007	N	N	Y	Y
92	NORTHWEST ILL CONST	ROCK FALLS, IL	51032-73	4.6m - 19.8m - HSI, 10, HSI, Recirc. Roll	2009	N	N	Y	Y
92	QUALITY AGGREGATES	IRENE, IL	50072-04	0m - 15.2m - Jaw, 6, Cone, VSI	2006	N	Y	Y	Y
92	QUALITY AGGREGATES	IRENE, IL	50072-04	0m - 19.2m - Jaw, 6, Cone, VSI	2008	N	Y	Y	Y
92	QUALITY AGGREGATES	IRENE, IL	50072-04	19.2m - 29.0m - Jaw, 6, Cone, VSI	2008	N	Y	Y	Y
92	QUALITY AGGREGATES	IRENE, IL	50072-04	19.2m - 29.0m - Jaw, 6, Cone	2008	N	Y	Y	Y
92	QUALITY AGGREGATES	IRENE, IL	50072-04	0m - 19.2m - Jaw, 6, Cone	2008	N	Y	Y	N
92	QUALITY AGGREGATES	IRENE, IL	50072-04	0m - 29.0m - Jaw, 6, Cone	2009	N	Y	Y	Y
92	RIVERSTONE GROUP,INC	CLEVELAND, IL	50732-12	9th Ledge, 77.7m-91.4m - HSI, Log, 2 Cones	2007	Y	Y	Y	Y
92	RIVERSTONE GROUP,INC	CLEVELAND, IL	50732-12	8th Ledge, 65.5m - 77.7m - HSI, Log, 2 Cones	2006	Y	Y	Y	Y
92	RIVERSTONE GROUP,INC	CLEVELAND, IL	50732-12	6th Ledge - 50.3m - 65.5m - HSI, Log, 2 Cones	2007	N	N	Y	Y
92	RIVERSTONE GROUP,INC	LECLAIRE, IA	52202-10	60m - 72m - Beds 22 - 28 - HSI, HSI, Log	2009	N	Y	Y	Y
92	RIVERSTONE GROUP,INC	LECLAIRE, IA	52202-10	71.0m - 83.2m - Ledge 6 - Bed 28 - Jaw, HSI, Log	2009	N	N	Y	Y
92	RIVERSTONE GROUP,INC	MILAN, IL	51612-31	4th Ledge, 19.2m-29.3m - Jaw, Log, Cone	2009	Y	Y	Y	Y
92	RIVERSTONE GROUP,INC	MILAN, IL	51612-31	9th Ledge, 64.9m - 77.1m - Jaw, HSI, Cone	2007	Y	Y	Y	Y

\* Not permitted for continuously reinforced concrete pavement (CRCP)

\*\* Restricted to 1/2" (12.5mm) for continuously reinforced concrete pavement (CRCP)

\*\*\* 1/2" (12.5mm) not permitted

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

**30 Year Extended Life Pavement Design**  
**Where Specified**

Dist	Producer Name	Location	P/S No.	Ledge Description	Year Last Sampled	<u>30 Year</u>			
						5	7	11	14
92	RIVERSTONE GROUP,INC	MILAN, IL	51612-31	9th Ledge, 64.9m - 77.1m - Jaw, Log, Cone	2006	N	N	Y	Y
92	RIVERSTONE GROUP,INC	MILAN, IL	51612-31	10th Ledge, 77.1m - 92.3m - Jaw, Log, Cone	2007	Y	Y	Y	Y
92	RIVERSTONE GROUP,INC	MILAN, IL	51612-31	4th Ledge, 19.2m - 29.3m - Jaw, HSI, Cone, Log	2008	Y	Y	Y	Y
92	RIVERSTONE GROUP,INC	OSBORN, IL	51612-23	3rd Ledge - 9.1m - 21.3m - Jaw, HSI	2007	Y	Y	Y	Y
92	RIVERSTONE GROUP,INC	OSBORN, IL	51612-23	4th Ledge (21.3m - 36.6m) - Jaw, Log, HSI	2008	Y	Y	Y	Y
92	RIVERSTONE GROUP,INC	OSBORN, IL	51612-23	5th Ledge (36.6m - 48.8m) - Jaw, Log, HSI	2008	N	N	Y	Y
92	ROGERS R-M & MATLS.	BYRON, IL	51412-32	15.2m - 26.0m - HSI, 10/6, Recirc.HSI	2009	N	N	Y	Y
92	ROGERS R-M & MATLS.	CHERRY VALLEY, IL	52012-31	12.6m - 26.5m - HSI, FA21, HSI/HSI	2010	N	N	Y	N
92	SAVANNA QUARRY, INC.	WACKER, IL	50152-92	0.0m - 31.1m - HSI, 10, HSI	2007	N	N	Y	Y
92	WAGNER AGGREGATES	MONROE CENTER, IL	51412-92	0m - 10.7m - HSI, 6, HSI	2008	N	Y	Y	Y
92	WAGNER AGGREGATES	MONROE CENTER, IL	51412-92	10.7m - 16.2m - HSI, 6, HSI	2009	N	Y	Y	Y
92	WAGNER AGGREGATES	MONROE CENTER, IL	51412-92	16.2m - 22.3m - HSI, 6, HSI	2008	N	Y	N	N
92	WENDLING QUARRIES	MT. CARROLL, IL	50152-74	18.0m-31.7m - HSI, Hammermill	2010	N	N	Y	Y
92	WENDLING QUARRIES	MT. CARROLL, IL	50152-74	18.0m-31.7m - HSI, 3 Roll, Mill	2009	N	N	Y	Y
92	WENDLING QUARRIES	MT. CARROLL, IL	50152-74	18.0m - 31.7m - HSI, 10, 3 Roll, Mill	2008	N	N	Y	N
92	WILLIAM CHARLES CONS	BELVIDERE, IL	50072-01	12.2m - 26.2m - HSI, 6, Recirc. HSI	2006	N	N	Y	Y
92	WILLIAM CHARLES CONS	BELVIDERE, IL	50072-01	1.8m - 26.5m (4-87') Face - HSI, 6, VSI	2007	N	Y	Y	Y
92	WILLIAM CHARLES CONS	BELVIDERE, IL	50072-15	0m - 25.6m - HSI, 6, HSI	2009	N	N	Y	Y
92	WILLIAM CHARLES CONS	BELVIDERE, IL	50072-15	32.3m - 38.4m - 1" x 4", 6, HSI, 6, HSI	2007	N	N	Y	Y
92	WILLIAM CHARLES CONS	ROCKFORD, IL	52012-77	6.1m-26.8m (20-88') - Jaw, CA06, VSI	2006	N	Y	Y	Y
93	CENTRAL LIMESTONE CO	LISBON, IL	50932-01	24.4m - 39.6m - Jaw, RR1, 6, Cone, Roll	2010	Y	Y	Y	Y

\* Not permitted for continuously reinforced concrete pavement (CRCP)

\*\* Restricted to 1/2" (12.5mm) for continuously reinforced concrete pavement (CRCP)

\*\*\* 1/2" (12.5mm) not permitted

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

**30 Year Extended Life Pavement Design**  
**Where Specified**

Dist	Producer Name	Location	P/S No.	Ledge Description	Year Last Sampled	<u>30 Year</u>			
						5	7	11	14
93	COUNTY MATERIAL CORP	MARATHON, WI	52402-81	Weisenberger Quarry - Jaw, 6, Cone, Roll	2009	N	N	Y	Y
93	MACKLIN INCORPORATED	FAIRDALE, IL	50372-67	0.0m - 14.0m - HSI, 10, VSI	2006	N	N	Y	Y
93	MACKLIN INCORPORATED	FAIRDALE, IL	50372-67	12.2m - 27.5m - HSI, 6, VSI	2007	N	N	Y	Y
93	PRAIRIE MATERIAL	MANTENO, IL	50912-06	0m - 21.0m - Ledge A - Jaw, RR1, 10, 2 Cones	2010	Y	Y	Y	Y
93	PRAIRIE MATERIAL	MANTENO, IL	50912-06	0m - 21.0m - Ledge A - Jaw, 10, 2 Cones	2006	N	N	Y	Y
93	PRAIRIE MATERIAL	OCOYA, IL	51052-09	6.5m - Imp, H. Mill, Imp	2007	N	N	Y	Y
93	RIVERSTONE GROUP,INC	TROY GROVE, IL	50992-01	0m - 18.3m (0-60') - HSI, HSI, Log	2009	N	N	Y	Y
93	RIVERSTONE GROUP,INC	TROY GROVE, IL	50992-01	0m - 18.3m - Jaw, HSI, Log	2007	N	N	Y	Y
93	VALLEY VIEW INDUST.	FAIRBURY, IL	51052-15	3.7m Ledge - 2 HSI	2006	N	Y	Y	Y
93	VALLEY VIEW INDUST.	MCDOWELL, IL	51052-19	4m Face - HSI, HSI, Wash	2009	N	N	Y	N
93	VALLEY VIEW INDUST.	MCDOWELL, IL	51052-19	4m Face - Combined Production	2010	N	N	Y	N
93	VULCAN MATERIALS	DEKALB, IL	50372-02	78.9m - 97.8m - Ledge 6 - Jaw, 6, VSI, HSI	2007	N	N	Y	Y
93	VULCAN MATERIALS	DEKALB, IL	50372-02	55.2m - 78.9m - Ledge 5 - Jaw, 6, HSI, VSI	2007	N	N	Y	Y
93	VULCAN MATERIALS	DEKALB, IL	50372-02	55.2m - 78.9m - Ledge 5 - Jaw, 6, HSI, 3"x1", VSI	2006	Y	Y	Y	Y
93	VULCAN MATERIALS	DEKALB, IL	50372-02	78.9m - 90.0m - Ledge 6A - Jaw, 6, HSI, VSI	2008	N	Y	Y	Y
93	VULCAN MATERIALS	DEKALB, IL	50372-02	55.2m - 90.0m - Ledges 5 & 6A - Jaw, 6, HSI, VSI	2008	N	Y	Y	Y
93	VULCAN MATERIALS	FRANCESVILLE, IN	52102-23	133.8m - 117.0m - Ledge 9 - Jaw, 10, Cone, VSI	2006	Y	Y	Y	Y
93	VULCAN MATERIALS	KANKAKEE, IL	50912-02	25.0m - 37.5m - Ledge DE - Gyro, Cone, 10, 2 Cones	2006	N	N	Y	Y
93	VULCAN MATERIALS	KANKAKEE, IL	50912-02	0.0m - 39.0m - Ledge 1 - Gyro, No Scalp, 3 Cones	2009	N	Y	Y	Y
93	VULCAN MATERIALS	KANKAKEE, IL	50912-02	0.0m - 39.0m - Ledge 1 - Gyro, Cone, RR1, 10, 2 Cones	2010	N	Y	Y	Y
93	VULCAN MATERIALS	LISBON, IL	50932-02	0m - 21.3m (0-70') - Jaw, RR1, CA06, Cone, VSI	2008	N	Y	Y	Y

\* Not permitted for continuously reinforced concrete pavement (CRCP)

\*\* Restricted to 1/2" (12.5mm) for continuously reinforced concrete pavement (CRCP)

\*\*\* 1/2" (12.5mm) not permitted

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

**30 Year Extended Life Pavement Design**  
**Where Specified**

Dist	Producer Name	Location	P/S No.	Ledge Description	Year Last Sampled	<u>30 Year</u>			
						5	7	11	14
93	VULCAN MATERIALS	LISBON, IL	50932-02	0m - 36.6m-Jaw,6,RR1,Cone Imp	2006	N	N	Y	Y
93	VULCAN MATERIALS	LISBON, IL	50932-02	0m - 45.7m - Jaw, 6, RR1, Cone, VSI	2008	N	N	Y	Y
93	VULCAN MATERIALS	LOWELL, IN	52102-34	Level 1 & 2 - Jaw, 10/6, 2 Cones	2009	N	Y	Y	Y
93	VULCAN MATERIALS	MANTENO, IL	50912-04	38.7m - 60.0m - Ledge E - Jaw, Cone, VSI	2008	Y	Y	Y	Y
93	VULCAN MATERIALS	MANTENO, IL	50912-04	38.7m - 60.0m - Ledge E - Jaw, Cone, RR1, 10, VSI	2006	Y	Y	Y	Y
93	VULCAN MATERIALS	MANTENO, IL	50912-04	38.7m - 60.0m - Ledge E - Jaw, Cone, 10, VSI	2006	Y	Y	Y	Y
93	VULCAN MATERIALS	MANTENO, IL	50912-04	0.0m - 39.0m - Ledge 1 - Base Separation	2008	N	Y	Y	Y
93	VULCAN MATERIALS	MANTENO, IL	50912-04	43.5m - 60.0m - Ledge E2 - Jaw, Cone, 10, VSI	2010	Y	Y	Y	Y
93	VULCAN MATERIALS	MANTENO, IL	50912-04	22.9m - 60.0m - Ledge DE - Jaw, Cone, VSI	2009	Y	Y	Y	Y
93	VULCAN MATERIALS	SYCAMORE, IL	50372-01	40.2m-64.6m - Gyro, 3", 6, 3 cones	2009	N	Y	Y	Y
93	VULCAN MATERIALS	SYCAMORE, IL	50372-01	0.0m - 40.2m - Gyro, 6, +3", 3 Cones	2009	Y	Y	Y	Y
93	VULCAN MATERIALS	SYCAMORE, IL	50372-01	40.2m-46.3m - Ledge 2 - Gyro, 6, RR1, 3 Cones	2009	N	N	Y	Y
93	VULCAN MATERIALS	SYCAMORE, IL	50372-01	0m - 40.2m - Gyro, 3", 6 to Wash Plant	2008	N	Y	Y	Y
93	VULCAN MATERIALS	SYCAMORE, IL	50372-01	41.4m - 84.7m - Gyro, 3", 6, 3 Cones	2006	N	Y	Y	Y
93	VULCAN MATERIALS	SYCAMORE, IL	50372-01	0.0m - 41.4m - Gyro, RR1, 6, 3 Cones	2009	Y	Y	Y	Y
93	WESTERN AGGREGATES	TROY GROVE, IL	50990-52	0.0m - 10.7m - Above Water - Log	2006	N	N	Y	Y
94	GALENA ROAD GRAVEL	CHILLICOTHE, IL	51430-19	Above Water - IMP - Crushed	2006	N	N	Y	Y
94	PEORIA CONC. CONST.	SPRING BAY, IL	52030-29	10.7m - 19.8m Below Water	2010	N	N	N	Y
95	MARTIN MARIETTA AGG	CLOVERDALE, IN	52102-33	20.7m Ledge - Jaw, 6, HSI, 2 Cones	2009	N	Y	Y	Y
95	MATERIAL SERVICE	FAIRMOUNT, IL	51832-01	3.7m-Shaft/Pick,10,2 Cones	2009	N	N	Y	Y
95	STARK EXCAVATING	SHIRLEY, IL	51130-84	Below Water - VSI, Partial Crush	2010	N	N	N	Y

\* Not permitted for continuously reinforced concrete pavement (CRCP)

\*\* Restricted to 1/2" (12.5mm) for continuously reinforced concrete pavement (CRCP)

\*\*\* 1/2" (12.5mm) not permitted

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

**30 Year Extended Life Pavement Design**  
**Where Specified**

Dist	Producer Name	Location	P/S No.	Ledge Description	Year Last Sampled	<u>30 Year</u>			
						5	7	11	14
95	TUSCOLA STONE CO.	TUSCOLA, IL	50412-01	6th Level - Jaw, 6, VSI	2009	N	N	Y	Y
96	CENTRAL STONE	HUNTINGTON, MO	52302-04	6.1m-21.3m Ledge 2 - Kimmswick - HSI, 2 Cones, Logwasher	2010	N	Y	N	N
96	CENTRAL STONE	HUNTINGTON, MO	52302-04	6.1m - 21.3m - Ledge 2 - Kimmswick - Jaw, HSI, 2 Cones, Log	2010	N	Y	Y	Y
96	HANSON MATERIAL SVC	LINCOLN, IL	51072-05	Lower Ledge - Jaw, 6, IMP	2009	N	N	Y	Y
96	HANSON MATERIAL SVC	NOKOMIS, IL	51352-01	Upper Ledge - HSI, 6, Mill, Cone	2009	N	N	Y	Y
96	HANSON MATERIAL SVC	NOKOMIS, IL	51352-01	Lower Ledge - HSI, No Scalp, Mill, Cone	2009	N	N	N	Y
96	LACEY & BAUER	PEARL, IL	51492-03	0m - 9.2m-Ledge 3-Jaw,Cone	2007	N	N	Y	N
96	NOKOMIS QUARRY	NOKOMIS, IL	51352-03	Upper Ledge - HSI, 6, Mill	2009	N	N	Y	Y
96	PANA LIMESTONE	PANA, IL	50212-04	Upper Ledge - IMP, 6, IMP	2007	N	N	Y	Y
96	PANA LIMESTONE	PANA, IL	50212-04	Upper Ledge - Imp, RR1, 6, Imp	2009	N	N	N	Y
97	CASEY STONE CO.	CASEY, IL	50232-06	7.6m - HSI, RR1, 6, HSI, VSI, 2 Logs	2008	N	N	N	Y
97	CASEY STONE CO.	CASEY, IL	50232-06	7.6m - HSI, +1.25", CA06 to 2 Logs	2010	N	N	N	Y
97	CHARLESTON STONE CO.	CHARLESTON, IL	50292-02	3.2m-Top Ledge - E. Pit - Jaw, HSI, VSI, Log	2009	N	N	Y	Y
97	CHARLESTON STONE CO.	CHARLESTON, IL	50292-02	3.2m - Top Ledge - W. Pit - Jaw, HSI, VSI, Log	2009	N	N	Y	Y
97	MID ILLINOIS QUARRY	CASEY, IL	50232-02	7.6m Ledge - 2 HSI, 2 Logs	2009	N	N	Y	Y
97	MITCHELL CRUSHED STN	MITCHELL, IN	52102-04	Ledge 1 (3.0m) - Jaw, 6/10, 3 Cones	2007	N	N	Y	Y
97	MITCHELL CRUSHED STN	MITCHELL, IN	52102-04	Ledge 6B & 7 (9.1m) - Jaw, 6/10, Cone, RR1, Cone	2008	N	N	Y	Y
97	QUALITY LIME CO.	MARSHALL, IL	50232-05	3.4m Bottom Ledge - East Pit - HSI, 6, Mill Log	2009	N	N	N	Y
98	BLUFF CITY MINERAL	ALTON, IL	51192-02	22.9m - Levels 1 & 2 - IMP, -1 1/2", Cone, -1", VSI	2006	N	N	Y	Y
98	BLUFF CITY MINERAL	ALTON, IL	51192-02	22.9m - Levels 1 & 2 - HSI, +2" to Cone, -2" to VSI (SS Prod)	2010	N	N	Y	Y
98	BLUFF CITY MINERAL	ALTON, IL	51192-02	22.9m - Levels 1 & 2 - HSI, 20% 2", +2" To Cone, -2" To VSI (Normal Prod)	2009	N	N	Y	N

\* Not permitted for continuously reinforced concrete pavement (CRCP)

\*\* Restricted to 1/2" (12.5mm) for continuously reinforced concrete pavement (CRCP)

\*\*\* 1/2" (12.5mm) not permitted

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

**30 Year Extended Life Pavement Design**  
**Where Specified**

Dist	Producer Name	Location	P/S No.	Ledge Description	Year Last Sampled	<u>30 Year</u>			
						5	7	11	14
98	CENTRAL STONE	FLORISSANT, MO	52302-53	Benches 1 & 2 (10.3m) - Jaw, HSI, -1" to Log, +1" to HSI (Prod 1)	2009	N	N	Y	N
98	CENTRAL STONE	FLORISSANT, MO	52302-53	Benches 3-9 (28.7m [94']) - HSI, 27% to Log, HSI	2009	N	N	Y	Y
98	COLUMBIA QUARRY COMP	COLUMBIA, IL	51632-01	Ledge A (4.3m) - HSI, 6, HSI, Cone, VSI	2007	N	Y	Y	Y
98	FALLING SPRINGS QRY	FALLING SPRINGS, IL	51632-03	33.5m, Ledge 1B - HSI, RR, No Scalp, HSI, VSI	2007	N	N	Y	Y
98	IRON MT. TRAP ROCK	IRON MOUNTAIN, MO	52302-33	22.9m - Ledge 1 - Jaw, 2 Cones, No Scalp	2010	N	Y	Y	Y
98	MARTIN MARIETTA	PERRYVILLE, MO	52302-41	8.2m - Ledge 3 - HSI, VSI, Roll	2007	N	Y	Y	Y
98	MARTIN MARIETTA	PRAIRIE DU ROCHER, IL	51572-05	8.5m Ledge 1 - Old 51572-04 - HSI, VSI	2010	N	N	Y	Y
98	TOWER ROCK STONE CO.	ST. GENEVIEVE, MO	52302-39	12.2m - Zone 12 - Jaw, Cone, HSI	2006	N	N	N	Y
98	WEBER, FRED, INC.	MARYLAND HEIGHTS, M	52302-15	11.9m - Ledges 2 - 5 - Jaw, Imp, Mill, Imp	2006	N	N	Y	Y
98	WEBER, FRED, INC.	MARYLAND HEIGHTS, M	52302-15	19.7m - Ledges 2-9 - Jaw, Imp, Mill	2008	N	N	Y	Y
99	ANNA QUARRIES, INC.	ANNA, IL	51812-02	77.4m-96.6m - BAV - Midwest - Gyro, 10, HSI, 2 Cones (Prod 7)	2010	N	N	Y	Y
99	ANNA QUARRIES, INC.	ANNA, IL	51812-02	95.7m - 110.9m - Midwest Pit - Tertiary Only	2010	N	N	Y	Y
99	ANNA QUARRIES, INC.	ANNA, IL	51812-02	95.7m - 110.9m - Midwest Pit - Secondary Only	2010	N	N	Y	Y
99	CORYDON CR.STONE	CORYDON, IN	52102-25	206m - 235m - Jaw, 6, Cone	2009	N	N	Y	Y
99	FLORIDA ROCK IND.	ROSICLARE, IL	50692-14	30.8m - 40.0m - Ledge C - Jaw, 10, Mill, Cone	2006	N	N	N	Y
99	HASTIE MINING	CAVE-IN-ROCK, IL	50692-04	13.7m - 33.7m - Below Rosiclare - Jaw, 6, Gyro, 2 Cones	2008	N	N	Y	Y
99	HASTIE MINING	CAVE-IN-ROCK, IL	50692-04	0m - 7.6m - Ste. Genevieve - Jaw, 6, Gyro, 2 Cones	2010	N	N	N	Y
99	HASTIE MINING	CAVE-IN-ROCK, IL	50692-04	0m - 33.7m - Below Rosiclare - Jaw, 6, Gyro, 2 Cones	2008	N	N	Y	Y
99	MARTIN MARIETTA ROS	SHETLERVILLE, IL	50692-09	13.4m-35.1m (44-115') Below Rosiclare S.S. - 2 Cones	2009	N	N	Y	Y
99	MULZER CR. STONE CO.	CAPE SANDY, IN	52102-18	Ledge 804 - 812 - 20.2m - Jaw, 6, 2 Cones, 50% Cone	2008	N	N	Y	Y
99	SOUTHERN ILL.STONE	BUNCOMBE, IL	50872-03	6.7m - 14.0m - Lower Middle - HSI, 5, 10, HSI, VSI	2006	N	N	Y	Y

\* Not permitted for continuously reinforced concrete pavement (CRCP)

\*\* Restricted to 1/2" (12.5mm) for continuously reinforced concrete pavement (CRCP)

\*\*\* 1/2" (12.5mm) not permitted

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

**40 Year Extended Life Pavement Design**  
*Where Specified*

<i>Dist</i>	<i>Producer Name</i>	<i>Location</i>	<i>P/S No.</i>	<i>Ledge Description</i>	<i>Year Last Sampled</i>	<u><b>40 Year</b></u>			
						<b>5</b>	<b>7</b>	<b>11</b>	<b>14</b>
91	CARMEUSE LIME & STON	GULLIVER, MI	52602-01	Ledge 1 - Gyro, +2 1/16" Recirc. HSI (Prod 1)	2010	N	N	Y	Y
91	ELMHURST CHICAGO ST.	PLAINFIELD, IL	51972-11	0.0m - 10.7m - Jaw, Imp, Cone, Imp	2007	N	Y	Y	Y
91	ELMHURST CHICAGO ST.	PLAINFIELD, IL	51972-11	10.7m - 24.4m - Jaw, Imp, Cone, Imp	2008	N	Y	Y	Y
91	ELMHURST CHICAGO ST.	ROMEOVILLE, IL	51972-10	0m - 18.3m - Level 1 - Jaw, RR, 6, Imp, Imp	2006	N	Y	Y	Y
91	ELMHURST CHICAGO ST.	ROMEOVILLE, IL	51972-10	18.3m - 24.4m - Level 2 - Jaw, RR, 6, Imp, Imp	2006	N	Y	Y	Y
91	ELMHURST CHICAGO ST.	ROMEOVILLE, IL	51972-10	0m - 18.3m - Level 1 - Jaw, Cone, VSI	2007	N	Y	Y	Y
91	LAFARGE CONCO	N. AURORA, IL	50892-01	62.2m - 70.4m - Jaw, 6, HSI, HSI	2007	N	N	N	Y
91	LAFARGE FOX RIVER	S. ELGIN, IL	50892-02	0m - 7.6m - Header - Jaw, 3x1,6, 3 Cones (Prod 2)	2010	N	N	Y	Y
91	LAFARGE JOLIET	ROCKDALE, IL	51972-15	88.4m-96.0m, Mine - Jaw, Cage, Roll	2007	N	Y	Y	Y
91	LAFARGE JOLIET	ROCKDALE, IL	51972-15	96.0m-103.6m, Mine - Jaw, Cage, Roll	2007	N	Y	Y	Y
91	LAFARGE JOLIET	ROCKDALE, IL	51972-15	106.7m - 115.9m, Mine - Jaw, Cage, Roll	2007	N	Y	Y	Y
91	LAFARGE JOLIET	ROCKDALE, IL	51972-15	106.7m - 115.9m, Mine - Jaw, 2 Cones	2009	N	Y	Y	Y
91	LAFARGE JOLIET	ROCKDALE, IL	51972-15	106.7m - 115.9m - Jaw, HSI, Cone, Cone	2009	N	Y	Y	Y
91	LAFARGE ONTARIO	ONTARIO, ON	52352-01	0m - 15.2m - Dolomite - Gyro Cone, Cone, Roll	2009	N	N	Y	Y
91	MATERIAL SERVICE	LAGRANGE, IL	50312-02	28.9m-39.6m- Level #4 - Main Plant	2008	N	N	Y	Y
91	MATERIAL SERVICE	LAGRANGE, IL	50312-02	28.9m-39.6m- Level #4-Chip Plant	2008	N	Y	Y	Y
91	MATERIAL SERVICE	LAGRANGE, IL	50312-02	36.5m-46.3m (120-152')- Level #5- EMD- Chip Plant	2009	N	Y	Y	Y
91	MATERIAL SERVICE	LAGRANGE, IL	50312-02	46.3m-56.4m (152-185')- Level #6- EMD- Chip Plant	2009	N	Y	Y	Y
91	MATERIAL SERVICE	LAGRANGE, IL	50312-02	46.3m-56.4m (152-185')- Level #6- EMD- Main Plant	2009	N	Y	Y	Y
91	MATERIAL SERVICE	LAGRANGE, IL	50312-02	56.4m-65.8m (185-216')- Level #7- EMD- Main Plant	2007	N	Y	Y	Y
91	MATERIAL SERVICE	LAGRANGE, IL	50312-02	56.4m-65.8m (185-216')- Level #7- EMD- Chip Plant	2007	N	Y	Y	Y

\* **Not permitted for continuously reinforced concrete pavement (CRCP)**

\*\* **Restricted to 1/2" (12.5mm) for continuously reinforced concrete pavement (CRCP)**

\*\*\* **1/2" (12.5mm) not permitted**

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

**40 Year Extended Life Pavement Design**  
*Where Specified*

<i>Dist</i>	<i>Producer Name</i>	<i>Location</i>	<i>P/S No.</i>	<i>Ledge Description</i>	<i>Year Last Sampled</i>	<u><i>40 Year</i></u>			
						<i>5</i>	<i>7</i>	<i>11</i>	<i>14</i>
91	MATERIAL SERVICE	ROMEOVILLE, IL	51972-02	0m - 41.1m-West Pit - Gyro, Cone, Cone	2007	N	Y	Y	Y
91	MATERIAL SERVICE	ROMEOVILLE, IL	51972-02	0m - 44.2m - Pierce Pit - Gyro, Cone, Cone	2010	N	Y	Y	N
91	MATERIAL SERVICE	THORNTON, IL	50312-04	0m - 105.8m - Lev. 1-3 - Gyro, Cone	2007	N	Y	Y	Y
91	MATERIAL SERVICE	THORNTON, IL	50312-04	0m - 44.2m - Brown Derby - Gyro, Cone	2010	N	Y	Y	Y
91	MATERIAL SERVICE	THORNTON, IL	50312-04	44.2m - 80.8m - Main - Gyro, Cone	2010	N	Y	Y	Y
91	MATERIAL SERVICE	THORNTON, IL	50312-04	0m - 33.5m - Main - Gyro, Cone (Prod 1)	2009	N	Y	Y	Y
91	MATERIAL SERVICE	THORNTON, IL	50312-04	70.7m - 105.8m - Ledge 3N - Gyro, Cone (Prod 1)	2009	N	Y	Y	Y
91	MINING INTERNATIONAL	JOLIET, IL	51972-20	Level 1 - Jaw, RR, 6, Cone	2008	N	Y	Y	Y
91	MINING INTERNATIONAL	JOLIET, IL	51972-20	Level 2 - Jaw, RR, 6, Cone	2008	N	Y	Y	Y
91	MINING INTERNATIONAL	JOLIET, IL	51972-20	Level 1 - Jaw, No Scalp, Cone	2010	N	Y	Y	Y
91	MINING INTERNATIONAL	JOLIET, IL	51972-20	Level 2 - Jaw, No Scalp, Cone	2010	N	Y	Y	Y
91	RELIABLE MATERIALS	LYONS, IL	50312-18	0m - 15.5m - Bench 1 - Jaw, HSI	2006	N	Y	Y	Y
91	ROCKY MOUNTAIN ENT.	ATHENS, WI	52402-14	Level 1 - Jaw, Cone, Imp	2006	N	Y	Y	Y
91	VULCAN MATERIALS	BARTLETT, IL	50312-90	Level 1 - Jaw, Cone, Cone	2009	N	Y	Y	Y
91	VULCAN MATERIALS	BARTLETT, IL	50312-90	Level 2 - Feeder Breaker, 6, 3" x 1", 2 Cones	2007	N	Y	Y	Y
91	VULCAN MATERIALS	BARTLETT, IL	50312-90	Level 2 - Feeder Breaker, 3" x 1", 2 Cones	2006	N	Y	Y	Y
91	VULCAN MATERIALS	BARTLETT, IL	50312-90	Level 1 - Feeder Breaker, 6, 3"x1", 2 Cones (Prod 5)	2009	N	Y	Y	Y
91	VULCAN MATERIALS	BARTLETT, IL	50312-90	Level 1 - Feeder Breaker, 66% Scalp 6, 3"x1", 2 Cones	2007	N	Y	Y	Y
91	VULCAN MATERIALS	BARTLETT, IL	50312-90	Level 2A - Jaw, 3"x1", 66% CA6, 2 Cones	2008	N	Y	Y	Y
91	VULCAN MATERIALS	BARTLETT, IL	50312-90	Level 2A - Jaw, 3"x1", 6, 2 Cones	2008	N	Y	Y	Y
91	VULCAN MATERIALS	BOLINGBROOK, IL	51972-09	Level 1 - Jaw, 75% 6, 2 Cones (Prod 2)	2009	N	N	Y	Y

\* *Not permitted for continuously reinforced concrete pavement (CRCP)*

\*\* *Restricted to 1/2" (12.5mm) for continuously reinforced concrete pavement (CRCP)*

\*\*\* *1/2" (12.5mm) not permitted*

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

**40 Year Extended Life Pavement Design**  
*Where Specified*

<i>Dist</i>	<i>Producer Name</i>	<i>Location</i>	<i>P/S No.</i>	<i>Ledge Description</i>	<i>Year Last Sampled</i>	<u><i>40 Year</i></u>			
						<i>5</i>	<i>7</i>	<i>11</i>	<i>14</i>
91	VULCAN MATERIALS	FRANKLIN, WI	52402-95	Racine - Jaw, 6, Cone, VSI	2008	N	Y	Y	Y
91	VULCAN MATERIALS	JOLIET, IL	51972-19	0.0m - 27.4m - Jaw, 6, Cone, VSI	2009	N	Y	Y	Y
91	VULCAN MATERIALS	JOLIET, IL	51972-19	27.4m - 42.7m - Jaw, 6, Cone, VSI	2007	N	Y	Y	Y
91	VULCAN MATERIALS	JOLIET, IL	51972-19	Slot Area - 9.1m - 27.4m - Jaw, 6, Cone, VSI	2008	N	Y	Y	Y
91	VULCAN MATERIALS	JOLIET, IL	51972-19	27.4m - 42.7m - Jaw, 3x1, 6, Cone, VSI	2007	N	Y	Y	Y
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	120.4m - 106.7m- Level 5- Hodgkins- Main Plant	2010	N	Y	Y	Y
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	120.4m - 106.7m- Level 5- Hodgkins- Chip Plant	2010	N	Y	Y	Y
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	178.3m - 152.4m - Levels 1 & 2 - Hodgkins - Main Plant	2006	N	Y	Y	Y
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	178.3m - 152.4m - Levels 1 & 2 - Hodgkins - Chip Plant	2006	N	Y	Y	Y
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	152.4m - 120.4m - Levels 3 & 4 - Hodgkins - Main Plant	2007	N	Y	Y	Y
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	152.4m - 120.4m - Levels 3 & 4 - Hodgkins - Chip Plant	2007	N	Y	Y	Y
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	MWRD Level 1 - Main Plant	2010	N	N	Y	N
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	MWRD Level 1 - Chip Plant	2010	N	N	N	Y
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	164.6m - 120.4m - Levels 2-4 - Hodgkins - Main Plant	2006	N	Y	Y	Y
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	164.6m - 120.4m - Levels 2-4 - Hodgkins - Chip Plant	2006	N	Y	Y	Y
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	164.6m - 135.6m - Levels 2 & 3 - Hodgkins - Main Plant	2010	N	Y	Y	Y
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	164.6m - 135.6m - Levels 2 & 3 - Chip Plant	2007	N	Y	Y	Y
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	MWRD Level 2 - Chip Plant	2010	N	Y	Y	Y
91	VULCAN MATERIALS	MCCOOK, IL	50312-78	MWRD Level 2 - Main Plant	2010	N	Y	Y	Y
91	VULCAN MATERIALS	PLAINFIELD, IL	51972-16	0m - 18.9m - Jaw, 1"x3", 7, HSI, 6, VSI	2007	N	Y	Y	Y
91	VULCAN MATERIALS	PLAINFIELD, IL	51972-16	0m - 18.9m - Jaw, HSI, Base Bypass, VSI	2007	N	Y	Y	Y

\* **Not permitted for continuously reinforced concrete pavement (CRCP)**

\*\* **Restricted to 1/2" (12.5mm) for continuously reinforced concrete pavement (CRCP)**

\*\*\* **1/2" (12.5mm) not permitted**

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

**40 Year Extended Life Pavement Design**  
*Where Specified*

<i>Dist</i>	<i>Producer Name</i>	<i>Location</i>	<i>P/S No.</i>	<i>Ledge Description</i>	<i>Year Last Sampled</i>	<u><i>40 Year</i></u>			
						<i>5</i>	<i>7</i>	<i>11</i>	<i>14</i>
91	VULCAN MATERIALS	RACINE, WI	52402-01	68.3m-79.2m - Upper Racine - Gyro, 6, Cone, VSI	2008	N	Y	Y	Y
91	VULCAN MATERIALS	RACINE, WI	52402-01	Lower Racine - Gyro, 6, Cone, VSI	2008	N	Y	Y	Y
91	VULCAN MATERIALS	ROMEDEVILLE, IL	51972-04	Level 2 - Feeder Breaker, 6, 2 Cones (Prod 1)	2009	N	N	Y	Y
91	VULCAN MATERIALS	ROMEDEVILLE, IL	51972-04	Level 1 - Feeder Breaker, 6, 2 Cones	2007	N	Y	Y	Y
91	VULCAN MATERIALS	ROMEDEVILLE, IL	51972-04	Level 1 - Feeder Breaker, 50% 6, 2 Cones	2007	N	Y	Y	Y
91	VULCAN MATERIALS	ROMEDEVILLE, IL	51972-04	Level 3 - Feeder Breaker, 50% 6, 2 Cones (Prod 2)	2009	N	Y	Y	Y
91	VULCAN MATERIALS	ROMEDEVILLE, IL	51972-04	Level 3 - Feeder Breaker, 6, 2 Cones (Prod 1)	2009	N	Y	Y	Y
91	VULCAN MATERIALS	ROMEDEVILLE, IL	51972-04	Level 2 - Feeder Breaker, 50% 6, 2 Cones (Prod 2)	2009	N	Y	Y	Y
91	VULCAN MATERIALS	ROMEDEVILLE, IL	51972-04	Level 4 - Feeder Breaker, 6, 2 Cones	2008	N	Y	Y	Y
91	VULCAN MATERIALS	ROMEDEVILLE, IL	51972-04	Level 4 - Feeder Breaker, 50% 6, 2 Cones	2008	N	Y	Y	Y
91	VULCAN MATERIALS	ROMEDEVILLE, IL	51972-04	Level 4 - Feeder Breaker,Cone,Cone (PROD 4)	2009	N	N	Y	Y
91	VULCAN MATERIALS	SUSSEX, WI	52402-64	0m - 20.4m - Jaw, 6, HSI, VSI (Prod 3)	2009	N	Y	Y	Y
92	ALLIANCE MATERIALS	COLETA, IL	51952-86	12.2m - 21.3m - HSI, 10, HSI, Recirc. Roll	2006	N	N	Y	Y
92	ALLIANCE MATERIALS	COLETA, IL	51952-86	0m - 21.3m - HSI, 10, HSI, Recirc. Roll	2010	N	N	Y	Y
92	ALLIANCE MATERIALS	COLETA, IL	51952-86	0m - 21.3m - HSI, 10 Blended, HSI, Recirc. Roll	2008	N	N	Y	Y
92	ALLIANCE MATERIALS	WOOSUNG, IL	51412-71	Plus 5.5m - 13.7m - HSI, 10, HSI, Recirc. VSI	2006	N	N	Y	Y
92	BEVERLY MATERIALS	BELVIDERE, IL	50072-16	0m - 9.1m - Jaw, 6, Cone, Double Roll	2009	N	N	Y	Y
92	BEVERLY MATERIALS	BELVIDERE, IL	50072-16	9.1m - 15.2m - Jaw, 6, Cone, D. Roll	2009	N	N	N	Y
92	CONMAT, INC.	ELIZABETH, IL	50852-61	6.7m - 23.5m - HSI, 10, Recirc. HSI	2007	N	N	Y	Y
92	CONMAT, INC.	ELIZABETH, IL	50852-61	2.5m - 23.5m - HSI, 10, HSI, HSI	2006	N	N	Y	Y
92	CONMAT, INC.	ELIZABETH, IL	50852-61	2.5m - 23.5m - HSI, 5, 10, HSI, HSI	2006	N	N	Y	Y

\* *Not permitted for continuously reinforced concrete pavement (CRCP)*

\*\* *Restricted to 1/2" (12.5mm) for continuously reinforced concrete pavement (CRCP)*

\*\*\* *1/2" (12.5mm) not permitted*

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

**40 Year Extended Life Pavement Design**  
*Where Specified*

<i>Dist</i>	<i>Producer Name</i>	<i>Location</i>	<i>P/S No.</i>	<i>Ledge Description</i>	<i>Year Last Sampled</i>	<u><b>40 Year</b></u>			
						<b>5</b>	<b>7</b>	<b>11</b>	<b>14</b>
92	CONMAT, INC.	ELIZABETH, IL	50852-61	2.5m - 23.5m - HSI, 10, HSI, Cone	2010	N	N	Y	Y
92	CONMAT, INC.	SCALES MOUND, IL	50852-18	0m - 12.2m - HSI, 10, 5, HSI, Cone	2009	N	N	Y	N
92	CONMAT, INC.	STOCKTON, IL	50852-67	0m - 15.2m - HSI, 10, HSI, HSI	2009	N	N	Y	Y
92	DOC'S EXCAVATING	LENA, IL	51772-04	0m - 15.0m - HSI, 10, HSI	2006	N	N	Y	Y
92	DOC'S EXCAVATING	LENA, IL	51772-04	+3.0m - 15.2m - HSI, 10, HSI	2010	N	N	Y	Y
92	FISCHER EXCAVATING	FREEPORT, IL	51772-51	0m - 9.1m Face - HSI, 6, HSI	2010	N	N	Y	Y
92	FISCHER EXCAVATING	LEE CENTER, IL	51032-30	0m - 18.3m - HSI, 10, Recirc. HSI	2007	N	N	Y	Y
92	FISCHER EXCAVATING	MONROE CENTER, IL	51412-00	0m - 12.2m - Imp, 10, Recirc. Imp	2007	N	N	Y	Y
92	FISCHER EXCAVATING	MT. CARROLL, IL	50152-16	+7.7m-15.2m - HSI, 10, HSI	2006	N	N	Y	Y
92	FISCHER EXCAVATING	STERLING, IL	51952-03	0m - 11.6m - HSI, 10, HSI	2006	N	N	Y	Y
92	FISCHER EXCAVATING,	LENA, IL	51772-68	0m - 15.2m - HSI, 10, HSI	2009	N	N	Y	N
92	ILLINOIS MINING CORP	DURAND, IL	52012-34	0m - 19.2m - HSI, 6, HSI	2007	N	N	Y	Y
92	LEE, CHARLES & SON	IRENE, IL	50072-02	0m - 26.2m - Jaw, 6, HSI	2009	N	N	Y	Y
92	LINWOOD MINING	LINWOOD, IA	52202-08	6.1m - Lower Level - Otis - Imp, Cone	2007	N	N	Y	Y
92	LINWOOD MINING	LINWOOD, IA	52202-08	6.1m - Davenport, Beds 18 & 19 - Imp, Cone, Log	2007	N	N	Y	Y
92	LOBERG EXCAVATING	FREEPORT, IL	51772-08	0m - 9.1m - Jaw, 6, HSI	2007	N	N	Y	Y
92	LOUIE'S AGGREGATE CO	GILFORD, IL	50852-90	0m - 13.7m - HSI, 10, HSI	2008	N	N	Y	Y
92	LOUIE'S AGGREGATE CO	NORA, IL	50852-17	0m - 10.7m - HSI, 6/10, Recirc. HSI	2009	N	N	N	Y
92	MACKLIN INCORPORATED	ROCHELLE, IL	51412-68	30.5m - 39.0m - Imp, 6, 2 Cones, Recirc. Cone	2008	N	N	Y	Y
92	MACKLIN INCORPORATED	ROCHELLE, IL	51412-68	0.0m - 39.0m - HSI, 10/6, Cone, Cone, Cone	2010	N	N	Y	Y
92	MARTIN MATERIALS	OREGON, IL	51412-34	+4.6m - 18.3m - HSI, 10, Jaw, HSI	2010	N	N	Y	Y

\* **Not permitted for continuously reinforced concrete pavement (CRCP)**

\*\* **Restricted to 1/2" (12.5mm) for continuously reinforced concrete pavement (CRCP)**

\*\*\* **1/2" (12.5mm) not permitted**

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

**40 Year Extended Life Pavement Design**  
*Where Specified*

<i>Dist</i>	<i>Producer Name</i>	<i>Location</i>	<i>P/S No.</i>	<i>Ledge Description</i>	<i>Year Last Sampled</i>	<u><b>40 Year</b></u>			
						<b>5</b>	<b>7</b>	<b>11</b>	<b>14</b>
92	NORTHERN IL SERVICE	PECATONICA, IL	52012-01	7.6m - 15.2m - Ledge 2 - HSI, 6, HSI	2007	N	N	Y	Y
92	NORTHERN IL SERVICE	ROSCOE, IL	52012-73	3.7m-9.1m Ledge - HSI, 6, HSI	2006	N	N	N	Y
92	NORTHERN IL SERVICE	ROSCOE, IL	52012-73	9.1m - 17.4m - HSI, 6, HSI	2009	N	N	Y	Y
92	NORTHERN IL SERVICE	S. BELOIT, IL	52012-80	1.5m - 15.2m - HSI, 6, HSI	2007	N	N	Y	Y
92	NORTHWEST ILL CONST	ROCK FALLS, IL	51032-73	4.6m - 19.8m - HSI, 10, HSI, Recirc. Roll	2009	N	N	Y	Y
92	QUALITY AGGREGATES	IRENE, IL	50072-04	0m - 15.2m - Jaw, 6, Cone, VSI	2006	N	Y	Y	Y
92	QUALITY AGGREGATES	IRENE, IL	50072-04	0m - 19.2m - Jaw, 6, Cone, VSI	2008	N	Y	Y	Y
92	QUALITY AGGREGATES	IRENE, IL	50072-04	19.2m - 29.0m - Jaw, 6, Cone, VSI	2008	N	Y	Y	Y
92	QUALITY AGGREGATES	IRENE, IL	50072-04	19.2m - 29.0m - Jaw, 6, Cone	2008	N	Y	Y	Y
92	QUALITY AGGREGATES	IRENE, IL	50072-04	0m - 19.2m - Jaw, 6, Cone	2008	N	Y	Y	N
92	QUALITY AGGREGATES	IRENE, IL	50072-04	0m - 29.0m - Jaw, 6, Cone	2009	N	Y	Y	Y
92	RIVERSTONE GROUP,INC	CLEVELAND, IL	50732-12	9th Ledge, 77.7m-91.4m - HSI, Log, 2 Cones	2007	Y	Y	Y	Y
92	RIVERSTONE GROUP,INC	CLEVELAND, IL	50732-12	8th Ledge, 65.5m - 77.7m - HSI, Log, 2 Cones	2006	Y	Y	Y	Y
92	RIVERSTONE GROUP,INC	CLEVELAND, IL	50732-12	6th Ledge - 50.3m - 65.5m - HSI, Log, 2 Cones	2007	N	N	Y	Y
92	RIVERSTONE GROUP,INC	LECLAIRE, IA	52202-10	60m - 72m - Beds 22 - 28 - HSI, HSI, Log	2009	N	Y	Y	Y
92	RIVERSTONE GROUP,INC	LECLAIRE, IA	52202-10	71.0m - 83.2m - Ledge 6 - Bed 28 - Jaw, HSI, Log	2009	N	N	Y	Y
92	RIVERSTONE GROUP,INC	MILAN, IL	51612-31	4th Ledge, 19.2m-29.3m - Jaw, Log, Cone	2009	Y	Y	Y	Y
92	RIVERSTONE GROUP,INC	MILAN, IL	51612-31	9th Ledge, 64.9m - 77.1m - Jaw, HSI, Cone	2007	Y	Y	Y	Y
92	RIVERSTONE GROUP,INC	MILAN, IL	51612-31	9th Ledge, 64.9m - 77.1m - Jaw, Log, Cone	2006	N	N	Y	Y
92	RIVERSTONE GROUP,INC	MILAN, IL	51612-31	10th Ledge, 77.1m - 92.3m - Jaw, Log, Cone	2007	Y	Y	Y	Y
92	RIVERSTONE GROUP,INC	MILAN, IL	51612-31	4th Ledge, 19.2m - 29.3m - Jaw, HSI, Cone, Log	2008	Y	Y	Y	Y

\* **Not permitted for continuously reinforced concrete pavement (CRCP)**

\*\* **Restricted to 1/2" (12.5mm) for continuously reinforced concrete pavement (CRCP)**

\*\*\* **1/2" (12.5mm) not permitted**

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

**40 Year Extended Life Pavement Design**  
*Where Specified*

<i>Dist</i>	<i>Producer Name</i>	<i>Location</i>	<i>P/S No.</i>	<i>Ledge Description</i>	<i>Year Last Sampled</i>	<u><b>40 Year</b></u>			
						<b>5</b>	<b>7</b>	<b>11</b>	<b>14</b>
92	RIVERSTONE GROUP,INC	OSBORN, IL	51612-23	3rd Ledge - 9.1m - 21.3m - Jaw, HSI	2007	Y	Y	Y	Y
92	RIVERSTONE GROUP,INC	OSBORN, IL	51612-23	4th Ledge (21.3m - 36.6m) - Jaw, Log, HSI	2008	Y	Y	Y	Y
92	RIVERSTONE GROUP,INC	OSBORN, IL	51612-23	5th Ledge (36.6m - 48.8m) - Jaw, Log, HSI	2008	N	N	Y	Y
92	ROGERS R-M & MATLS.	BYRON, IL	51412-32	15.2m - 26.0m - HSI, 10/6, Recirc.HSI	2009	N	N	Y	Y
92	ROGERS R-M & MATLS.	CHERRY VALLEY, IL	52012-31	12.6m - 26.5m - HSI, FA21, HSI/HSI	2010	N	N	N	N
92	SAVANNA QUARRY, INC.	WACKER, IL	50152-92	0.0m - 31.1m - HSI, 10, HSI	2007	N	N	Y	Y
92	WAGNER AGGREGATES	MONROE CENTER, IL	51412-92	0m - 10.7m - HSI, 6, HSI	2008	N	Y	Y	Y
92	WAGNER AGGREGATES	MONROE CENTER, IL	51412-92	10.7m - 16.2m - HSI, 6, HSI	2009	N	Y	Y	Y
92	WAGNER AGGREGATES	MONROE CENTER, IL	51412-92	16.2m - 22.3m - HSI, 6, HSI	2008	N	Y	N	N
92	WENDLING QUARRIES	MT. CARROLL, IL	50152-74	18.0m-31.7m - HSI, Hammermill	2010	N	N	Y	Y
92	WENDLING QUARRIES	MT. CARROLL, IL	50152-74	18.0m-31.7m - HSI, 3 Roll, Mill	2009	N	N	Y	Y
92	WENDLING QUARRIES	MT. CARROLL, IL	50152-74	18.0m - 31.7m - HSI, 10, 3 Roll, Mill	2008	N	N	Y	N
92	WILLIAM CHARLES CONS	BELVIDERE, IL	50072-01	12.2m - 26.2m - HSI, 6, Recirc. HSI	2006	N	N	Y	Y
92	WILLIAM CHARLES CONS	BELVIDERE, IL	50072-01	1.8m - 26.5m (4-87') Face - HSI, 6, VSI	2007	N	Y	Y	Y
92	WILLIAM CHARLES CONS	BELVIDERE, IL	50072-15	0m - 25.6m - HSI, 6, HSI	2009	N	N	Y	Y
92	WILLIAM CHARLES CONS	BELVIDERE, IL	50072-15	32.3m - 38.4m - 1" x 4", 6, HSI, 6, HSI	2007	N	N	N	Y
92	WILLIAM CHARLES CONS	ROCKFORD, IL	52012-77	6.1m-26.8m (20-88') - Jaw, CA06, VSI	2006	N	Y	Y	Y
93	CENTRAL LIMESTONE CO	LISBON, IL	50932-01	24.4m - 39.6m - Jaw, RR1, 6, Cone, Roll	2010	Y	Y	Y	Y
93	COUNTY MATERIAL CORP	MARATHON, WI	52402-81	Weisenberger Quarry - Jaw, 6, Cone, Roll	2009	N	N	Y	Y
93	MACKLIN INCORPORATED	FAIRDALE, IL	50372-67	0.0m - 14.0m - HSI, 10, VSI	2006	N	N	Y	Y
93	MACKLIN INCORPORATED	FAIRDALE, IL	50372-67	12.2m - 27.5m - HSI, 6, VSI	2007	N	N	Y	Y

\* **Not permitted for continuously reinforced concrete pavement (CRCP)**

\*\* **Restricted to 1/2" (12.5mm) for continuously reinforced concrete pavement (CRCP)**

\*\*\* **1/2" (12.5mm) not permitted**

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

**40 Year Extended Life Pavement Design**  
*Where Specified*

<i>Dist</i>	<i>Producer Name</i>	<i>Location</i>	<i>P/S No.</i>	<i>Ledge Description</i>	<i>Year Last Sampled</i>	<u><b>40 Year</b></u>			
						<b>5</b>	<b>7</b>	<b>11</b>	<b>14</b>
93	PRAIRIE MATERIAL	MANTENO, IL	50912-06	0m - 21.0m - Ledge A - Jaw, RR1, 10, 2 Cones	2010	Y	Y	Y	Y
93	PRAIRIE MATERIAL	MANTENO, IL	50912-06	0m - 21.0m - Ledge A - Jaw, 10, 2 Cones	2006	N	N	Y	Y
93	PRAIRIE MATERIAL	OCOYA, IL	51052-09	6.5m - Imp, H. Mill, Imp	2007	N	N	Y	Y
93	RIVERSTONE GROUP,INC	TROY GROVE, IL	50992-01	0m - 18.3m (0-60') - HSI, HSI, Log	2009	N	N	Y	Y
93	RIVERSTONE GROUP,INC	TROY GROVE, IL	50992-01	0m - 18.3m - Jaw, HSI, Log	2007	N	N	Y	Y
93	VALLEY VIEW INDUST.	FAIRBURY, IL	51052-15	3.7m Ledge - 2 HSI	2006	N	Y	Y	Y
93	VALLEY VIEW INDUST.	MCDOWELL, IL	51052-19	4m Face - HSI, HSI, Wash	2009	N	N	Y	N
93	VALLEY VIEW INDUST.	MCDOWELL, IL	51052-19	4m Face - Combined Production	2010	N	N	Y	N
93	VULCAN MATERIALS	DEKALB, IL	50372-02	78.9m - 97.8m - Ledge 6 - Jaw, 6, VSI, HSI	2007	N	N	Y	Y
93	VULCAN MATERIALS	DEKALB, IL	50372-02	55.2m - 78.9m - Ledge 5 - Jaw, 6, HSI, VSI	2007	N	N	Y	Y
93	VULCAN MATERIALS	DEKALB, IL	50372-02	55.2m - 78.9m - Ledge 5 - Jaw, 6, HSI, 3"x1", VSI	2006	Y	Y	Y	Y
93	VULCAN MATERIALS	DEKALB, IL	50372-02	78.9m - 90.0m - Ledge 6A - Jaw, 6, HSI, VSI	2008	N	Y	Y	Y
93	VULCAN MATERIALS	DEKALB, IL	50372-02	55.2m - 90.0m - Ledges 5 & 6A - Jaw, 6, HSI, VSI	2008	N	Y	Y	Y
93	VULCAN MATERIALS	FRANCESVILLE, IN	52102-23	133.8m - 117.0m - Ledge 9 - Jaw, 10, Cone, VSI	2006	Y	Y	Y	Y
93	VULCAN MATERIALS	KANKAKEE, IL	50912-02	25.0m - 37.5m - Ledge DE - Gyro, Cone, 10, 2 Cones	2006	N	N	Y	Y
93	VULCAN MATERIALS	KANKAKEE, IL	50912-02	0.0m - 39.0m - Ledge 1 - Gyro, No Scalp, 3 Cones	2009	N	Y	Y	Y
93	VULCAN MATERIALS	KANKAKEE, IL	50912-02	0.0m - 39.0m - Ledge 1 - Gyro, Cone, RR1, 10, 2 Cones	2010	N	Y	Y	Y
93	VULCAN MATERIALS	LISBON, IL	50932-02	0m - 21.3m (0-70') - Jaw, RR1, CA06, Cone, VSI	2008	N	Y	Y	Y
93	VULCAN MATERIALS	LISBON, IL	50932-02	0m - 36.6m-Jaw,6,RR1,Cone Imp	2006	N	N	Y	Y
93	VULCAN MATERIALS	LISBON, IL	50932-02	0m - 45.7m - Jaw, 6, RR1, Cone, VSI	2008	N	N	Y	Y
93	VULCAN MATERIALS	LOWELL, IN	52102-34	Level 1 & 2 - Jaw, 10/6, 2 Cones	2009	N	Y	Y	Y

\* **Not permitted for continuously reinforced concrete pavement (CRCP)**

\*\* **Restricted to 1/2" (12.5mm) for continuously reinforced concrete pavement (CRCP)**

\*\*\* **1/2" (12.5mm) not permitted**

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

**40 Year Extended Life Pavement Design**  
*Where Specified*

<i>Dist</i>	<i>Producer Name</i>	<i>Location</i>	<i>P/S No.</i>	<i>Ledge Description</i>	<i>Year Last Sampled</i>	<u><i>40 Year</i></u>			
						<i>5</i>	<i>7</i>	<i>11</i>	<i>14</i>
93	VULCAN MATERIALS	MANTENO, IL	50912-04	38.7m - 60.0m - Ledge E - Jaw, Cone, VSI	2008	Y	Y	Y	Y
93	VULCAN MATERIALS	MANTENO, IL	50912-04	38.7m - 60.0m - Ledge E - Jaw, Cone, RR1, 10, VSI	2006	Y	Y	Y	Y
93	VULCAN MATERIALS	MANTENO, IL	50912-04	38.7m - 60.0m - Ledge E - Jaw, Cone, 10, VSI	2006	Y	Y	Y	Y
93	VULCAN MATERIALS	MANTENO, IL	50912-04	0.0m - 39.0m - Ledge 1 - Base Separation	2008	N	Y	Y	Y
93	VULCAN MATERIALS	MANTENO, IL	50912-04	43.5m - 60.0m - Ledge E2 - Jaw, Cone, 10, VSI	2010	Y	Y	Y	Y
93	VULCAN MATERIALS	MANTENO, IL	50912-04	22.9m - 60.0m - Ledge DE - Jaw, Cone, VSI	2009	Y	Y	Y	Y
93	VULCAN MATERIALS	SYCAMORE, IL	50372-01	40.2m-64.6m - Gyro, 3", 6, 3 cones	2009	N	Y	Y	Y
93	VULCAN MATERIALS	SYCAMORE, IL	50372-01	0.0m - 40.2m - Gyro, 6, +3", 3 Cones	2009	Y	Y	Y	Y
93	VULCAN MATERIALS	SYCAMORE, IL	50372-01	40.2m-46.3m - Ledge 2 - Gyro, 6, RR1, 3 Cones	2009	N	N	Y	Y
93	VULCAN MATERIALS	SYCAMORE, IL	50372-01	0m - 40.2m - Gyro, 3", 6 to Wash Plant	2008	N	Y	Y	Y
93	VULCAN MATERIALS	SYCAMORE, IL	50372-01	41.4m - 84.7m - Gyro, 3", 6, 3 Cones	2006	N	Y	N	Y
93	VULCAN MATERIALS	SYCAMORE, IL	50372-01	0.0m - 41.4m - Gyro, RR1, 6, 3 Cones	2009	Y	Y	Y	Y
95	MARTIN MARIETTA AGG	CLOVERDALE, IN	52102-33	20.7m Ledge - Jaw, 6, HSI, 2 Cones	2009	N	N	Y	Y
95	MATERIAL SERVICE	FAIRMOUNT, IL	51832-01	3.7m-Shaft/Pick,10,2 Cones	2009	N	N	Y	Y
95	TUSCOLA STONE CO.	TUSCOLA, IL	50412-01	6th Level - Jaw, 6, VSI	2009	N	N	Y	Y
96	CENTRAL STONE	HUNTINGTON, MO	52302-04	6.1m - 21.3m - Ledge 2 - Kimmswick - Jaw, HSI, 2 Cones, Log	2010	N	Y	Y	Y
96	HANSON MATERIAL SVC	LINCOLN, IL	51072-05	Lower Ledge - Jaw, 6, IMP	2009	N	N	N	Y
96	HANSON MATERIAL SVC	NOKOMIS, IL	51352-01	Upper Ledge - HSI, 6, Mill, Cone	2009	N	N	N	Y
96	NOKOMIS QUARRY	NOKOMIS, IL	51352-03	Upper Ledge - HSI, 6, Mill	2009	N	N	Y	N
96	PANA LIMESTONE	PANA, IL	50212-04	Upper Ledge - IMP, 6, IMP	2007	N	N	N	Y
97	CASEY STONE CO.	CASEY, IL	50232-06	7.6m - HSI, RR1, 6, HSI, VSI, 2 Logs	2008	N	N	N	Y

\* **Not permitted for continuously reinforced concrete pavement (CRCP)**

\*\* **Restricted to 1/2" (12.5mm) for continuously reinforced concrete pavement (CRCP)**

\*\*\* **1/2" (12.5mm) not permitted**

Illinois Department of Transportation  
Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

**40 Year Extended Life Pavement Design**  
*Where Specified*

<i>Dist</i>	<i>Producer Name</i>	<i>Location</i>	<i>P/S No.</i>	<i>Ledge Description</i>	<i>Year Last Sampled</i>	<i>40 Year</i>			
						<i>5</i>	<i>7</i>	<i>11</i>	<i>14</i>
97	CHARLESTON STONE CO.	CHARLESTON, IL	50292-02	3.2m - Top Ledge - W. Pit - Jaw, HSI, VSI, Log	2009	N	N	Y	Y
97	MID ILLINOIS QUARRY	CASEY, IL	50232-02	7.6m Ledge - 2 HSI, 2 Logs	2009	N	N	N	Y
97	MITCHELL CRUSHED STN	MITCHELL, IN	52102-04	Ledge 1 (3.0m) - Jaw, 6/10, 3 Cones	2007	N	N	Y	Y
97	MITCHELL CRUSHED STN	MITCHELL, IN	52102-04	Ledge 6B & 7 (9.1m) - Jaw, 6/10, Cone, RR1, Cone	2008	N	N	Y	Y
97	QUALITY LIME CO.	MARSHALL, IL	50232-05	3.4m Bottom Ledge - East Pit - HSI, 6, Mill Log	2009	N	N	N	Y
98	BLUFF CITY MINERAL	ALTON, IL	51192-02	22.9m - Levels 1 & 2 - IMP, -1 1/2", Cone, -1", VSI	2006	N	N	Y	Y
98	BLUFF CITY MINERAL	ALTON, IL	51192-02	22.9m - Levels 1 & 2 - HSI, +2" to Cone, -2" to VSI (SS Prod)	2010	N	N	Y	Y
98	BLUFF CITY MINERAL	ALTON, IL	51192-02	22.9m - Levels 1 & 2 - HSI, 20% 2", +2" To Cone, -2" To VSI (Normal Prod)	2009	N	N	Y	N
98	CENTRAL STONE	FLORISSANT, MO	52302-53	Benches 1 & 2 (10.3m) - Jaw, HSI, -1" to Log, +1" to HSI (Prod 1)	2009	N	N	Y	N
98	CENTRAL STONE	FLORISSANT, MO	52302-53	Benches 3-9 (28.7m [94']) - HSI, 27% to Log, HSI	2009	N	N	Y	N
98	COLUMBIA QUARRY COMP	COLUMBIA, IL	51632-01	Ledge A (4.3m) - HSI, 6, HSI, Cone, VSI	2007	N	Y	Y	Y
98	FALLING SPRINGS QRY	FALLING SPRINGS, IL	51632-03	33.5m, Ledge 1B - HSI, RR, No Scalp, HSI, VSI	2007	N	N	Y	Y
98	IRON MT. TRAP ROCK	IRON MOUNTAIN, MO	52302-33	22.9m - Ledge 1 - Jaw, 2 Cones, No Scalp	2010	N	Y	Y	Y
98	MARTIN MARIETTA	PERRYVILLE, MO	52302-41	8.2m - Ledge 3 - HSI, VSI, Roll	2007	N	Y	Y	Y
98	MARTIN MARIETTA	PRAIRIE DU ROCHER, IL	51572-05	8.5m Ledge 1 - Old 51572-04 - HSI, VSI	2010	N	N	N	Y
98	WEBER, FRED, INC.	MARYLAND HEIGHTS, M	52302-15	11.9m - Ledges 2 - 5 - Jaw, Imp, Mill, Imp	2006	N	N	Y	Y
98	WEBER, FRED, INC.	MARYLAND HEIGHTS, M	52302-15	19.7m - Ledges 2-9 - Jaw, Imp, Mill	2008	N	N	Y	Y
99	ANNA QUARRIES, INC.	ANNA, IL	51812-02	95.7m - 110.9m - Midwest Pit - Tertiary Only	2010	N	N	N	Y
99	ANNA QUARRIES, INC.	ANNA, IL	51812-02	95.7m - 110.9m - Midwest Pit - Secondary Only	2010	N	N	N	Y
99	CORYDON CR.STONE	CORYDON, IN	52102-25	206m - 235m - Jaw, 6, Cone	2009	N	N	Y	Y
99	FLORIDA ROCK IND.	ROSICLARE, IL	50692-14	30.8m - 40.0m - Ledge C - Jaw, 10, Mill, Cone	2006	N	N	N	Y

\* **Not permitted for continuously reinforced concrete pavement (CRCP)**

\*\* **Restricted to 1/2" (12.5mm) for continuously reinforced concrete pavement (CRCP)**

\*\*\* **1/2" (12.5mm) not permitted**

Illinois Department of Transportation  
 Bureau of Materials and Physical Research  
**FREEZE-THAW RATING LIST**  
**June 17, 2011**

**This list supersedes the December 17, 2010 list. Note: Changes are not high-lighted on this list.**  
 Standard Specifications for Road and Bridge Construction, Article 1004.02 (f) (Adopted January 1, 2007)

**40 Year Extended Life Pavement Design**  
*Where Specified*

<i>Dist</i>	<i>Producer Name</i>	<i>Location</i>	<i>P/S No.</i>	<i>Ledge Description</i>	<i>Year Last Sampled</i>	<u><i>40 Year</i></u>			
						<i>5</i>	<i>7</i>	<i>11</i>	<i>14</i>
99	HASTIE MINING	CAVE-IN-ROCK, IL	50692-04	13.7m - 33.7m - Below Rosiclare - Jaw, 6, Gyro, 2 Cones	2008	N	N	N	Y
99	HASTIE MINING	CAVE-IN-ROCK, IL	50692-04	0m - 33.7m - Below Rosiclare - Jaw, 6, Gyro, 2 Cones	2008	N	N	Y	Y
99	MARTIN MARIETTA ROS	SHETLERVILLE, IL	50692-09	13.4m-35.1m (44-115') Below Rosiclare S.S. - 2 Cones	2009	N	N	Y	Y
99	MULZER CR. STONE CO.	CAPE SANDY, IN	52102-18	Ledge 804 - 812 - 20.2m - Jaw, 6, 2 Cones, 50% Cone	2008	N	N	Y	Y
99	SOUTHERN ILL.STONE	BUNCOMBE, IL	50872-03	6.7m - 14.0m - Lower Middle - HSI, 5, 10, HSI, VSI	2006	N	N	Y	Y

\* *Not permitted for continuously reinforced concrete pavement (CRCP)*

\*\* *Restricted to 1/2" (12.5mm) for continuously reinforced concrete pavement (CRCP)*

\*\*\* *1/2" (12.5mm) not permitted*