

Conservation form

Element Number	Citation Field	Unique	DB Mand	App Mand	Repeats	ISP Field Type & Length	ISP DB Default	Application Default Requirements	Owner	Definition	IDOT Data Element	ADR Data Element	Field Values	Validations	Comments
1	met-CitationID (see metadata tab)	Y	Y	N	N	TBD		DB provided field	Client	The unique identifier for a citation, as assigned by the database.					Ticket Number is not a unique statewide identifier. The CitationID is a database-generated sequential number that uniquely identifies any citation or warning in the system. This number must be unique across all types of citations, i.e. warnings, overweights, conservation, etc.
2	met-StopID (see metadata tab)	N	Y	N	N	TBD			Server	A new element for grouping citations and/or warnings together when they resulted from a single stop. Any combination of citations and warnings can be grouped under a single StopID. Multiple defendants may receive citations under one stop ID					The IDOT TSSS data can be linked to a single StopID.
3	cmp-CITATIONNUMBER	N	Y	Y	N	A/N-10			Client	The identifying code number for a Uniform Traffic Ticket serving as a complaint or as the basis for a verified complaint in a case		64		Ticket numbers should be unique within agencies, but due to printing errors, it cannot be guaranteed.	Data entry role must have the ability to enter a paper ticket citation number, as the TCs will be doing paper ticket data entry into the electronic system. Agency requires the ability to set the starting sequential number per Officer ID. If not set, the number must start at 1.
4	cmp-DCN	N	N	N	N	A/N-9			Client	The identifier number appearing in the upper left corner of the standard form, Defendant Arrest Card, provided by the Illinois State Police, Bureau of Identification.		42	Position 1 = D, F, P, L, C (Cook County) or G (Cook County) Positions 2-9 are numeric. Positions 1 - 2 = CB or CP and positions 3-9 are numeric. Positions 1 - 8 are numeric with a valid check digit in position 9. Default spaces.	Required only when the individual is fingerprinted as a result of an arrest (fingerprinting does not occur at incident/arrest site).	There is no need to apply the Field Value validations. Provided as FYI.
5	cmp-Case No. (see disposition tab)	N	N	N	N	A/N-12	NULL	NULL	COURT	This case number is supplied by the Courts. It is relevant to the County indicated in cmp_CountyOf This number is assigned by the Circuit Clerk. An officer does not enter this number. This field is updated when the disposition data is entered.		1, 2, & 3	Assigned by the court and entered when disposition data entered.		This is a placeholder for information returned in the Disposition.
6	cmp-Dist Occurrence	N	N	Y	N	A/N-3		Assigned District	Client	District of Occurrence indicates a code identifying the DNR District in which violation occurred.			DNR: Default to assigned district. Offer drop down of available DNR districts but allow entry of district ID not listed.		This field will automatically It can be changed by the officer when the District of Occurrence is different than District of Assignment. Valid field values are the same as for District of Assignment.
7	cmp-Dist Assignment	N	N	Y	N	A/N-3		Assigned District	Client	District of assignment indicates a code identifying the District to which the officer is assigned.			DNR: Default to assigned district. Offer drop down of available DNR districts but allow entry of district ID not listed.		This field is automatically populated based on the officer's District of Assignment.
8	cmp-ArrestingAgencyNCICcode	N	Y	Y	N	A/N-9			Server	A code to indicate the law enforcement agency which made the arrest or issued the traffic citation. Also known as the ORI		59	Populated based on the officer's District of Assignment, as defined in the officer's profile in the system.		Officer does not select the ORI, it is assigned based on officer's district of assignment.

9	cmp-County	N	Y	Y	N	A/N-20			Client	Name of the county in which violation occurred.			Select one from a list of Illinois county names.		Officer selects a county from a dropdown list.
10	cmp-DeptLandsBodyofWater	N	N	N	N	A/N-20			Client	Name of the DNR department lands or body of water on which violation occurred.			Currently user manually enters name, i.e. Rock River, Private Pond. Would be nice to have the ability to search for 4 digit code based on this description. Consider adding filtered drop down, based on district of occurrence however allow entry of non-department lands/water.		Numbered codes based on the location > 4 digit codes, can retrieve name from within TIPS. In defendant database, this table exists. Required to track for federal reports, grant support, and grant application.
11	cmp-DeptLandsBodyofWaterID	N	N	N	N	N-4			Client	A code used by DNR to uniquely identify the body of water or area of land.					
12	cmp-People State of Illinois/Local Ordinance Indicator	N	N	Y	N	N-1	State		Client	A code to indicate whether the charge is a violation of a state statute or of an ordinance of a unit of local government.		53	State Local		
13	cmp-Date of Offense	N	Y	Y	N	Date		current day	Client	The date of occurrence of the offense with which the defendant is charged.	1	41	Entry Date Format is MMDDCCYY. Month and day segments must be right justified and zero filled to two characters, e.g. 01, 02, etc.	Must be less than or equal to current day. Must apply date validation.	
14	cmp-Time of Offense	N	Y	Y	N	Time		current time	Client	The time of day of the occurrence of the offense with which the defendant is charged.	2		Hour segment is a two digit number, between 0 and 12 inclusive, left zero padded number, e.g., 01, 02, etc. Minute segment is a two digit number, between 0 and 59 inclusive, left zero padded number, e.g. 00, 01, 02.		
15	cmp-AM/PM Indicator	N	Y	Y	N	A/N-2		current time	Client	An AM/PM indicator for the time of day of the occurrence of the offense with which the defendant is charged.			A=AM P=PM	Required if veh-Time of Offense is entered	
16	def-Last Name	N	N	N	N	A/N-20		required? Prompt to confirm null?	Client	The complete surname of the defendant.	6	11		First character must be alphabetic. Only punctuation allowed within the text string is a (space) and '-' (hyphen).	
17	def-First Name	N	N	N	N	A/N-14			Client	The first name of the defendant.	6	12		First character must be alphabetic. Only punctuation allowed within the text string is a (space) and '-' (hyphen).	
18	def-Middle Name Initial	N	N	N	N	A/N-1			Client	The middle initial of the defendant.		13			
19	def-DriverPassengerIndicator (new)	N	Y	Y	N	A-1			Client	Indicates if violation was written for driver or passenger.			D- Driver P- Passenger U - Unknown space - Not Applicable		SOS requested this field Please note this is not the same field used in the seat belt violation, which requires which vehicle occupant was in violation of the seat belt ordinance.

20	def-SID #	N	N	N	N	A/N-10			Client	The State of Illinois fingerprint record identifier assigned to the defendant including any alphabetic character which is part of the number.		39			SID# is an AFIS record identifier. This number is used only when it is available to the officer. This identification number is assigned to an individual when an arrest fingerprint card is processed in AFIS. All subsequent arrests, court dispositions, custodial events and other criminal history record transactions relating to a specific individual are maintained in the state criminal history record database under the same SID. The SID identifies the individual rather than a specific arrest transaction. It is not commonly used on a citation.
21	def-Address1	N	N	N	N	A/N-20		prompt to confirm null	Client	The address line one of the defendant.	7	29		Only valid characters allowed are "A-Z", 0-9, / (Slash), - (Dash or Hyphen), & (Ampersand), and a space. First position can be any valid character except space. Two or more spaces imbedded between characters are invalid. If address2 is not null, then address1 is required.	For TSSS reporting, concatenate the two address fields, separate with a semicolon (;).
22	def-Address2	N	N	N	N	A/N-20			Client	The address line two of the defendant, if needed.	7	30		If not equal to spaces, only valid characters allowed are "A-Z", 0-9, / (Slash), - (Dash or Hyphen), & (Ampersand), and a space. Two or more spaces imbedded between characters are invalid.	For TSSS reporting, concatenate the two address fields, separate with a semicolon (;).
23	def- Eye Color	N	N	N	N	A/N-3			Client	The defendant's eye color.			BLK, GRY, BLU, GRN, BRO, HAZ, MAR, PNK	Must comply with NCIC eye color code table - see Field Values.	

24	def-Gender	N	N	Y	N	A/N-1	' (space)	M or F required. Application should not allow Unknown.	Client	The biological gender of the defendant.	14	19	Male Female Blank (Unknown)	<p>CheckBox for Gender on the hardcopy Citation form does not provide an 'Unknown' gender allowed by the NCIC code table. The availability of an 'Unknown' gender option as a 'BLANK Space' (in eCitation) would conform with the valid codes in ADR which are 'M=Male', 'F=Female', 'BLANK Space=Unknown Gender'. Trooper selects gender from a dropdown list of valid gender codes.</p> <p>For TSSS reporting, it is not known how the Photo Radar DB handles an Unknown Gender.</p> <p>IDOT's TSSS does not provide an 'Unknown' gender - the officer must choose M or F. If the officer has selected Unknown gender on citation, officer must choose Male or Female on the TSSS value. A data processing conversion for gender to acceptable IDOT values of (M)'1' and (F)'2' will be required in the generation of the TSSS file.</p>
25	def-Residence City	N	N	N	N	A/N-25			Client	The city of the defendant's home address.	8	31		<p>Must not contain less than three alphabetic characters. Must contain only alphabetic letters "A-Z" or spaces. Two or more spaces imbedded between characters are invalid.</p>
26	def-Residence State	N	N	N	N	A/N-2			Client	The state of the defendant's home address.	9	32	List ADR valid codes in a drop-down list for officer selection. Include an "Other" option (coded as 'YY') to support codes not available in the ADR list.	<p>ADR provides valid two character codes not only all USA states but also US Territorial Possessions, Canadian Provinces and Mexican States.</p> <p>Canadian Provinces: BC = British Columbia AB = Alberta SK = Saskatchewan MB = Manitoba ON = Ontario QC = Quebec NB = New Brunswick NL = Newfoundland/Labrador NS = Nova Scotia PE = Prince Edward Island NT = Northwest Territories NU = Nunavut YT = Yukon Territory</p>
27	def-Residence Zip Code	N	N	N	N	A/N-9		zero fill?	Client	The zip code of the defendant's home address.	10	33	For US addresses, 9 character postal code, formatted as XXXXX-XXXX.	<p>For US addresses: If any characters are entered, 5 or 9 digits required. Numeric values only. Format XXXXX-XXXX.</p> <p>5-char zip + 4 char optional. For TSSS, only first 5 characters are used.</p> <p>If the Defendant Residence State (def-ResidenceState) is one of the Canadian Provinces, the zip code must be in the following format "X9X_9X9_".</p> <p>If only five-digit zip code is known, use first five positions and zero fill the remaining four positions. If zip code is unknown, zero fill all 9 positions.</p>

28	def-Hair Color	N	N	N	N	A/N-3			Client	Hair color of defendant.			Values drawn from the NCIC cod table for Hair Color	Required if any of the following is entered: - DL Number - Issuing State -CDL Indicator - DL Class - DL Expiration	
29	def-Height	N	N	N	N	N-3			Client	Height of defendant.			Entered as a whole number to reflect feet & inches , e.g., 6 feet 2 inches is entered as 602.	Numeric values only. Whole numbers only. Required if any of the following is entered: - DL Number - Issuing State -CDL Indicator - DL Class - DL Expiration	
30	def-Weight	N	N	N	N	N-3			Client	Weight of defendant.			Entered as a three digit, right zero padded number, e.g., an entered 98 pound defendant is captured as 098.	Numeric values only. Whole numbers only. Required if any of the following is entered: - DL Number - Issuing State -CDL Indicator - DL Class - DL Expiration	
31	def-LicenseorPermit	N	N	Y	N	A/N-1	License	default to License	Client	a check box to indicate which defendant identifying number is provided on the citation.			1- Drivers License 2 - Permit Number		
32	def-PermitNo	N	N	N	N	A/N-25			Client	The permit number that the defendant holds					
33	def-DLNumber	N	N	N	N	A/N-25		prompt to confirm null	Client	The distinguishing number assigned to the defendant by the licensing authority of this or any other state allowing the defendant to drive or operate a motor vehicle.		36		Required if def- LicenseorPermit = 1 or if any of the following is entered: - DL Number - Issuing State -CDL Indicator - DL Class - DL Expiration	Trooper may change/override any data obtained via a Driver License swipe. Neither spacing nor punctuation is recorded.

34	def-DLState	N	N	N	N	A/N-2		Client	A code to indicate the state of issuance of a defendant's driver's license.		37		Required if def-LicenseorPermit = 1 or if any of the following is entered: - DL Number - Issuing State -CDL Indicator - DL Class - DL Expiration	ADR provides valid two characters codes not only all USA states but also US Territorial Possessions, Canadian Provinces and Mexican States. All others not listed must be coded 'YY'. Provide ADR valid codes in a drop down list for officer to make selection. Required if DL Lic # is not null?
35	def-CDL	N	Y	Y	N	A/N-2		Client	A code to indicate if the defendant held a CDL at the time of a violation.		143	Y, N, U NA		ADR codes are 'Y=Yes' and 'N=No' for the CDL field. ISP Electronic Citation CDL code entries will match those of ADR. The values of Unknown and N/A are mapped to NO for the purposes of reporting to the SOS. Unknown would be used in cases where the DL was not available for inspection. N/A would be used in cases where DLs are not relevant, i.e. snowmobiles, pedestrians, etc. 'U' is not in conformance with ADR, but recommended in case external agencies do not report this value. SOS indicates that 'N' should not be the default value. SOS requests that this field not be defaulted .
36	def-DLClass	N	N	N	N	A/N-1		Client	The class of the drivers license				Required if def-LicenseorPermit = 1 or if any of the following is entered: - DL Number - Issuing State -CDL Indicator - DL Class - DL Expiration	This field is currently NOT printed on any copy of the citation.
37	def-DLExpirationDate	N	N	N	N	Date		Client	This is the date that the driver's license will expire.				Apply date validation. Required if def-Dr Lic (element 28) is not null Required if def-LicenseorPermit = 1 or if any of the following is entered: - DL Number - Issuing State -CDL Indicator - DL Class - DL Expiration	
38	def-Date of Birth	N	Y	Y	N	Date		Client	The date of birth of a defendant.		13	27	Entry Date Format is MMDDCCYY. Month and day segments must be right justified and zero filled to two characters, e.g. 01, 02, etc.	Must be less than the current day. Must apply date validation.

39	veh-RegistrationNumber	N	N	Y	N	A/N-9		if None, 'N/A' is default value	Client	Vehicle License Plate Registration Number.		148	Must be left justified and blank filled. If NONE, enter 'N/A' per ENF-001 instructions.	Required if any of the following is entered: - Registration No. - Registration State - Registration Year	If the Vehicle Type is Pedestrian or Other, the remaining vehicle information is not required. But if any of the fields in the vehicle section are not null, then the entire section is required. (Exception – US DOT # is always optional).
40	veh-RegistrationState	N	N	N	N	A/N-2			Client	State in which vehicle is registered.		149	Select one from a list of valid two character codes foUS States, Territorial possessions, Canadian Provinces and Mexico. Default to IL (Illinois) Format is CCYY	Required if any of the following is entered: - Registration No. - Registration State - Registration Year	ADR provides valid two characters codes not only all USA states but also US Territorial Possessions, Canadian Provinces and Mexican States. All others not listed must be coded '
41	veh-RegistrationYear	N	N	N	N	N-4			Client	Expiration year of license plate registration.		147		Required if any of the following is entered: - Registration No. - Registration State - Registration Year Must be equal or less than current year plus one.	
42	veh-US DOT #	N	N	N	N	A/N-7			Client	This number is the census number issued to motor carriers by the U.S. DOT.					A US DOT # issued to corporations/companies for display on vehicle. (This number is required only when the vehicle has one assigned to it. This number is displayed in association with the carrier's name on each side of the power unit.)
43	veh-Make	N	N	N	N	A/N-15			Client	The name of the manufacturer of the vehicle.	11	150		Required if any of the following is entered: - Registration No. - Registration State - Registration Year	
44	veh-Year	N	N	N	N	N-4			Client	Model year of manufacture of vehicle.	12	151		Required if any of the following is entered: - Registration No. - Registration State - Registration Year	Entry Date Format is CCYY. Must be equal or less than current year.
45	veh-Color	N	N	N	N	A/N-6			Client	Color of vehicle				Required if any of the following is entered: - Registration No. - Registration State - Registration Year	
46	veh-Type1	N	N	Y	Y	A/N-2			Client	Vehicle type identifier			0. Pedestrian. 1. Passenger Car. 2. Rec Vehicl or Truck. 3. ATV 4. Boat 5. Snowmobile 6. Motorcycle or Bicycle. 7. Other. Check appropriate box (boxes 1 through 7) for type of vehicle involved. If a pedestrian, check "0."		Note that available field values vary by agency (ISP, DNR, etc.) If the Vehicle Type is Pedestrian or Other, the remaining vehicle information is not required. But if any of the fields in the vehicle section are not null, then the entire section is required. (Exception – US DOT # is always optional).

47	veh-HazMatPlacardedIndicator(new)	N	N	Y	N	A/N-1		Application should require Y or N.	Client	Code to indicate vehicle type. SOS has asked us to ask for separate required field confirmation for (8) Com Motor Vehicle and (9) Haz Mat.		145	Yes No	Entry is required		
48	veh-CommMotorVehicleIndicator(new)	N	N	Y	N	A/N-1		Application should require Y or N.	Client	Code to indicate vehicle type. SOS has asked us to ask for separate required field confirmation for (8) Com Motor Vehicle and (9) Haz Mat.			Yes No	Entry is required	Vehicle Code 8	
49	veh-16plusVehicleIndicator(new)	N	N	Y	N	A/N-1		Application should require Y or N.	Client	Code to indicate vehicle type. SOS has asked us to ask for separate required field confirmation for (8) Com Motor Vehicle and (9) Haz Mat and (10) 16+			Yes No	Entry is required	Vehicle Code 10	
50	loc-Highway	N	N	N	N	A/N-10			Client	Name of highway upon which violation occurred.			Selected from a list of IL highways patrolled by ISP.		This information should be printed in one of the Location fields. The length of text entered by the officer may have to be reduced depending on field length of this field.	
51	loc-Milepost	N	N	N	N	A/N-10			Client				Can be selected from a list of milepost markers as determined by highway selection, or number entered by officer. Field type determined at design time.		This information should be printed in one of the Location fields. The length of text entered by the officer may have to be reduced depending on field length of this field.	
52	loc-Location of Incident1	N	N	Y	N	A/N-35			Client	Description of Incident Location.						
53	loc-Location of Incident2	N	N	N	N	A/N-35			Client	Description of Incident Location (continued).				If Location1 is null, and Location 2 is not null, move contents to Location 1.		
53	loc-GPSLocationType	N	N	N	N	A/N-2			client	An indication from the officer where the GPS coordinates were taken.			1 - Incident 2 - Stop	Required when GIS coordinates are captured (in latitude and longitude fields)		
54	loc-Latitude	N	N	N	N	A/N-8			Client	GPS Latitude coordinate.				GPS Format is XXX.XXXX	Populated when operating GPS unit is available.	
55	loc-Longitude	N	N	N	N	A/N-8			Client	GPS Longitude coordinate.				GPS Format is XXX.XXXX	Populated when operating GPS unit is available.	
56	vio-Illinois Code Type	N	Y	Y	N	A/N-2			Client	This code identifies the offense code table that contains the violation on the citation.			0 - Illinois Vehicle Code ILCS (exclude 18b) 1 - Motor Carrier Safety Federal Violations 18b 2 - DUI 3 - Wildlife Code 4 - State Park Regulations 5 - Fish Code 6 - Forestry Law 7 - Snowmobile Registration & Safety Act 8 - Boat Registration & Safety Act 9 - Administrative Rule		User values selected to retrieve application ILCS reference codes and descriptions from the AOIC Offense Codes.	
57	vio-ChargeStatuteID (new)	N	N	N	N	A/N-12			Client	The unique identifier of the violation charge statute, chapter and act.			oft-CodeID (See OFT tab)		This field is NOT printed on the citation.	

58	vio-ManualViolation	N	N	N	N	A/N-1		FALSE	Client	Indicates that the violation description was manually entered or officer overrode the description returned from the Offense Code Table, entering the description manually. This flag should indicate that the court should review this citation in order to assign the appropriate AOIC Offense Code.			True False Default to False.	Set to True if vio-Nature of Offense is manually entered or overridden by the officer.	
59	vio-ChargeStatuteChapter	N	Y	Y	N	A/N-12			client	This field indicates the Chapter of the violation.			oft-CHAPTER (See OFT tab) Example - 625		This field may be manually entered or derived from the AOIC code table on the violation selected
60	vio-ChargeStatuteAct	N	Y	Y	N	A/N-12			client	This field indicates the Act of the violation.			oft-ACT (see OFT tab) Example - 5		This field may be manually entered or derived from the AOIC code table on the violation selected
61	vio-ChargeStatuteSection	N	Y	Y	N	A/N-20			client	This field indicates the Section of the violation.			oft-SECTION (See OFT tab) Example - 11-501(a)1		This field may be manually entered or derived from the AOIC code table on the violation selected
62	vio-Illinois Vehicle AOIC Code Charge	N	N	N	N	N-7			Client	A code maintained by the Administrative Office of the Illinois Courts (AOIC) to indicate the chapter, article, section, and subsection of the statute citation of the offense.		55	oft-CODE (see OFT tab) Provide list (of codes and their corresponding descriptions) for officer to select a violation from tables provided by AOIC.	Each violation must map to an AOIC Offense Code. Local and municipal ordinances must be obtained from the County. These local ordinances must be available for selection based on citation County. The trooper selection of certain state violations such as speeding, DUI, and seatbelt will require additional information for which the she/he will be prompted to complete.	
63	vio-checkBox CivilPenaltyAuthorized	N	N	N	N	A/N-1	No/False	No/False	Client				True False Default to False.		
64	vio-CivilPenaltyAmount	N	N	N	N	9.2			Client						
65	vio-Nature of Offense	N	N	N	N	A/N-60		to DESC, based on Vehicle Code Charge (element 48)	Client	A written description of the offense.		56	oft-DESC (see OFT tab) Default is drawn from the description of the offense code chosen. Override allowed.	If manually overridden or entered by officer, set Manual Violation flag to TRUE.	
66	vio-Speed (Actual)	N	N	N	N	N-3			Client	Vehicle speed in miles per hour (MPH) when the violation occurred.				Required when 'violation of 11-601(b) - speeding' is selected in field vio-Illinois Vehicle Code Charge.	Currently not displayed on the conservation citation.
67	vio-Speed (Posted)	N	N	N	N	N-3			Client	Posted speed in MPH where the speeding violation occurred				Required when 'violation of 11-601(b) - speeding' is selected in field vio-Illinois Vehicle Code Charge.	
68	vio-SeatBelt Passenger/Driver	N	N	N	N	A/N-1			Client	Indicates if seatbelt violation was written for driver or passenger.		146	D=Driver P=Passenger	Require driver/passenger field when a seatbelt violation is selected in field vio-Illinois Vehicle Code Charge.	
69	vio-ChargeAdRuleTitle	N	N	N	N	A/N - 50			Client				adr-TITLE	Required if vio-Illinois Code Type = 9 - Administrative Rule	
	vio-ChargeAdRule Chapter	N	N	N	N	A/N - 50			Client				adr-CHAPTER		
70	vio-ChargeAdRuleSubChapter	N	N	N	N	A/N - 50			Client				adr-SUBCHAPTER	Required if vio-Illinois Code Type = 9 - Administrative Rule	

71	vio-ChargeAdRulePart	N	N	N	N	A/N - 50			Client			adr-PART	Required if vio-Illinois Code Type = 9 - Administrative Rule		
72	vio-ChargeAdRuleSection	N	N	N	N	A/N - 50			Client			adr-SECTION	Required if vio-Illinois Code Type = 9 - Administrative Rule		
73	vio-Motor Vehicle InvolvementIndicator	N	N	N	N	A/N-1			Client	A code to indicate whether a motor vehicle was used in the commission of a misdemeanor or felony.	61	Y=Yes N=No		Officer provided with drop downlist for officer to indicate whether a motor vehicle was used in the commission of a misdemeanor or felony.	
74	inc-Accident Type	N	N	N	Y	A/N-1			Client	A code to indicate whether a motor vehicle accident or crash involved personal injury, fatality, vehicle or other property damage as may be indicated on a charging document or upon finding of court.	60	Multiple selections allowed. I = Driver Injury V = Property Damage P = Personal Injury D = Fatal (Death) BLANK Space = Default <i>SOS addition of Property Damage - Driver Only is pending Art V approval</i>			
75	inc-Field Report Number Box	N	N	N	N	A/N-12			Client	An additional officer report relating to the incident.		Must be left justified.			
76	inc-Field Report Type	N	N	N	N	A/N-1			Client	Code to indicate type of report entered in field 'inc-Field Report Number Box.'		1. Traffic Crash 2. Field Report		The table containing these Report types for this drop down list will need updated upon eCitation deployment.	
77	inc-Method	N	Y	Y	N	N-1			Client	Code to indicate method used to identify the violation.		0. Patrol 1. Complaint 2. Radar 3. Aircraft 4. Detail 5. Other		Changes to list are pending Art V approval. Note that ISP and DNR must be presented with a different list of method type options.	
78	inc-PropertyEquipmentSeized	N	N	N	Y	A/N 50			Client	Any notes relevant to the incident.				This field length should be reviewed at design time to allow the maximum number of characters to be stored, as dictated by available real estate at print time. The text entered here cannot be truncated when printing.	
79	inc-InjuryDeathIndicator (new)	N	N	N	N	A-1	space		Client	A code indicating wther a motor vehicle accident or crash involved personal injury, fatality, vehicle or other property damage as may be indicated on the citation		I - Driver injury only P - Personal Injury D - Death V - Vehicle or other property damage space - default		Field requested by SOS	
80	bnd-Bond Type1	N	Y	Y	N	N-2			Client	A code to indicate the form(s) of release posted by a defendant.	46	00 Unknown 01 No Bond 02 Driver's License 03 Personal Recognizance/Individual 04 Cash Bond 05 Bond Card 06 10% Deposit Bond 07 DUI Bond (DL+\$1000 or 10%) 08 Real Estate 09 Securities 10 Bond on Companion Case 11 Appeal Bond 12 Bond Transfer 13 Notice to Appear 14 Promise to Comply 25 Other		Officer is provided with a drop down list to select a bond type.	

81	bnd-Bond Type2	N	N	N	N	N-2			Client	A code to indicate an additional form of release posted up by a defendant.		47	00 Unknown 01 No Bond 02 Driver's License 03 Personal Recognizance/Individual 04 Cash Bond 05 Bond Card 06 10% Deposit Bond 07 DUI Bond (DL+\$1000 or 10%) 08 Real Estate 09 Securities 10 Bond on Companion Case 11 Appeal Bond 12 Bond Transfer 13 Notice to Appear 14 Promise to Comply 15 Other	Enabled only after Bond Type 1 exists.		
82	bnd-Bond Amount	N	Y	Y	N	N-9		The highest bond amount on the citation for this defendant.	Client	The dollar amount of a secured or unsecured bond.		48	Stored format is numeric and includes 2 right-most digits as cents. A displayed bond amount of \$100.00 would be stored as 10000		The officer is allowed to enter "100" as the bond amount, and the application should automatically add zero cents to the amount, e.g. 100.00	
83	bnd-Bond Paid Amount	N	N	N	N	Decimal (9,2)		default to bond amount (element 66)	Client	The actual dollar amount deposited with the court or another authorized receiver in connection with the making of the defendant bond.		49	Currency		The officer is allowed to enter "100" as the bond amount, and the application should automatically add zero cents to the amount, e.g. 100.00	
84	bnd-Credit Card Authorization Code	N	N	N	N	TBD			Client	The identifier number appearing on the defendant bond receipt.						
85	bnd-Bond Card No.	N	N	N	N	A/N-20			Client	The identifier number appearing on the defendant bond card.				Required if Bond Type 1 or 2 is = 5 Bond Card		
86	bnd-Bond Card Issued by	N	N	N	N	A/N-35			Client	The Company Name which issued the bond card.			Drawn from the Bond Company Table. Allstate Insurance Company Allstate Motor Club American Automobile Association American Service Insurance Chicago Motor Club Exxon Travel Club Illinois Agricultural Assoc (AKA) Illinois Transportation Illinois Trucking Association (DBA) Motor Club of America Shell Motorist Club	Required if Bond Type 1 or 2 is = 5 Bond Card		
87	bnd-Bond Posted on Ticket No.	N	N	N	N	A/N-10		other citations issued to defendant, not used for bond amount.	Client	The 'cmp-CitationNumber' of a citation selected among multiple violations for the same incident by a defendant.				Required if Bond Paid Amount is entered		
88	bnd-No Bond-Confined At	N	N	N	N	A/N-40			Client	The defendant's temporary confinement location until bond is posted.						

89	cpd-Cook County District Code	N	N	N	N	N-1		if Cook, required?	COURT	A code to indicate the municipal district within Cook County wherein the case was filed.	5	Valid codes for Cook Co. are: 1 1st Municipal District 2 2nd Municipal District 3 3rd Municipal District 4 4th Municipal District 5 5th Municipal District 6 6th Municipal District Valid code for all other counties is 0 (zero)	Required if county is Cook		
90	cpd-Address Courthouse Street1	N	N	N	N	A/N-40			Client	The address line one of the courthouse.		Courthouse addresses should be populated based on the court house selected. The officer should not be required to enter this information, however office may override..			
91	cpd-Address Courthouse Street2	N	N	N	N	A/N-40			Client	The address line two of the courthouse, if needed.		Courthouse addresses should be populated based on the court house selected. The officer should not be required to enter this information, however office may override..			
92	cpd-Address Courthouse Street3	N	N	N	N	A/N-40			Client	The address line three of the courthouse, if needed.		Courthouse addresses may be populated based on the court house selected. The officer should not be required to enter this information, however office may override..			
93	cpd-Address Courthouse Street4	N	N	N	N	A/N-40			Client	The address line four of the courthouse, if needed.		Courthouse addresses may be populated based on the court house selected. The officer should not be required to enter this information, however office may override..			
94	cpd-Address Courthouse City	N	N	N	N	A/N-40			Client	The city of the courthouse address.		Courthouse addresses may be populated based on the court house selected. The officer should not be required to enter this information, however office may override..			
95	cpd-Address Courthouse State	N	N	N	N	A/N-2		IL	Client	Illinois as the state of the courthouse address.		Courthouse addresses may be populated based on the court house selected. The officer should not be required to enter this information, however office may override..			
96	cpd-Address Courthouse ZIP	N	N	N	N	A/N-10			Client	The zip code of the courthouse address.		Courthouse addresses may be populated based on the court house selected. The officer should not be required to enter this information, however office may override..			
97	cpd-Court Appearance Date	N	N	N	N	Date		required if county is not 505-exmpt	Client	The date on which the defendant is to appear at the courthouse for a court hearing.		The system retrieves a list of court dates assigned to the officer, allowing the officer to select one.	Manually entered dates must not fall on Saturday or Sunday.		
98	cpd-Court Appearance Time	N	N	N	N	A/N-5		required if county is not 505-exmpt	Client	The time of day at which the defendant is to appear at the courthouse for a court hearing.		The system retrieves a list of court dates assigned to the officer, allowing the officer to select one.			

99	cpd-Court Appearance AM/PM indicator	N	N	N	N	A/N-2		required if county is not 505-exmpt	Client	An AM/PM indicator for the time of day at which the defendant is to appear at the courthouse for a court hearing.				Required if Court Appearance Time exists.	
100	cpd-Court Appearance Required	N	Y	Y	N	A/N-1		populate based on violation	Client	An Y/N indicator on whether the violator is required to appear at the court house for the scheduled court hearing.			1-Yes 2-No Default based upon the selected violation.		The 'APR' field in the AOIC Code Table indicates if the defendant is required to appear.
101	dui-Field Sobriety Test Administered	N	Y	Y	N	A-1			Client	An Y/N indicator on whether the officer performed a field sobriety test.			Y=Yes N=No	Cannot be Null.	An officer must select response. There is no default and Null is not a valid value.
102	dui-Field Sobriety Test Results	N	N	N	N	A/N-250			Client	A written description of the results of the field sobriety test.					
103	dui-BreathAction	N	Y	Y	N	N-1			Client	The breath test action taken.			0, 1, 2		0 = not required or could not be completed 1 = completed 2 = refused
104	dui-BloodAction	N	Y	Y	N	N-1			Client	The blood test action taken.			0, 1, 2		0 = not required or could not be completed 1 = completed 2 = refused
105	dui-UrineAction	N	Y	Y	N	N-1			Client	The urine test action taken.			0, 1, 2		0 = not required or could not be completed 1 = completed 2 = refused
106	dui-BreathResult	N	Y	Y	N	N-3			Client	The results of the breath test taken.			Default to 00 if due-BreathAction=0 or 2		The three-digit number printed on the breath test record.
107	off-officer's signature Date	N	Y	Y	N	Date		current date	Client	The date on which the defendant was issued a traffic ticket.		40			
108	off-Officer's signature	N	Y	Y	N	A/N-1			Client	A code to indicate an authenticatable electronic signature of the officer who completed the citation.			Yes No		
109	off-Officer ID	N	Y	Y	N	A/N-5			Client	The badge number or ID assigned to a law enforcement officer by their law enforcement agency.	4 & 5	142	Drawn from the profile of the officer currently logged into the system.		Officer IDs are not guaranteed to be unique, and are not guaranteed to reflect the same person over time. IDs can be reused over time. The name of the officer must always be stored along with the ID for historical purposes.
110	off-OfficerLast Name	N	N	Y	N	A/N-20			Client	The last name of the issuing officer			Drawn from the profile of the officer currently logged into the system.		
111	off-Officer First Initial	N	N	Y	N	A/N-1			Client	The first initial of the issuing officer			Drawn from the profile of the officer currently logged into the system.		