

## Warning - Conservation (DNR)

Element Number	Field Name	Unique	DB Mand	App Mand	Repeats	ISP Field Type & Length	ISP DB Default	Application Default Requirements	Owner	Definition	IDOT Data Element	ADP Data Element	Field Values	Validations	Comments
1	met-CitationID (see metadata tab)	Y	Y	-	N	TBD		DB provided field	Server	The unique identifier for a Warning as assigned by the database.					Stop Card-Warning Number is not a unique statewide identifier. The Stop Card-WarningID is a database-generated sequential number that uniquely identifies any Stop Card-Warning in the system.
2	met-StopID (see metadata tab)	N	Y	Y	N	TBD				A new element for grouping citations and/or warnings together when they resulted from a single stop. Any combination of citations and warnings can be grouped under a single StopID. Multiple defendants may receive citations under one stop ID					The IDOT TSSS data can be linked to a single StopID.
3	cmp-WarningNumber	N	Y	Y	N	A/N-10			Client	The identifying code number for a Uniform Traffic Ticket serving as a complaint or as the basis for a verified complaint in a case		64			
5	cmp-Dist Occurrence	N	N	Y	N	A/N-3		Assigned District	Client	District of Occurrence indicates a code identifying the DNR District in which violation occurred.			Default to assigned district. Offer drop down of available DNR districts		This field will automatically It can be changed by the officer when the District of Occurrence is different than District of Assignment. Valid field values are the same as for District of Assignment.
6	cmp-Dist Assignment	N	N	Y	N	A/N-3		Assigned District	Client	District of assignment indicates a code identifying the District to which the officer is assigned.			Default to assigned district. Offer drop down of available DNR districts		This field is automatically populated based on the officer's District of Assignment.
7	cmp-ArrestingAgencyNCICcode	N	Y	Y	N	A/N-9			Client	A code to indicate the law enforcement agency which made the arrest or issued the traffic citation. Also known as the ORI		59	Populated based on the officer's District of Assignment, as defined in the officer's profile in the system.		Officer does not select the ORI, it is assigned based on officer's district of assignment.
8	cmp-County	N	Y	Y	N	A/N-20			Client	Name of the county in which violation occurred.			Select one from a list of Illinois county names.		Officer selects a county from a dropdown list.
9	cmp-DeptLandsBodyofWater	N	N	N	N	A/N-20			Client	Name of the DNR department lands or body of water on which violation occurred.			Currently user manually enters name, i.e. Rock River, Private Pond. Would be nice to have the ability to search for 4 digit code based on this description. Consider adding filtered drop down, based on district of occurrence however allow entry of non-department lands/water.		Numbered codes based on the location > 4 digit codes, can retrieve name from within TIPS. In defendant database, this table exists. Required to track for federal reports, grant support, and grant application.
10	cmp-DeptLandsBodyofWaterID	N	N	N	N	N-4			Client	A code used by DNR to uniquely identify the body of water or area of land.					

11	cmp-Date of Offense	N	Y	Y	N	Date		current day	Client	The date of occurrence of the offense with which the defendant is charged.	1	41	Entry Date Format is MMDDCCYY. Month and day segments must be right justified and zero filled to two characters, e.g. 01, 02, etc.	Must be less than or equal to current day. Must apply date validation.		
12	cmp-Time of Offense	N	Y	Y	N	A/N-5		current time	Client	The time of day (Hour:Minute) of the occurrence of the offense with which the defendant is charged.	2		Hour segment is a two digit number, between 0 and 12 inclusive, left zero padded number, e.g., 01, 02, etc.  Minute segment is a two digit number, between 0 and 59 inclusive, left zero padded number, e.g. 00, 01, 02.			
13	cmp-AM/PM Indicator	N	Y	Y	N	A/N-2		current time	Client	An AM/PM indicator for the time of day of the occurrence of the offense with which the defendant is charged.			A=AM P=PM			
14	def-Last Name	N	N	N	N	A/N-20			Client	The complete surname of the defendant.	6	11		First character must be alphabetic. Only punctuation allowed within the text string is a (space) and '-' (hyphen).		
15	def-First Name	N	N	N	N	A/N-14			Client	The first name of the defendant.	6	12		First character must be alphabetic. Only punctuation allowed within the text string is a (space) and '-' (hyphen).		
16	def-Middle Name Initial	N	N	N	N	A/N-1			Client	The middle initial of the defendant.		13				
17	def-DriverPassengerIndicator (new)	N	Y	Y	N	A-1	U	Application should require D or P.	Client	Indicates if violation was written for driver or passenger.			D- Driver P- Passenger U - Unknown		SOS requested this field  Please note this is <b>not</b> the same field used in the seat belt violation, which requires which vehicle occupant was in violation of the seat belt ordinance.	
18	def-Address1	N	N	N	N	A/N-20		prompt to confirm null	Client	The address line one of the defendant.	7	29		Only valid characters allowed are "A-Z", 0-9, / (Slash), - (Dash or Hyphen), & (Ampersand), and a space. First position can be any valid character except space. Two or more spaces imbedded between characters are invalid. If address2 is not null, then address1 is required.	For TSSS reporting, concatenate the two address fields, separate with a semicolon (;).	
19	def-Address2	N	N	N	N	A/N-20			Client	The address line two of the defendant, if needed.	7	30		If not equal to spaces, only valid characters allowed are "A-Z", 0-9, / (Slash), - (Dash or Hyphen), & (Ampersand), and a space. Two or more spaces imbedded between characters are invalid.	For TSSS reporting, concatenate the two address fields, separate with a semicolon (;).	
20	def- Eye Color	N	N	N	N	A/N-3			Client	The defendant's eye color.			BLK, GRY, BLU, GRN, BRO, HAZ, MAR, PNK	Must comply with NCIC eye color code table - see Field Values.		

21	def- Gender	N	N	Y	N	A/N1	' (space)	M or F required. Application should not allow Unknown.	Client	The biological gender of the defendant.	14	19	Male Female Blank (Unknown)	<p>CheckBox for Gender on the hardcopy Citation form does not provide an 'Unknown' gender allowed by the NCIC code table. The availability of an 'Unknown' gender option as a 'BLANK Space' (in eCitation) would conform with the valid codes in ADR which are 'M=Male', 'F=Female', 'BLANK Space=Unknown Gender'. Trooper selects gender from a dropdown list of valid gender codes.</p> <p>For TSSS reporting, it is not known how the Photo Radar DB handles an Unknown Gender.</p> <p>IDOT's TSSS does not provide an 'Unknown' gender - the officer must choose M or F. If the officer has selected Unknown gender on citation, officer must choose Male or Female on the TSSS value. A data processing conversion for gender to acceptable IDOT values of (M)'1' and (F)'2' will be required in the generation of the TSSS file.</p>
22	def-Residence City	N	N	N	N	A/N-25			Client	The city of the defendant's home address.	8	31		<p>Must not contain less than three alphabetic characters. Must contain only alphabetic letters "A-Z" or spaces.</p> <p>Two or more spaces imbedded between characters are invalid.</p>
23	def-Residence State	N	N	N	N	A/N-2			Client	The state of the defendant's home address.	9	32	List ADR valid codes in a dropdown list for officer selection. Include an "Other" option (coded as 'YY') to support codes not available in the ADR list.	<p>ADR provides valid two characters codes not only all USA states but also US Territorial Possessions, Canadian Provinces and Mexican States.</p> <p>Canadian Provinces: BC = British Columbia AB = Alberta SK = Saskatchewan MB = Manitoba ON = Ontario QC = Quebec NB = New Brunswick NL = Newfoundland/Labrador NS = Nova Scotia PE = Prince Edward Island NT = Northwest Territories NU = Nunavut YT = Yukon Territory</p>
24	def-Residence Zip Code	N	N	N	N	A/N-9		zero fill?	Client	The zip code of the defendant's home address.	10	33	For US addresses, 9 character postal code, formatted as XXXXX-XXXX.	<p>For US addresses: If any characters are entered, 5 or 9 digits required. Numeric values only. Format XXXXX-XXXX.</p> <p>5-char zip + 4 char optional. For TSSS, only first 5 characters are used.</p> <p>If the Defendant Residence State (def-ResidenceState) is one of the Canadian Provinces, the zip code must be in the following format "X9X_9X9_ _".</p> <p>If only five-digit zip code is known, use first five positions and zero fill the remaining four positions. If zip code is unknown, zero fill all 9 positions.</p>

25	def-Hair Color	N	N	N	N	A/N-3			Client	Hair color of defendant.			Values drawn from the NCIC code table for Hair Color			
26	def-Height	N	N	N	N	N-3			Client	Height of defendant.			Entered as a whole number to reflect feet & inches , e.g., 6 feet 2 inches is entered as 602.	Numeric values only. Whole numbers only.		
27	def-Weight	N	N	N	N	N-3			Client	Weight of defendant.			Entered as a three digit, right zero padded number, e.g., an entered 98 pound defendant is captured as 098.	Numeric values only. Whole numbers only.		
28	def-LicenseorPermit	N	N	Y	N	A/N-1	License	default to License	Client	a check box to indicate which defendant identifying number is provided on the citation.			1- Drivers License 2- Permit Number			
29	def-PermitNo	N	N	N	N	A/N-25			Client	The permit number that the defendant holds						
30	def-DLNumber	N	N	N	N	A/N-25		prompt to confirm null	Client	The distinguishing number assigned to the defendant by the licensing authority of this or any other state allowing the defendant to drive or operate a motor vehicle.		36			Trooper may change/override any data obtained via a Driver License swipe.  Neither spacing nor punctuation is recorded.	
31	def-DLState	N	N	N	N	A/N-2		default IL, only if not populated from swipe and if DL Lice (element 28) is not null.	Client	A code to indicate the state of issuance of a defendant's driver's license.		37			ADR provides valid two characters codes not only all USA states but also US Territorial Possessions, Canadian Provinces and Mexican States. All others not listed must be coded 'YY'.  Provide ADR valid codes in a drop down list for officer to make selection.  Required if DL # is not null	
32	def-CDL	N	Y	Y	N	A/N-2		Y/N are only valid values in application	Client	A code to indicate if the defendant held a CDL at the time of a violation.		143	Y, N, U NA		ADR codes are 'Y=Yes' and 'N=No' for the CDL field. ISP Electronic Citation CDL code entries will match those of ADR. The values of Unknown and N/A are mapped to NO for the purposes of reporting to the SOS. Unknown would be used in cases where the DL was not available for inspection. N/A would be used in cases where DLs are not relevant, i.e. snowmobiles, pedestrians, etc.  'U' is not in conformance with ADR, but recommended in case external agencies do not report this value. SOS indicates that 'N' should not be the default value. SOS requests that this field <b>not be defaulted</b> .	
33	def-DLClass	N	N	N	N	A/N-1			Client	The class of the drivers license					This field is currently NOT printed on any copy of the citation.	
34	def-DLExpirationDate	N	N	N	N	Date			Client	This is the date that the driver's license will expire.			Entry Date Format is MMDDCCYY. Month and day segments must be right justified and zero filled to two characters, e.g. 01, 02, etc.	Apply date validation. Required if def-Dr Lic (element 28) is not null		
35	def-Date of Birth	N	Y	Y	N	Date			Client	The date of birth of a defendant.	13	27	Entry Date Format is MMDDCCYY. Month and day segments must be right justified and zero filled to two characters, e.g. 01, 02, etc.	Must be less than the current day. Must apply date validation.		

36	veh-RegistrationNumber	N	N	Y	N	A/N-9		if None, 'N/A' is default value	Client	Vehicle License Plate Registration Number.		148	Must be left justified and blank filled. If NONE, enter 'N/A' per ENF-001 instructions.		
37	veh-RegistrationState	N	N	N	N	A/N-2		default IL only if Vehicle ID is not null (element 34)	Client	State in which vehicle is registered.		149	Select one from a list of valid two character codes foUS States, Territorial possessions, Canadian Provinces and Mexico.	Required if Vehicle Registration Number (veh-Regstr.No.) is not null.	ADR provides valid two characters codes not only all USA states but also US Territorial Possessions, Canadian Provinces and Mexican States. All others not listed must be coded ' '
38	veh-RegistrationYear	N	N	N	N	N-4			Client	Expiration year of license plate registration.		147	Format is CCYY	Required if Vehicle Registration Number (veh-Regstr.No.) is not null. Must be equal or less than current year plus one.	
39	veh-Make	N	N	N	N	A/N-15			Client	The name of the manufacturer of the vehicle.	11	150		Required if Vehicle ID is not null.	
40	veh-Year	N	N	N	N	N-4			Client	Model year of manufacture of vehicle.	12	151			Entry Date Format is CCYY. Must be equal or less than current year.
41	veh-Color	N	N	N	N	A/N-6			Client	Color of vehicle					
42	veh-Type1	N	N	Y	Y	A/N-2			Client	Vehicle type identifier			0. Pedestrian. 1. Passenger Car. 2. Rec Vehicl or Truck. 3. ATV 4. Boat 5. Snowmobile 6. Motorcycle or Bicycle. 7. Other. Check appropriate box (boxes 1 through 7) for type of vehicle involved. If a pedestrian, check "0."		Note that available field values vary by agency (ISP, DNR, etc.)
43	veh-HazMatPlacardedIndicator(new)	N	N	Y	N	A/N-1		Application should require Y or N.	Client	Code to indicate vehicle type. SOS has asked us to ask for separate required field confirmation for (8) Com Motor Vehicle and (9) Haz Mat.		145	Yes No	Response required	
44	veh-CommMotorVehicleIndicator (new)	N	N	Y	N	A/N-1		Application should require Y or N.	Client	Code to indicate vehicle type. SOS has asked us to ask for separate required field confirmation for (8) Com Motor Vehicle and (9) Haz Mat.			Yes No	Response required	Vehicle Code 8
45	veh-16plusVehicleIndicator (new)	N	N	Y	N	A/N-1		Application should require Y or N.	Client	Code to indicate vehicle type. SOS has asked us to ask for separate required field confirmation for (8) Com Motor Vehicle and (9) Haz Mat and (10) 16+			Yes No	Response required	Vehicle Code 10
46	loc-Highway	N	N	N	N	A/N 10			Client	Name of highway upon which violation occurred.			Selected from a list of IL highways patrolled by ISP.		This information should be printed in one of the Location fields. The length of text entered by the officer may have to be reduced depending on field length of this field.
47	loc-Milepost	N	N	N	N	A/N-10			Client				Can be selected from a list of milepost markers as determined by highway selection, or number entered by officer. Field type determined at design time.		This information should be printed in one of the Location fields. The length of text entered by the officer may have to be reduced depending on field length of this field.
48	loc-Location of Incident1	N	N	Y	N	A/N-35			Client	Description of Incident Location.					

49	loc-Location of Incident2	N	N	N	N	A/N-35		Client	Description of Incident Location (continued).				If Location1 is null, and Location 2 is not null, move contents to Location 1.	
50	loc-GPSLocationType	N	N	N	N	A/N-2		client	An indication from the officer where the GPS coordinates were taken.			1 - Incident 2 - Stop	Required when GIS coordinates are captured (in latitude and longitude fields)	
51	loc-Latitude	N	N	N	N	A/N-8		Client	GPS Latitude coordinate.				GPS Format is XXX.XXXX	Populated when operating GPS unit is available.
52	loc-Longitude	N	N	N	N	A/N-8		Client	GPS Longitude coordinate.				GPS Format is XXX.XXXX	Populated when operating GPS unit is available.
53	vio-Illinois Code Type	N	Y	Y	Y			Client	This code identifies the offense code table that contains the violation on the citation.			0 - Illinois Vehicle Code ILCS 625 1 - Motor Carrier Safety Federal Violations 18b 2 - DUI 3 - Wildlife Code 4 - State Park Regulations 5 - Fish Code 6 - Forestry Law 7 - Snowmobile Registration & Safety Act 8 - Boat Registration & Safety Act 9 - Administrative Rule		
54	vio-ChargeStatuteID (new)	N	Y	Y	N	A/N-12		Client	The unique identifier of the violation charge statute, chapter and act.			oft-CodeID (see OFT tab)		This field is NOT printed on the citation.
55	vio-ManualViolation					A/N-1		Client	Indicates that the violation description was manually entered or officer overrode the description returned from the Offense Code Table, entering the description manually. This flag should indicate that the court should review this citation in order to assign the appropriate AOIC Offense Code.			True False		
56	vio-ChargeStatuteChapter	N	Y	Y	Y	A/N-12			This field indicates the Chapter of the violation.			oft-CHAPTER (see OFT tab) Example - 625		This field may be manually entered or derived from the AOIC code table on the violation selected
57	vio-ChargeStatuteAct	N	Y	Y	Y	A/N-12			This field indicates the Act of the violation.			oft-ACT (see OFT tab) Example - 5		This field may be manually entered or derived from the AOIC code table on the violation selected
58	vio-ChargeStatuteSection	N	Y	Y	Y	A/N-20			This field indicates the Section of the violation.			oft-SECTION (see OFT tab) Example - 11-501(a)1		This field may be manually entered or derived from the AOIC code table on the violation selected
59	vio-Illinois Vehicle AOIC Code Charge	N	Y	Y	Y	N-7		Client	A code maintained by the Administrative Office of the Illinois Courts (AOIC) to indicate the chapter, article, section, and subsection of the statute citation of the offense.		55	oft-Code (see OFT tab) Provide list (of codes and their corresponding descriptions) for officer to select a violation from tables provided by AOIC.	Required if vio-Illinois Code Type = 0: Illinois Vehicle Code (ILCS 625)	Each violation must map to an AOIC Offense Code. Local and municipal ordinances must be obtained from the County. These local ordinances must be available for selection based on citation County.  The trooper selection of certain state violations such as speeding, DUI, and seatbelt will require additional information for which the she/he will be prompted to complete.
60	vio-ChargeAdRuleTitle	N	N	N	N	A/N - 50		Client				adr-TITLE	Required if vio-Illinois Code Type = 9 - Administrative Rule	
61	vio-ChargeAdRule Chapter	N	N	N	N	A/N - 50		Client				adr-CHAPTER	Required if vio-Illinois Code Type = 9 - Administrative Rule	

62	vio-ChargeAdRuleSubChapter	N	N	N	N	A/N - 50			Client			adr-SUBCHAPTER		
63	vio-ChargeAdRulePart	N	N	N	N	A/N - 50			Client			adr-PART	Required if vio-Illinois Code Type = 9 - Administrative Rule	
64	vio-ChargeAdRuleSection	N	N	N	N	A/N - 50			Client			adr-SECTION	Required if vio-Illinois Code Type = 9 - Administrative Rule	
65	inc-Method	N	Y	Y	N	N			Client	Code to indicate method used to identify the violation.			0. Patrol 1. Complaint 2. Radar 3. Aircraft 4. Detail 5. Other Agency	Changes to list are pending Art V approval. Note that ISP and DNR must be presented with a different list of method type options.
66	off-officer's signature Date	N	Y	Y	N	Date		current date	Client	The date on which the defendant was issued a traffic ticket.		40	System generated date of citation issuance.	
67	off-Officer's signature	N	Y	Y	N	C-1			Client	A code to indicate an authenticatable electronic signature of the officer who completed the citation.			Yes No	
68	off-Officer's ID	N	Y	Y	N	A/N-5			Client	The badge number or ID assigned to a law enforcement officer by their law enforcement agency.	4 & 5	142	Drawn from the profile of the officer currently logged into the system.	Officer IDs are not guaranteed to be unique, and are not guaranteed to reflect the same person over time. IDs can be reused over time. The name of the officer must always be stored along with the ID for historical purposes.
69	off-OfficerLast Name	N	N	Y	N	A/N-20			Client	The last name of the issuing officer			Drawn from the profile of the officer currently logged into the system.	
70	off-Officer First Initial	N	N	Y	N	A/N-1			Client	The first initial of the issuing officer			Drawn from the profile of the officer currently logged into the system.	