

Disposition Data

Element Number	Citation Field	Unique	DB Mand	e-Cite Mand	Repeats	ISP Field Type & Length	ISP DB Default	Application Default Requiremnts	Attribute Field Name(s)	Owner	Definition	IDOT Data Element	ADR Data Element	Field Values	Validations	Comments
1	met-CitationID (see metadata tab)	Y	Y	-	N	A/N-20	Next avail	DB provided field		ISP	The unique identifier for a citation, as assigned by the database. The format must contain the year to ensure uniqueness, e.g. 09xxxxxxx					Citation Number is not a unique statewide identifier. The CitationID is a database-generated sequential number that uniquely identifies any citation or warning in the system. This number must be unique across all types of citations, i.e. overweights, conservation, etc.
3	dsp-CaseYear	N	Y	N	N	N-2				COURT	The last two digits of the calendar year when the case was filed with the circuit clerk.		1			
4	dsp-CaseTypeCode	N	N	N	N	A/N2				COURT	Code indicates general court offense category.		2	CF - Criminal Felony CM - Criminal Misdemeanor TR - Traffic DT - DUI Traffic CV - Conservation Violation OV - Ordinance Violation DV - Domestic Violence J - Juvenile JA - Juvenile Abuse JD - Juvenile Delinquent		
7	dsp-CaseSequenceNumber	N	N	N	N	N-8				COURT	The court's sequence number for case assignment, usually sequential by the Case Type Code.		3			
8	dsp-CircuitCourtNCICCode	N	Y	N	N	A/N-9				COURT	The unique identifier for the court agency responsible for the disposition. This is also known as an ORI		4			
9	dsp-CookCoDistrictCode	N	N	N	N	N-1	0			COURT	Indicates the municipal district within Cook County		5	Cook has districts 1-6, but zero (0) is the default.		
10	dsp-CaseInitiationDate	N	N	N	N	date				COURT	The date on which the court created the case		6		Case Initiation date should be equal to or after citation issue date	
11	dsp-ChargeStatusCode	N	N	N	N	A/N-1				COURT	A code to indicate the status of the charge against a defendant		51	1 - Original Charge 2 - Added Charge 3 - Amended Charge 4 Lesser and included offense		

12	dsp-ChargeLevelOfGovn	N	N	N	N	A/N-1				COURT	A code to indicate whether the charge is a violation of a state statute or an ordinance of a unit of local government.		53	1 - State IRS 2 - Local IRS 3 - State ILCS 4 - Local ILCS		
13	dsp-ChargeOffenseCode	N	Y	N	N	A/N-7				COURT	A code maintained by the AOIC to indicate the chapter, section, and subsection		55			
14	dsp-ArrestingAgencyNCICCode	N	Y	N	N	A/N-9				COURT	The unique identifier for the law enforcement agency responsible for the citation. This is also known as an ORI		59			
15	dsp-OverweightInd	N	Y	N	N	A/N-2				COURT	A field to indicate if the citation is an overweight.		171	"O" : "C" : " " :	enforced validation	
16	dsp-TicketNumber	N	Y	N	N	A/N-10				COURT	The identifying ticket number of the UTC citation or conservation citation serving as the initial complaint.		64		Data entry role must have the ability to enter a paper ticket citation number, and search for it so that data entry staff can enter manual dispositions into the electronic system.	Note that ticket numbers should be unique within the Arresting Agency, but are not guaranteed. If a unique record is required, include the defendant last name.
17	dsp-DefendantPlea	N	Y	N	N	A/N-1				COURT	Indicates the plea of the defendant.		66	1: Not Guilty 2: Guilty 3: Not Guilty Insanity 4: Guilty but Mentally Ill 5: No Contest 6: No plea entered 7: Admission to delinquency petition 8: Denial of delinquency petition	enforced validation	
18	dsp-ChargeDisposition	N	N	N	N	N-3				COURT	A code indicating court disposition relating to the charge.		67	<large table>	ChargeDisposition must be supplied if ChargeDispositionType is provided	
19	dsp-ChargeDispositionType	N	N	N	Y	N-1				COURT	A code indicating whether disposition was finding, verdict or plea		68	1-Bench 2-Jury 3-Guilty Plea 4-Court Action 5-Admission to Delinquency Petition	enforced validation	
20	dsp-ChargeDispositionDate	N	N	N	Y	N-8				COURT	The date of occurrence of a charge disposition. (The court filing date of the disposition.)		69	The format is CCYMMDD, numeric and zero filled.	Disposition date should be equal to or after case initiation date	ADR Manual indicates a special format for State Police Traffic of MMDDYY.
21	dsp-ChargeDispositionIndicator	N	N	N	Y	A-1				COURT	A code indicating whether or not the disposition is original or revised.		70	<space> = original R - Revised		
22	dsp-SentenceDate	N	N	N	N	date				COURT	Date on which sentencing occurred		71			

23	dsp-SentenceType	N	N	N	N	N-3				COURT	The type of punishment imposed by the court		72	<large table>		
24	dsp-FineAmount	N	N	N	N	N-9				COURT	The amount of fine ordered by the court		89		This field is received as an integer with no decimal point but should be converted to a dollar amount	
25	dsp-DispositionControlID	N	N		Y	A/N-20				Server	This field is the identifier for a block of one or more dispositions submitted by the Court via the ADR XML Data Transfer Web Service.					
26	dsp-DispositionControlType					A/N-1				Server	Indicates how the disposition was entered into the system			1: ADR 2: XML 3: Manual		
27	dsp-DispositionControlIDDate	N	N		Y	N-8				Server	The date on which the XML data was received.					
28	reg-FineReceived					9.2				Court Register	The amount of the fine received from the circuit clerk.					
29	reg-AttorneyFees									Court Register						
30	reg-Total									Court Register						
31	reg-Date									Court Register						
32	reg-Contro									Court Register						

Automated Disposition Reporting Errors

Element Number	Citation Field	Unique	DB Mand	e-Cite Mand	Repeats	ISP Field Type & Length	ISP DB Default	Application Default Requiremnts	Attribute Field Name(s)	Owner	Definition	IDOT Data Element	ADR Data Element	Field Values	Validations	Comments
1	dsp-ErrorNumber										The identifying numeric for the error, as assigned by ADR.					
2	dsp-ErrorMessage										The error message text returned by ADR					
3	dsp-Description										A detailed description of the error, describing the error.					