

Warning form - ISP5-053 (11-06)

Element Number	Citation Field	Unique	DB Mand	App Mand	Repeats	ISP Field Type & Length	ISP DB Default	Application Default Requirements	Owner	Definition	IDOT Data Element	ADR Data Element	Field Values	Validations	Comments
1	met-CitationID (see metadata tab)	Y	Y	-	N	TBD		DB provided field	TBD	The unique identifier for a Warning as assigned by the database.					Stop Card-Warning Number is not a unique statewide identifier. The Stop Card-WarningID is a database-generated sequential number that uniquely identifies any Stop Card-Warning in the system.
2	met-StopID (see metadata tab)	N	Y	Y	N	TBD			Server	A new element for grouping citations and/or warnings together when they resulted from a single stop. Any combination of citations and warnings can be grouped under a single StopID. Multiple defendants may receive citations under one stop ID					The IDOT TSSS data can be linked to a single StopID.
3	cmp-Warning Number	N	Y	Y	N	A/N-10			Client	The identifying code number for a Warning to a violator.		64			The sequence numbers iterate by officer ID, not system wide. ISP requires the ability to set the starting sequential number per Officer ID. If not set, the number must start at 1. Data entry role must have the ability to enter a paper ticket citation number, as the TCs will be doing paper ticket data entry into the electronic system.
4	cmp-Dist Assignment	N	Y	Y	N	A/N-3		Assigned District from officer profile	Client	District of assignment indicates a code identifying the ISP District to which the officer is assigned.			D1-D22, D50 This field is automatically populated based on the officer's District of Assignment, as defined in the officer's profile in the system.		
5	cmp-Dist Occurrence	N	Y	Y	N	A/N-3		Assigned District	Client	District of Occurrence indicates a code identifying the ISP District in which violation occurred. Any local agencies using the system can default everything to District 1 if they do not use district assignments. This field can also be used to indicate a Beat Assignment			D1-D22 Defaults to cmp-ISP Dist Assignment. Override supported.	Valid field values are the same as for District of Assignment	Each district maps to an ORI number, which is specified in the ArrestingAgencyNCICode field.
6	cmp-Scale Number	N	N	N	N	A/N-5			Client	The location where the vehicle was weighed.					If the scale is a state scale, indicate the state scale number (33W, 15, 34, etc.) If the scale is a state semi-portable scale, indicate the scale number (201, 202, etc.).

7	cmp-Date of Offense	N	Y	Y	N	Date		current day	Client	The date of occurrence of the offense with which the defendant is charged.	1	41	Entry Date Format is MMDDCCYY. Month and day segments must be right justified and zero filled to two characters, e.g. 01, 02, etc.	Must be less than or equal to current day. Must apply date validation.	
8	cmp-Time of Offense	N	Y	Y	N	A/N-5		current time	Client	The time of day (Hour:Minute) of the occurrence of the offense with which the defendant is charged.	2		Hour segment is a two digit number, between 0 and 12 inclusive, left zero padded number, e.g., 01, 02, etc. Minute segment is a two digit number, between 0 and 59 inclusive, left zero padded number, e.g. 00. 01. 02.		
9	cmp-AM/PM Indicator	N	Y	Y	N	A/N-2		current time	Client	An AM/PM indicator for the time of day of the occurrence of the offense with which the defendant is charged.			A=AM P=PM		
10	veh-US DOT #	N	N	N	N	A/N-7			Client	This number is the census number issued to motor carriers by the U.S. DOT.					A US DOT # issued to corporations/companies for display on vehicle. (This number is required only when the vehicle has one assigned to it. This number is displayed in association with the carrier's name on each side of the power unit.)
11	cmp-County	N	Y	Y	N	A/N-20			Client	Name of the county in which violation occurred.			Select one from a list of Illinois county names.		
12	cmp-Township	N	N	N	N	A/N-20			Client	Name of the township in which violation occurred.			Cannot contain less than three (3) characters. Must contain only alphabetic letters "A-Z" or spaces. First position of field must not be a space. Two or more spaces imbedded between characters are invalid.	AS a matter of process, the complete township name is required and abbreviations are not permitted. The system will not validate these points; this will be a matter of process and training.	
13	loc-Highway	N	N	N	N	A/N 10			Client	Name of highway upon which violation occurred.			Selected from a list of IL highways patrolled by ISP.		This information should be printed in one of the Location fields. The length of text entered by the officer may have to be reduced depending on field length of this field.
14	loc-Milepost	N	N	N	N	A/N-10			Client				Can be selected from a list of milepost markers as determined by highway selection, or number entered by officer. Field type determined at design time.		This information should be printed in one of the Location fields. The length of text entered by the officer may have to be reduced depending on field length of this field.
15	loc-GPSLocationType	N	N	N	N	A/N-2			client	An indication from the officer where the GPS coordinates were taken.			1 - Incident 2 - Stop	Required when GIS coordinates are captured (in latitude and longitude fields)	
16	loc-Latitude	N	N	N	N	A/N-8			client	GPS Latitude coordinate.				GPS Format is XXX.XXXX	Populated when operating GPS unit is available. THIS FIELD IS NOT PRINTED ON THE CITATION
17	loc-Longitude	N	N	N	N	A/N-8			client	GPS Longitude coordinate.				GPS Format is XXX.XXXX	Populated when operating GPS unit is available. THIS FIELD IS NOT PRINTED ON THE CITATION
18	loc-Location of Incident1	N	N	Y	N	A/N-35			Client	Description of Incident Location.					

19	loc-Location of Incident2	N	N	N	N	A/N-35			Client	Description of Incident Location (continued).					If Location1 is null, and Location 2 is not null, move contents to Location 1.	
20	vio-ChargeStatuteChapter	N	Y	Y	N	A/N-12			client	This field indicates the Chapter of the violation.			oft-CHAPTER (See OFT Tab) Example - 625		This field may be manually entered or derived from the AOIC code table on the violation selected	
21	vio-ChargeStatuteAct	N	Y	Y	N	A/N-12			client	This field indicates the Act of the violation.			oft-ACT (see OFT tab) Example - 5		This field may be manually entered or derived from the AOIC code table on the violation selected	
22	vio-ChargeStatuteSection	N	Y	Y	N	A/N-20			client	This field indicates the Section of the violation.			oft-SECTION (see OFT Tab) Example - 11-501(a)1		This field may be manually entered or derived from the AOIC code table on the violation selected	
23	vio-Illinois Vehicle AOIC Code Charge	N	N	N	Y	N-7			Client	A code maintained by the Administrative Office of the Illinois Courts (AOIC) to indicate the chapter, article, section, and subsection of the statute citation of the offense.		55	oft-CODE (see OFT tab) Provide list (of codes and their corresponding descriptions) for officer to select a violation from tables provided by AOIC. Selection of certain state violations may require additional information to be entered.		This field may be repeated 0 to 6 times	
24	vio-Speed (Actual)	N	N	N	N	N-3			Client	Vehicle speed in miles per hour (MPH) when the violation occurred.					Required when 'violation of 11-601(b) - speeding' is selected in field vio-Illinois Vehicle Code Charge.	
25	vio-Speed (Posted)	N	N	N	N	N-3			Client	Posted speed in MPH where the speeding violation occurred					Required when 'violation of 11-601(b) - speeding' is selected in field vio-Illinois Vehicle Code Charge.	
26	inc-Method	N	Y	Y	N	N			Client	Code to indicate method used to identify the violation.			0. HH Radar 1. Plain Car 2. Radar 3. Aircraft 4. Marked 5. VASCAR 6. C Signed 7. Assist 8. Accident 9. Other		Changes to list are pending Art V approval.	
27	veh-Make	N	N	N	N	A/N-15			Client	The name of the manufacturer of the vehicle.	11	150				
28	veh-Year	N	N	N	N	N-4			Client	Model year of manufacture of vehicle.	12	151	Entry Date Format is CCYY.		Must be equal or less than current year + plus one, to accommodate the new model vehicle year release.	
29	veh-Color	N	N	N	N	A/N-6			Client	Color of vehicle						
30	veh-RegistrationNumber	N	N	N	N	A/N-12			Client	Vehicle License Plate Registration Number.			148	Must be left justified and blank filled. If NONE, enter 'N/A' per ENF-001 instructions.		
31	veh-RegistrationState	N	N	N	N	C-2		default IL only if Vehicle ID is not null (element 34)	Client	State in which vehicle is registered.			149	Select one from a list of valid two character codes foUS States, Territorial possessions, Canadian Provinces and Mexico.	Required if Vehicle Registration Number (veh-Regstr.No.) is not null.	ADR provides valid two characters codes not only all USA states but also US Territorial Possessions, Canadian Provinces and Mexican States. All others not listed must be coded '

32	veh-RegistrationYear	N	N	N	N	N-4			Client	Expiration year of license plate registration.		147	Format is CCYY	Required if Vehicle Registration Number (veh-Regstr.No.) is not null. Must be equal or less than current year plus one.	
33	veh-Type1	N	N	Y	Y	A/N-2			Client	Vehicle type identifier			0. Pedestrian. 1. Passenger Car. 2. Rec Vehicl or Truck. 3. Bus. 4. Truck Tractor. 5. Trail or Semi-Trail. 6. Motorcycle or Bicycle. 7. Other.	Note that available field values vary by agency (ISP, DNR, etc.)	
46	veh-HazMatPlacardedIndicator(new)	N	N	Y	N	A/N-1	N	Application should require Y or N.	client	Code to indicate vehicle type. SOS has asked us to ask for separate required field confirmation for (8) Com Motor Vehicle and (9) Haz Mat and (10) 16+		145	Yes No	Response required	
47	veh-CommMotorVehicleIndicator (new)	N	N	Y	N	A/N-1	N	Application should require Y or N.	client	Code to indicate vehicle type. SOS has asked us to ask for separate required field confirmation for (8) Com Motor Vehicle and (9) Haz Mat and (10) 16+		61	Yes No	Response required	Vehicle Type identifier (9) SOS has asked us to ask for separate required field confirmation. Pending approval
48	veh-16plusVehicleIndicator (new)	N	N	Y	N	A/N-1	N	Application should require Y or N.	client	Code to indicate vehicle type. SOS has asked us to ask for separate required field confirmation for (8) Com Motor Vehicle and (9) Haz Mat and (10) 16+			Yes No	Response required	Vehicle Type identifier (10) SOS has asked us to ask for separate required field confirmation.
34	def-DLNumber	N	N	N	N	A/N-25		prompt to confirm null	Client	The distinguishing number assigned to the defendant by the licensing authority of this or any other state allowing the defendant to drive or operate a motor vehicle.		36			Trooper may change/override any data obtained via a Driver License swipe. Neither spacing nor punctuation is recorded.
35	def-DLClass	N	N	N	N	A/N-1			Client	The class of the driver's license					
36	def-DLState	N	N	N	N	C-2		default IL, required when DL Lic (element 28) is not null.	Client	A code to indicate the state of issuance of a defendant's driver's license.		37		Required if DL# is not null.	ADR provides valid two characters codes not only all USA states but also US Territorial Possessions, Canadian Provinces and Mexican States. All others not listed must be coded 'YY'. Provide ADR valid codes in a drop down list for officer to make selection. Required if DL Lic # is not null?
37	def-Last Name	N	Y	Y	N	A/N-20		required? Prompt to confirm null?	Client	The complete surname of the defendant.	6	11		First character must be alphabetic. Only punctuation allowed within the text string is a (space) and '-' (hyphen).	
38	def-First Name	N	N	N	N	A/N-14			Client	The first name of the defendant.	6	12		First character must be alphabetic. Only punctuation allowed within the text string is a (space) and '-' (hyphen).	
39	def-Middle Name Initial	N	N	N	N	A/N-1			Client	The middle initial of the defendant.		13			

40	def-DOB	N	Y	Y	N	Date			Client	The date of birth of a defendant.	13	27	Entry Date Format is MMDDCCYY. Month and day segments must be right justified and zero filled to two characters, e.g. 01, 02, etc.	Must be less than the current day. Must apply date validation.	Entry Date Format is MMDDCCYY. Must apply date format validation. Must be numeric. Month and day segments must be right justified and zero filled to two characters, e.g. 01, 02, etc. This field must NOT accept the current date or a date in the future as the defendant date of birth.
41	def- Gender	N	N	Y	N	A/N-1		M or F required. Application should not allow Unknown.	Client	The biological gender of the defendant.	14	19	Male Female Blank (Unknown)		CheckBox for Gender on the hardcopy Citation form does not provide an 'Unknown' gender allowed by the NCIC code table. The availability of an 'Unknown' gender option as a 'BLANK Space' (in eCitation) would conform with the valid codes in ADR which are 'M=Male', 'F=Female', 'BLANK Space=Unknown Gender'. Trooper selects gender from a dropdown list of valid gender codes. For TSSS reporting, it is not known how the Photo Radar DB handles an Unknown Gender. IDOT's TSSS does not provide an 'Unknown' gender - the officer must choose M or F. If the officer has selected Unknown gender on citation, officer must choose Male or Female on the TSSS value. A data processing conversion for gender to acceptable IDOT values of (M)'1' and (F)'2' will be required in the generation of the TSSS file.
42	def-Address1	N	N	N	N	A/N-20		prompt to confirm null	Client	The address line one of the defendant.	7	29		Only valid characters allowed are "A-Z", 0-9, / (Slash), - (Dash or Hyphen), & (Ampersand), and a space. First position can be any valid character except space. Two or more spaces imbedded between characters are invalid. If address2 is not null, then address1 is required.	DB provides two address attributes in tblDRIVER - both of 20 characters. For TSSS reporting, concatenate the two address fields, separate with a semicolon (;). If additional space is needed, it is entered in def-Address2.
43	def-Address2	N	N	N	N	A/N-20			Client	The address line two of the defendant, if needed.	7	30		If not equal to spaces, only valid characters allowed are "A-Z", 0-9, / (Slash), - (Dash or Hyphen), & (Ampersand), and a space. Two or more spaces imbedded between characters are invalid.	DB provides two address attributes in tblDRIVER - both of 20 characters. For TSSS reporting, concatenate the two address fields, separate with a semicolon (;).
44	def-Residence City	N	N	N	N	A/N-25		prompt to confirm NULL	Client	The city of the defendant's home address.	8	31		Must not contain less than three alphabetic characters. Must contain only alphabetic letters "A-Z" or spaces. First position of field must not be a space. Two or more spaces imbedded between characters are invalid.	

45	def-Residence State	N	N	N	N	C-2		prompt to confirm null	Client	The state of the defendant's home address.	9	32	List ADR valid codes in a drop-down list for officer selection. Include an "Other" option (coded as 'YY') to support codes not available in the ADR list.		ADR provides valid two characters codes not only all USA states but also US Territorial Possessions, Canadian Provinces and Mexican States. Canadian Provinces: BC = British Columbia AB = Alberta SK = Saskatchewan MB = Manitoba ON = Ontario QC = Quebec NB = New Brunswick NL = Newfoundland/Labrador NS = Nova Scotia PE = Prince Edward Island NT = Northwest Territories NU = Nunavut YT = Yukon Territory
46	def-Residence Zip Code	N	N	N	N	A/N-9		prompt to confirm null	Client	The zip code of the defendant's home address.	10	33	For US addresses, 9 character postal code, formatted as XXXXX-XXXX. For US addresses: If any characters are entered, 5 or 9 digits required. Numeric values only. Format XXXXX-XXXX.	5-char zip + 4 char optional. For TSSS, only first 5 characters are used. If the Defendant Residence State (def-ResidenceState) is one of the Canadian Provinces, the zip code must be in the following format "X9X_9X9_". If only five-digit zip code is known, use first five positions and zero fill the remaining four positions. If zip code is unknown, zero fill all 9 positions.	
47	off-officer's signature Date	N	Y	Y	N	Date		current date	Client	The date on which the defendant was issued a traffic ticket.		40	System generated date of citation issuance.		
48	off-Officer's signature	N	Y	Y	N	?			Client	A code to indicate an authenticatable electronic signature of the officer who completed the citation.			Yes No		
49	off-Officer's ID	N	Y	Y	N	A/N-5			Client	The badge number or ID assigned to a law enforcement officer by their law enforcement agency.	4 & 5	142	Drawn from the profile of the officer currently logged into the system.		Officer IDs are not guaranteed to be unique, and are not guaranteed to reflect the same person over time. IDs can be reused over time. The name of the officer must always be stored along with the ID for historical purposes.
50	off-OfficerLast Name (new)	N	N	Y	N	A/N-20			Client	The last name of the issuing officer			Drawn from the profile of the officer currently logged into the system.		
51	off-Officer First Initial (new)	N	N	Y	N	A/N-1			Client	The first initial of the issuing officer. Do not print entire first name on the citation.			Drawn from the profile of the officer currently logged into the system.		